



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1035-CPR-ES033858-B

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it has been stated that the product:

GEOTEXTILES

As per description in the annex to this certificate

Supply by the company: **GEOSYNTHETICS LIMITED**
Address: **Fleming Road.
Harrowbrook Industrial Estate.
Hinckley, Leicestershire.
LE10 3DU. England.**

Manufactured in: **ZIG8413702**

Is submitted by the manufacturer to the initial types testing of the product and a factory production control and that the notified body Bureau Veritas Iberia has performed the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate remains valid as long as the conditions laid down in the harmonized standards, the manufacturing conditions in the factory or the factory production control itself are not modified significantly until 2017 October, 25.

Place and date of initial issuing: Madrid, 2013 November, 19.

Date of update: Madrid , 2015 November, 06

Signed by:

Mónica Botas
Certification Manager

Bureau Veritas Iberia, S.L.
Edificio Caoba. C/ Valportillo Primera 22-24
Polígono Industrial La Granja
28108 – Alcobendas (MADRID)
Notified body 1035 with ENAC accreditation OC-P/005



IDENTIFICATION	FOR USES
Ekotex 06 Ekotex 07 Ekotex 08 Ekotex 10 Ekotex 12 Ekotex 14 Ekotex 20	EN 13249:2014 Geotextiles and geotextiles related products. Characteristic required for use in the construction of roads and other trafficked areas (Excluding railways and asphalt inclusion)
	EN 13250:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of railways.
	EN 13251:2014 Geotextiles and geotextiles related products. Required characteristics for use in earthworks, foundations and retaining structures.
	EN 13252:2014 Geotextiles and geotextiles related products. Required characteristics for use in drainage systems.
	EN 13253:2014 Geotextiles and geotextiles related products. Required characteristics for use in erosion control works (Coastal protection, bank revetments).
	EN 13254:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of reservoirs and dams.
	EN 13255:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of canals.
	EN 13256:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of tunnels and underground structures.
	EN 13257:2014 Geotextiles and geotextiles related products. Required characteristics for use in solid waste disposals
	EN 13265:2014 Geotextiles and geotextiles related products. Required characteristics for use in liquid waste containment projects.

Signed by:

Mónica Botas
Certification Manager



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1035-CPR-ES033858-C

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it has been stated that the product:

GEOTEXTILES

As per description in the annex to this certificate

Supply by the company: **GEOSYNTHETICS LIMITED**
Address: **Fleming Road.
Harrowbrook Industrial Estate.
Hinckley, Leicestershire.
LE10 3DU. England.**

Manufactured in: **ZIG8413702**

Is submitted by the manufacturer to the initial types testing of the product and a factory production control and that the notified body Bureau Veritas Iberia has performed the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate remains valid as long as the conditions laid down in the harmonized standards, the manufacturing conditions in the factory or the factory production control itself are not modified significantly until 2017 October, 17.

Place and date of initial issuing: Madrid, 2013 November, 19

Date of update: Madrid, 2015 December, 11

Signed by:

Mónica Botas
Certification Manager

Bureau Veritas Iberia, S.L.
Edificio Caoba. C/ Valportillo Primera 22-24
Polígono Industrial La Granja
28108 – Alcobendas (MADRID)
Notified body 1035 with ENAC accreditation OC-P/005



Annex to the certificate: 1035-CPR-ES033858-C

Date: 2015 December 11

IDENTIFICATION	FOR USES
Fiberforce Arena Fiberforce Extra Fiberforce Premium	EN 13249:2014 Geotextiles and geotextiles related products. Characteristic required for use in the construction of roads and other trafficked areas (Excluding railways and asphalt inclusion)
	EN 13250:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of railways.
	EN 13251:2014 Geotextiles and geotextiles related products. Required characteristics for use in earthworks, foundations and retaining structures.
	EN 13252:2014 Geotextiles and geotextiles related products. Required characteristics for use in drainage systems.
	EN 13253:2014 Geotextiles and geotextiles related products. Required characteristics for use in erosion control works (Coastal protection, bank revetments).
	EN 13254:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of reservoirs and dams.
	EN 13255:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of canals.
	EN 13256:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of tunnels and underground structures.
	EN 13257:2014 Geotextiles and geotextiles related products. Required characteristics for use in solid waste disposals
	EN 13265:2014 Geotextiles and geotextiles related products. Required characteristics for use in liquid waste containment projects.

Signed by:

Mónica Botas
Certification Manager



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1035-CPR-ES033858-D

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it has been stated that the product:

GEOTEXTILES

As per description in the annex to this certificate

Supply by the company: **GEOSYNTHETICS LIMITED**
Address: **Fleming Road.
Harrowbrook Industrial Estate.
Hinckley, Leicestershire.
LE10 3DU. England.**

Manufactured in: **ZIG8413702**

Is submitted by the manufacturer to the initial types testing of the product and a factory production control and that the notified body Bureau Veritas Iberia has performed the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate remains valid as long as the conditions laid down in the harmonized standards, the manufacturing conditions in the factory or the factory production control itself are not modified significantly until 2017 October, 25.

Place and date of initial issuing: Madrid, 2013 November, 19

Date of update: Madrid, 2015 November, 06

Signed by:

Mónica Botas
Certification Manager

Bureau Veritas Iberia, S.L.
Edificio Caoba. C/ Valportillo Primera 22-24
Polígono Industrial La Granja
28108 – Alcobendas (MADRID)
Notified body 1035 with ENAC accreditation OC-P/005



Date: 2015 November, 06

IDENTIFICATION	FOR USES
Treetex	EN 13249:2014 Geotextiles and geotextiles related products. Characteristic required for use in the construction of roads and other trafficked areas (Excluding railways and asphalt inclusion)
	EN 13250:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of railways.
	EN 13251:2014 Geotextiles and geotextiles related products. Required characteristics for use in earthworks, foundations and retaining structures.
	EN 13252:2014 Geotextiles and geotextiles related products. Required characteristics for use in drainage systems.
	EN 13253:2014 Geotextiles and geotextiles related products. Required characteristics for use in erosion control works (Coastal protection, bank revetments).
	EN 13254:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of reservoirs and dams.
	EN 13255:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of canals.
	EN 13256:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of tunnels and underground structures.
	EN 13257:2014 Geotextiles and geotextiles related products. Required characteristics for use in solid waste disposals
	EN 13265:2014 Geotextiles and geotextiles related products. Required characteristics for use in liquid waste containment projects.

Signed by:

Mónica Botas
Certification Manager



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1035-CPR-ES033858-E

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it has been stated that the product:

GEOTEXTILES

As per description in the annex to this certificate

Supply by the company: **GEOSYNTHETICS LIMITED**
Address: **Fleming Road.
Harrowbrook Industrial Estate.
Hinckley, Leicestershire.
LE10 3DU. England.**

Manufactured in: **ZIG8413702**

Is submitted by the manufacturer to the initial types testing of the product and a factory production control and that the notified body Bureau Veritas Iberia has performed the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate remains valid as long as the conditions laid down in the harmonized standards, the manufacturing conditions in the factory or the factory production control itself are not modified significantly until 2017 October, 25.

Place and date of initial issuing: Madrid, 2013 November, 19

Date of update: Madrid, 2015 November ,06.

Signed by:

Mónica Botas
Certification Manager

Bureau Veritas Iberia, S.L.
Edificio Caoba. C/ Valportillo Primera 22-24
Polígono Industrial La Granja
28108 – Alcobendas (MADRID)
Notified body 1035 with ENAC accreditation OC-P/005



Date: 2015 November, 06

IDENTIFICATION	FOR USES
Flowtex	EN 13249:2014 Geotextiles and geotextiles related products. Characteristic required for use in the construction of roads and other trafficked areas (Excluding railways and asphalt inclusion)
	EN 13250:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of railways.
	EN 13251:2014 Geotextiles and geotextiles related products. Required characteristics for use in earthworks, foundations and retaining stuctures.
	EN 13252:2014 Geotextiles and geotextiles related products. Required characteristics for use in drainage systems.
	EN 13253:2014 Geotextiles and geotextiles related products. Required characteristics for use in erosion control works (Coastal protecction, bank revetments).
	EN 13254:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of reservoirs and dams.
	EN 13255:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of canals.
	EN 13256:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of tunnels and underground structures.
	EN 13257:2014 Geotextiles and geotextiles related products. Required characteristics for use in solid waste disposals
	EN 13265:2014 Geotextiles and geotextiles related products. Required characteristics for use in liquid waste containment projects.

Signed by:

Mónica Botas
Certification Manager



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1035-CPR-ES033858-F

In compliance of the Regulation No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it has been stated that the product:

GEOTEXTILES

As per description in the annex to this certificate

Supply by the company: **GEOSYNTHETICS LIMITED**
Address: **Fleming Road.
Harrowbrook Industrial Estate.
Hinckley, Leicestershire.
LE10 3DU. England.**

Manufactured in: **ZIG8413702**

Is submitted by the manufacturer to the initial types testing of the product and a factory production control and that the notified body Bureau Veritas Iberia has performed the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the harmonized standards EN mentioned in the annex to this certificate.

This certificate remains valid as long as the conditions laid down in the harmonized standards, the manufacturing conditions in the factory or the factory production control itself are not modified significantly until 2017 October 25.

Place and date of initial issuing: Madrid, 2013 November, 19

Date of update: Madrid, 2015 November, 6

Signed by:

Mónica Botas
Certification Manager

Bureau Veritas Iberia, S.L.
Edificio Caoba. C/ Valportillo Primera 22-24
Polígono Industrial La Granja
28108 – Alcobendas (MADRID)
Notified body 1035 with ENAC accreditation OC-P/005



IDENTIFICATION	FOR USES
Turfex	EN 13249:2014 Geotextiles and geotextiles related products. Characteristic required for use in the construction of roads and other trafficked areas (Excluding railways and asphalt inclusion)
	EN 13250:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of railways.
	EN 13251:2014 Geotextiles and geotextiles related products. Required characteristics for use in earthworks, foundations and retaining structures.
	EN 13252:2014 Geotextiles and geotextiles related products. Required characteristics for use in drainage systems.
	EN 13253:2014 Geotextiles and geotextiles related products. Required characteristics for use in erosion control works (Coastal protection, bank revetments).
	EN 13254:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of reservoirs and dams.
	EN 13255:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of canals.
	EN 13256:2014 Geotextiles and geotextiles related products. Required characteristics for use in the construction of tunnels and underground structures.
	EN 13257:2014 Geotextiles and geotextiles related products. Required characteristics for use in solid waste disposals
	EN 13265:2014 Geotextiles and geotextiles related products. Required characteristics for use in liquid waste containment projects.

Signed by:

Mónica Botas
Certification Manager