



Product 534197:Spec 008, AB RTW KTP Tank_FR162:Sae-A C2 2019

Created Date	03/19/2019 1:54 CDT	Source	001 : Sae-A Trading Company Ltd.
Product Name	534197, AB RTW KTP Tank_FR162	Specification	008 : Sae-A C2 2019
Packet Type			

Specification Summary

Specification Stage	Production	ABO Style	No
----------------------------	------------	------------------	----

Additional Specification Attributes

Vendor Style #		Product Shrinkage	4%x4%
-----------------------	--	--------------------------	-------

Product General Attributes

Division	READY-TO-WEAR	Adjacency	RTW-READY TO WEAR
Department	018-A NEW DAY	Brand	A New Day
Program Name		Collection Designator	
Material Category	Knit	Design Strategy	Internal design
Product Claims		Number of styles in PID	1
		Comments	

Product Season Attributes

Set Date		Fabric/Product Calendar	
Design Cycle	2019 C2 Summer		

Specification Internal Comments :

User	Entered On	Comments
Heather.Leahy	11/14/2018 11:06 GMT	CF from C1 2019

Specification External Comments :

User	Entered On	Comments
------	------------	----------

BOM Materials

BOM Name: 009 : 534197 Sae-A C2 2019

BOM Status: In Progress



Section: Fabric

	Component or Location	Material	Material Description	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Total Fiber Content	Total Fabric Weight X-Mill	Mechanical	Chemical	Thread Count EPI + PPI	Courses Per Inch - CPI	Wales Per Inch - WPI	Supplier Name	Supplier Article #	Comments
No Image Available	Body and Binding - S	FS369 21	Standard 1x1 Rib Ex-mill 190 gsm 58/39/3 Ctn/Mdl/Span 40s+20D CM RS BioPolished	S, AOP, YD, FD		1 x 1 Rib	58% Cotton, 3% Spandex, 39% Modal	190.00	N/A	Bio Polish	0	50	30	Pacific Textiles Ltd	TR202 7SB ; TR202 7SP ; TR202 7SY ; TR202 7SB(FD)	Body and Binding Garment Pigment Dye: MOXIE PEACH (NYLO N ONLY)
	Body and Binding - AOP, FD	AP-36113-FS369 21-2019 C1 Spring	Standard 1x1 Rib Ex-mill 190 gsm 58/39/3 Ctn/Mdl/Span 40s+20D CM RS BioPolished	S, AOP, YD, FD		1 x 1 Rib	58% Cotton, 3% Spandex, 39% Modal	190.00	N/A	Bio Polish	0	50	0	Pacific Textiles Ltd	TR202 7SB ; TR202 7SP ; TR202 7SY ; TR202 7SB(FD)	Body and Binding
	Body and Binding - AOP, FD	AP-37006-FS369 21-2019 C2 Summer	Standard 1x1 Rib Ex-mill 190 gsm 58/39/3 Ctn/Mdl/Span 40s+20D CM RS BioPolished	S, AOP, YD, FD		1 x 1 Rib	58% Cotton, 3% Spandex, 39% Modal	190.00	N/A	Bio Polish	0	50	0	Pacific Textiles Ltd	TR202 7SB ; TR202 7SP ; TR202 7SY ; TR202 7SB(FD)	Body and Binding
	Body and Binding - YD	AP-34293-FS369 21-2018 C4 Winter	Standard 1x1 Rib Ex-mill 190 gsm 58/39/3 Ctn/Mdl/Span 40s+20D CM RS BioPolished	S, AOP, YD, FD		1 x 1 Rib	58% Cotton, 3% Spandex, 39% Modal	190.00	N/A	Bio Polish	0	50	0	Pacific Textiles Ltd	TR202 7SB ; TR202 7SP ; TR202 7SY ; TR202 7SB(FD)	Body and Binding
	Body - YD, AOP	AP-37006-FS369 21-2019 C2 Summer	Standard 1x1 Rib Ex-mill 190 gsm 58/39/3 Ctn/Mdl/Span 40s+20D CM RS BioPolished	S, AOP, YD, FD		1 x 1 Rib	58% Cotton, 3% Spandex, 39% Modal	190.00	N/A	Bio Polish	0	50	0	Pacific Textiles Ltd	TR202 7SB ; TR202 7SP ; TR202 7SY ; TR202 7SB(FD)	Body




Section: Fabric

	Component or Location	Material	Material Description	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Total Fiber Content	Total Fabric Weight X-Mill	Mechanical	Chemical	Thread Count EPI + PPI	Courses Per Inch - CPI	Wales Per Inch - WPI	Supplier Name	Supplier Article #	Comments
No Image Available	Binding - YD	FS369 21	Standard 1x1 Rib Ex-mill 190 gsm 58/39/3 Ctn/Mdl/Span 40s+20D CM RS BioPolished	S, AOP, YD, FD		1 x 1 Rib	58% Cotton, 3% Spandex, 39% Modal	190.00	N/A	Bio Polish	0	50	30	Pacific Textiles Ltd	TR202 7SB ; TR202 7SP ; TR202 7SY ; TR202 7SB(FD)	Binding


Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	Hangtag (retail) - AND18_50A 01	T10009, HANGTAG, PACKAGING - Hangtag, Printed,												*Please refer to POL for current PDF.
	Folded Size Strip - AND18_07A 01	T10011, SIZE STRIP, PACKAGING - Size Strip, Printed,												Copy1: No Variable Copy
	Other Hangtag – AND18_01 C04	T10920, SECONDARY HANGTAG, PACKAGING - Secondary Hangtag, Printed,	Label	SECONDARY HANGTAG				Merchandise Vendors						* Variable Copy: DYE WARNING MOXIE PEACH (NYLON ONLY)
	HTL	T17057, AND18_08B01, Brand A Heat Transfer with fit callout option, Heat Transfer	Label	AND18_08B01				Merchandise Vendors						No Variable Fit Copy
	AB DPCI	T13930, TNB16_03F01, DPCI Tracking-soft recycled, Printed, White	Label	TNB16_03F01				Merchandise Vendors		1.000			mm	
	Care	T5484, TA05_05A1, TNB Satin Generic Care TA00000 0018628, Printed, White	Label	TA05_05A1				Merchandise Vendors		1.000			mm	

Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	Seams, Topstitching	T12661, AMAZING BASICS, Spun polyester	Thread					American & Efird LLC	Perma Spun Tex27				Tex	
	Looper (HEM ONLY)	T12662, AMAZING BASICS, Textured polyester	Thread					American & Efird LLC					Tex	
	Shoulder seam	T151, STANDARDIZED TD Clear Polyurethane Tape Elastic TA00000 0385465 Clear6	Elastic					Merchandise Vendors						

BOM Colorways**BOM Name:** 009 : 534197 Sae-A C2 2019**BOM Status:** In Progress**Section:** Fabric

Component or Location	Missy Knit	Material	C119ANDRTWAOP070-24	FIERY BROWN	SMOKED PINK	XAVIER NAVY
Body and Binding - S	XS, S, M, L, XL, XXL	FS36921				
				FIERY BROWN	SMOKED PINK	XAVIER NAVY
Body and Binding - AOP, FD	XS, S, M, L, XL, XXL	AP-36113-FS36921-2019 C1 Spring	 C119ANDRTWAOP 070-24			
Body and Binding - AOP, FD	XS, S, M, L, XL, XXL	AP-37006-FS36921-2019 C2 Summer				
Body and Binding - YD	XS, S, M, L, XL, XXL	AP-34293-FS36921-2018 C4 Winter				
Body - YD, AOP	XS, S, M, L, XL, XXL	AP-37006-FS36921-2019 C2 Summer				
Binding - YD	XS, S, M, L, XL, XXL	FS36921				

Section: Trim							
Component or Location	Missy Knit	Material	Trim Color	C119ANDRTWAO P070-24	FIERY BROWN	SMOKED PINK	XAVIER NAVY
Hangtag (retail) - AND18_50A 01	XS, S, M, L, XL, XXL	T10009, HANGTAG, PACKAGING - Hangtag, Printed,					
Folded Size Strip - AND18_07A01	XS, S, M, L, XL, XXL	T10011, SIZE STRIP, PACKAGING - Size Strip, Printed,					
Other Hangtag – AND18_01C04	XS, S, M, L, XL, XXL	T10920, SECONDARY HANGTAG, PACKAGING - Secondary Hangtag, Printed,					
HTL	XS, S, M, L, XL, XXL	T17057, AND18_08B01, Brand A Heat Transfer with fit callout option, Heat Transfer		PEWTER	PEWTER	PEWTER	PEWTER
AB DPCI	XS, S, M, L, XL, XXL	T13930, TNB16_03F01, DPCI Tracking- soft recycled, Printed, White					
Care	XS, S, M, L, XL, XXL	T5484, TA05_05A1, TNB Satin Generic Care TA000000018628, Printed, White					
Seams, Topstitching	XS, S, M, L, XL, XXL	T12661, AMAZING BASICS, Spun polyester		COBBLESTONE	FIERY BROWN	SMOKED PINK	XAVIER NAVY
Looper (HEM ONLY)	XS, S, M, L, XL, XXL	T12662, AMAZING BASICS, Textured polyester		COBBLESTONE	FIERY BROWN	SMOKED PINK	XAVIER NAVY
Shoulder seam	XS, S, M, L, XL, XXL	T151, STANDARDIZED TD Clear Polyurethane Tape Elastic TA0000000385465Clear6		Clear	Clear	Clear	Clear

Technical Overview

Name	003All Colorways-Active Missy Knit Alpha-Active M	Size Definition Template	Missy Knit Alpha-Active Missy Knit Grade Template-Active 02/22/2018 10:43 CST
-------------	---	---------------------------------	---

Note: Shaded areas are critical**Measurement Set:** 003All Colorways-Active **Sample Size:** M **UOM:** in

POM #(-)POM Name	POM Special Instructions	Tol (+)	Tol (-)	XS	S	M	L	XL	XXL
A15E.R-NK WDTN EDGE	VENDOR GRADED For Core size only - maintain strap width across all sizes.	0.500	0.500	7.750	8.250	8.750	9.500	9.875	10.250
A25FE.R-FRT NK DROP EDGE	VENDOR GRADED Use for neck drop above mid armhole	0.250	0.250	5.875	6.125	6.375	6.625	6.875	7.125
A35BE.R-BK NK DROP EDGE	VENDOR GRADED	0.250	0.250	4.000	4.250	4.500	4.750	5.000	5.250
F16.R-ACRS BK	Across Back measurement to be taken _4.5_inches down from high point shoulder (neck/shoulder seam intersect)	0.500	0.500	8.500	9.000	9.500	10.500	11.000	11.500
B15.R-BUST/CHEST BLW A/H		1.000	1.000	21.000	23.000	25.000	28.000	30.000	32.000
C01.R-HPS TO FRT WAIST POS		0.500	0.500	15.750	16.125	16.500	17.000	17.250	17.500
C15.R-WAIST BODICE TOP		1.000	1.000	21.250	23.000	25.000	28.250	30.500	33.000
E01.R-SWEEP		1.000	1.000	24.000	26.000	28.000	31.000	33.000	35.000
M25.R-HPS FRT LNGTH		0.500	0.500	26.000	26.500	27.000	27.750	28.125	28.500

Construction Overview**Name:** 005All Colorways-Active**Note: Shaded areas are critical****Construction Detail - 005All Colorways-Active**


Section	Detail	Placement	Update
Care	MACHINE WASH COLD WITH LIKE COLORS ONLY NON-CHLORINE BLEACH IF NEEDED TUMBLE DRY LOW REMOVE PROMPTLY COOL IRON IF NEEDED DO NOT IRON ON LABEL See http://www.ftc.gov/bcp/edu/pubs/business/textile/bus50.shtm or www.ftc.gov/bcp/edu/pubs/business/textile/bus21.shtm		
Care	Pigment Dye: WASH BEFORE WEAR MACHINE WASH COLD WITH LIKE COLORS ONLY NON-CHLORINE BLEACH IF NEEDED TUMBLE DRY LOW REMOVE PROMPTLY COOL IRON IF NEEDED DO NOT IRON ON LABEL		
Other Details	Vendor is responsible to ensure all label placements meet FTC and custom requirements.		
Other Details	Review Garment Standards and A&A Construction Guides from POL specific to division, fabrication and silhouette. For all children's garments, contact 3rd party lab for latest version of requirements.		
Expression of Fit	Fitted		
Packing Instructions	Cost as Folded Garment		
Pressing Requirements	Do not Hard Press		
Cutting Requirements	Stripe is balanced- no		
Cutting Requirements	Stripe is matched- at side seams		
Cutting Requirements	Stripe is placed- no		
Cutting Requirements	Review Plaid/Stripe Cutting Requirements Definitions on POL		
Other Details	0.375" Single needle vertical tacking at side seam		
Binding	Clean finish - neck & A/H - top and bottom		
Seams/Topstitch	602 2 needle 4 thread coverstitch, (0.125") inch all topstitching unless otherwise specified		
SPI	14,+2/-1 top stitching		
SPI	12,+2/-1 joining seam		
Seams/Topstitch	514, 2 needle, 4 thread overlock, all joining seams		
Seams/Topstitch	602 2 needle 4 thread coverstitch, 1/8 inch at sweep hem.		
Seams/Topstitch	406 2 needle coverstitch, 1/8" at binding.		
Other Details	PSQA/Business Partner: Please pay Close attention to the following - All threads must be clipped.		
Other Details	PSQA/Business Partner: Please pay Close attention to the following - 1. Ensure there are no distorted or uneven stitches 2. Ensure SPI at Sweep is as requested. 3. Ensure needle tension is not too tight that stitches pop at sweep 4. Ensure stitching at sweep has 3/4" overlap finish that passes side seam and lines up exactly on top of itself.		

☐ In-Store

☐ T.com Only


☐ Preferred

☐ Back up



Updated: Oct 2017
PartnersOnline© 2009Target

Release Date: Oct 2017

	Adult Top/Dress Label Placement
	All Inclusive Screen or Heat Transfer
	<p>*Center All Inclusive label left to right at back neck. Top of screen/transfer to be 1" below neck seam</p> <p>*DPCI placed 3" up from sweep at side seam</p> <p>*See Sketch Comments for placement overrides</p>

*This generic image is for interior label placement only. Follow the style specific image for all details.

×

Care Label Responsibility

IMPORTANT: Target may furnish, specify or adopt product specifications, performance standards, drawings, product claims, instructions, descriptions and/or other information related to the goods you sell to Target (the "Specifications"). Regardless of the Specifications, **VENDOR IS RESPONSIBLE** for: (1) product and packaging safety; (2) compliance with all applicable laws, rules, regulations, standards, codes, orders, directives, judicial and administrative decisions, and ordinances, of the country of origin, the country of transit, the United States and Canada, any state, province, or other subdivision thereof, and any agency or entity of the foregoing, including all laws relating to packaging and labeling (the "Laws"); (3) accuracy and substantiation of all product and packaging claims; (4) evaluating the necessity for, and creation of, product warnings; (5) providing products and packaging to Target that do not infringe the proprietary rights of any third party; and (6) compliance with all terms set forth on Target's Partners Online system and/or any other system used by Target. In addition, each vendor's products and packaging must comply with any specifications furnished, specified or adopted by Target. If a vendor believes there to be a conflict between Target's specifications and product safety, Laws, or the intellectual property rights of others, the vendor must contact Target promptly to discuss Target's specifications and ensure product safety and compliance with Laws. Vendors are **NOT** relieved from any obligations or liability for any reason or because of any action by Target or any third party including, but not limited to, any of the following: (a) the vendor has received a satisfactory lab test result, (b) Target has conducted testing, (c) Target has accepted or approved the vendor's product, designs, claims, materials or packaging, (d) Target has reviewed claim substantiation, and/or (e) Target has authorized an override of testing protocol or testing results. Target reserves the right to amend its testing protocols and packaging production guides at any time. No subsequent or prior communication between Target and a vendor may operate to modify the obligations set forth in this paragraph, unless specifically agreed to in a writing signed by a Target Vice President or Senior Vice President.