

DATE PLOTTED: \_\_\_\_\_

## SYMBOL KEY

FEC &

FIRE EXTINGUISHER CABIN

EXIT SIGN - CEILING MOUN

1/ID1.1

REFER TO SHEET A8.0

LINEAR SUPPLY DIFFUSER

PENDANT WALL WASHER

PENDANT LIGHT FIXTURE

DOWN LIGHT

EXIT SIGN - CEILING MOUNT

GYPSUM BOARD CEILING

2'x 4' LAY-IN CEILING

NDIRECT PENDANT LIGHT FIXTURE

2'X 4' FLUORESCENT LIGHT FIXTURE.

WALL SCONCE REFER TO
ELECT. DRAWINGS

CONTROL POINT FOR CEILING
GRID
CEILING HEIGHT ELEVATON
ABOVE FINISHED FLOOR
(A F F )

## GENERAL NOTES

DEEED TO CHEET AS A FOR ENVIOLENCE ATTOM

SOLID LINES INDICATE NEW CONSTRUCTION SCREENED LINE INDICATED EXISTING CONSTRUCTION.

VERIFY EXISTING CONDITIONS IN FIELD. REPORT DISCREPANCIES TO THE ARCHITECT.

CONTRACTOR SHALL, AT ALL TIMES, MAINTAIN THE BUILDING IN A WEATHER TIGHT CONDITION.

DIMENSIONS ARE FROM FACE OF PARTITION TO FACE OF

FIELD COORDINATE LOCATIONS OF ALL ELECTRICAL FLOOR BOXES BEFORE INSTALLATION.

PROVIDE 20 GA. x 6" WIDE BLOCKING FOR ANCHORAGE AT PARTITION MOUNTED ACCESSORIES, WHITE BOARDS, MILLWORK ETC. BLOCKING TO SPAN A MIN. OF 2 STUDS, ATTACH TO STORS WITH MIN. 2 SCREWS EA STUD

FOR FURTHER INFORMATION REFER TO MECHANICAL ELECTRICAL AND PLUMBING DRAWINGS

REFER TO INTERIOIR ELEVATIONS FOR DIMENSIONS OF REVEALS, FIRE EXTINGUISHER CABINETS, SIGNAGE AND ALL SCONCES FOR TYPICAL DEVICE, SWITCH AND OUTLET ALIGNMENT REFER TO DETAIL 3/A8.3 AND 4/A3.3

SOLID LINES INDICATE NEW CONSTRUCTION SCREENE LINE INDICATED EXISTING CONSTRUCTION.

FOR FURTHER INFORMATION REFER TO MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS

REFER TO ELECTRICAL DRAWINGS FOR ALL LIGHTING ALL LIGHTS ARE DIMENSIONED TO CENTER OF FIXTURE LINES SERVICED OTHERWISE

SPEAKER - REFER TO A/V DRAWINGS

STROBE/HORN - REFER TO FIRE ALARM DRAWING

SMOKE ALARM - REFER TO FIRE ALARM DRAWING

## KEYNOTES

LINE OF BULKHEAD/ SOFFIT/CLG. ABOVE

TERMINATE ADDITIONAL LAYER OF 5/8" GYP.

BD 1/2" FROM ADJ PARTITION

ADDITIONAL LAYER OF 5/8" GYP. BD. APPLIED TO EXIST. PARTITION AT BUILDING CORE. REFER TO INTERIOR ELEVATION TYP.

OPEN TO STRUCTURE ABOVE. REFER TO FINISH DIAMS

FLOURESCENT LIGHTING MOUNTED AT UNDERSIDE OF UPPER CABINETS

FURR OUT EXISTING SHAFT/CORE WALL W/
5/8" GYPSUM BOARD OVER 3 5/8" METAL
STUD FRAMING

SHREDDER BINS - N.I.C.


DISPLAY REFRIGERATOR: BEVERAGE - AIR MODEL NO. MT27-W WHITE FINISH

GE REFRIGERATOR MODEL NO. GTS221BMWW-WHITE ON WHITE

WRAP AT DUCT - SEE DETAIL 13/A8.9


LINE OF CABLE TRAY ABOVE.

DASHED LINE INDICATES SMOKE COMPARTMENTALIZED AREA. ALL PARTITIONS AND SOFFITS TO CONTINUTO UNDERSIDE OF STRUCTURE. REFER TO DETAILS




A ENLARGED ELEVATOR LOBBY PLAN

SCALE: 1/2" = 1'-0"



B ENLARGED RESTROOM CORE PLAN

SCALE: 3/16" = 1'-0"



ENLARGED PROJECT AREA PLAN

SCALE: 1/4" = 1'-0"

30021 PARK AVENUE SAN JOSE, CA 95110

CONSULTANT

KEYMAP

OWNER COMMENTS 07/08/04


POR FINAL REVIEW 11/03/04

APHIC SCALE

PROJECT NO. DATE 09.01.04

DRAWN BY TGL SCALE

CO-ORDINATION PLAN



DATE PLOTTED: \_\_\_\_\_