Miscellaneous Mathematical Symbols-B

Range: 2980–29FF

This file contains an excerpt from the character code tables and list of character names for
The Unicode Standard, Version 13.0

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard.
See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.
See http://www.unicode.org/charts/PDF/Unicode-13.0/ for charts showing only the characters added in Unicode 13.0.
See http://www.unicode.org/Public/13.0.0/charts/ for a complete archived file of character code charts for Unicode 13.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 13.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 13.0, online at http://www.unicode.org/versions/Unicode13.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

	298	299	29A	29B	29C	29D	29E	29F
0	2980	2990	29A0	29B0	29C0	29D0	29E0	29F0
1	2981	2991	29A1	29B1	29C1	29D1	29E1	29F1
2	2982	2992	29A2	29B2	29C2	29D2	29E2	29F2
3	2983	2993	29A3	29B3	29C3	29D3	29E3	29F3
4	2984	2994	29A4	29B4	29C4	29D4	29E4	29F4
5	2985	2995	29A5	29B5	29C5	29D5	29E5	29F5
6	2986	2996	29A6	29B6	29C6	29D6	29E6	29F6
7	2987	2997	29A7	29B7	29C7	29D7	29E7	29F7
8	2988	2998	29A8	29B8	29C8	29D8	29E8	29F8
9	2989	2999	29A9	29B9	29C9	29D9	29E9	29F9
A	298A	299A	29AA	29BA	29CA	29DA	29EA	29FA
B	298B	299B	29AB	29BB	29CB	29DB	29EB	29FB
C	298C	299C	29AC	29BC	29CC	29DC	29EC	29FC
D	298D	299D	29AD	29BD	29CD	29DD	29ED	29FD
E	298E	299E	29AE	29BE	29CE	29DE	29EE	29FE
F	298F	299F	29AF	29BF	29CF	29DF	29EF	29FF

Miscellaneous mathematical symbols

2980 ⦀ TRIPLE VERTICAL BAR DELIMITER
→ 2AF4 ⫴ triple vertical bar binary relation
→ 2AFC ⫼ large triple vertical bar operator
2981 • Z NOTATION SPOT
• medium-small-sized black circle
→ 2219 ∙ bullet operator
→ 25CF ● black circle
2982 ⦂ Z NOTATION TYPE COLON
→ 0F7F ༿ tibetan sign rnam bcad

Brackets

2983 ⦃ LEFT WHITE CURLY BRACKET
2984 ⦄ RIGHT WHITE CURLY BRACKET
2985 ⦅ LEFT WHITE PARENTHESIS
→ 2E28 ⸨ left double parenthesis
→ FF5F ｟ fullwidth left white parenthesis
2986 ⦆ RIGHT WHITE PARENTHESIS
• used for Bourbakist intervals
→ 2E29 ⸩ right double parenthesis
→ FF60 ｠ fullwidth right white parenthesis
2987 ⦇ Z NOTATION LEFT IMAGE BRACKET
2988 ⦈ Z NOTATION RIGHT IMAGE BRACKET
2989 ⦉ Z NOTATION LEFT BINDING BRACKET
298A ⦊ Z NOTATION RIGHT BINDING BRACKET
298B ⦋ LEFT SQUARE BRACKET WITH UNDERBAR
298C ⦌ RIGHT SQUARE BRACKET WITH UNDERBAR

Brackets with ticks

For bidirectional processing, the brackets with ticks are paired on the basis of their left/right symmetric glyphs, rather than on the basis of an open/close pairing inferred from code point order.

298D ⦍ LEFT SQUARE BRACKET WITH TICK IN TOP CORNER
298E ⦎ RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER
298F ⦏ LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER
2990 ⦐ RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER

Brackets

2991 ⦑ LEFT ANGLE BRACKET WITH DOT
2992 ⦒ RIGHT ANGLE BRACKET WITH DOT
2993 ⦓ LEFT ARC LESS-THAN BRACKET
2994 ⦔ RIGHT ARC GREATER-THAN BRACKET
2995 ⦕ DOUBLE LEFT ARC GREATER-THAN BRACKET
2996 ⦖ DOUBLE RIGHT ARC LESS-THAN BRACKET
2997 ⦗ LEFT BLACK TORTOISE SHELL BRACKET
→ 27EC ⟬ mathematical left white tortoise shell bracket
→ 3014 〔 left tortoise shell bracket
→ 3018 〘 left white tortoise shell bracket
2998 ⦘ RIGHT BLACK TORTOISE SHELL BRACKET

Fences

2999 ⦙ DOTTED FENCE
• four close dots vertical
299A ⦚ VERTICAL ZIGZAG LINE
→ 2307 ⌇ wavy line

Angles

299B ⦛ MEASURED ANGLE OPENING LEFT
→ 2221 ∡ measured angle

299C ⦜ RIGHT ANGLE VARIANT WITH SQUARE
→ 221F ∟ right angle
299D ⦝ MEASURED RIGHT ANGLE WITH DOT
299E ⦞ ANGLE WITH S INSIDE
299F ⦟ ACUTE ANGLE
→ 2220 ∠ angle
29A0 ⦠ SPHERICAL ANGLE OPENING LEFT
→ 2222 ∢ spherical angle
29A1 ⦡ SPHERICAL ANGLE OPENING UP
29A2 ⦢ TURNED ANGLE
→ 2220 ∠ angle
29A3 ⦣ REVERSED ANGLE
29A4 ⦤ ANGLE WITH UNDERBAR
29A5 ⦥ REVERSED ANGLE WITH UNDERBAR
29A6 ⦦ OBLIQUE ANGLE OPENING UP
29A7 ⦧ OBLIQUE ANGLE OPENING DOWN
29A8 ⦨ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND RIGHT
29A9 ⦩ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND LEFT
29AA ⦪ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND RIGHT
29AB ⦫ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND LEFT
29AC ⦬ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND UP
29AD ⦭ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND UP
29AE ⦮ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND DOWN
29AF ⦯ MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND DOWN

Empty sets

29B0 ⦰ REVERSED EMPTY SET
→ 2205 ∅ empty set
→ 2349 ⍉ apl functional symbol circle backslash
29B1 ⦱ EMPTY SET WITH OVERBAR
29B2 ⦲ EMPTY SET WITH SMALL CIRCLE ABOVE
29B3 ⦳ EMPTY SET WITH RIGHT ARROW ABOVE
29B4 ⦴ EMPTY SET WITH LEFT ARROW ABOVE

Circle symbols

29B5 ⦵ CIRCLE WITH HORIZONTAL BAR
• used in superscripted form to mean standard state (chemistry)
→ 2296 ⊖ circled minus
29B6 ⦶ CIRCLED VERTICAL BAR
→ 1F715 🜕 alchemical symbol for nitre
29B7 ⦷ CIRCLED PARALLEL
29B8 ⦸ CIRCLED REVERSE SOLIDUS
29B9 ⦹ CIRCLED PERPENDICULAR
29BA ⦺ CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR
29BB ⦻ CIRCLE WITH SUPERIMPOSED X
→ 2297 ⊗ circled times
29BC ⦼ CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN
29BD ⦽ UP ARROW THROUGH CIRCLE
29BE ⦾ CIRCLED WHITE BULLET
→ 229A ⊚ circled ring operator
→ 233E ⌾ apl functional symbol circle jot
→ 25CE ◎ bullseye

29BF ◉ CIRCLED BULLET
- • forms part of a graduated set of circles with enclosed black circle of different sizes
- → 2299 ⊙ circled dot operator
- → 25C9 ◉ fisheye
- → 2A00 ⊙ n-ary circled dot operator

29C0 ⧀ CIRCLED LESS-THAN
29C1 ⧁ CIRCLED GREATER-THAN
29C2 ⧂ CIRCLE WITH SMALL CIRCLE TO THE RIGHT
29C3 ⧃ CIRCLE WITH TWO HORIZONTAL STROKES TO THE RIGHT

Square symbols

29C4 ⧄ SQUARED RISING DIAGONAL SLASH
- → 2341 ⍇ apl functional symbol quad slash
- → 303C 〼 masu mark

29C5 ⧅ SQUARED FALLING DIAGONAL SLASH
- → 2342 ⍈ apl functional symbol quad backslash

29C6 ⧆ SQUARED ASTERISK
29C7 ⧇ SQUARED SMALL CIRCLE
- → 233B ⌻ apl functional symbol quad jot

29C8 ⧈ SQUARED SQUARE
29C9 ⧉ TWO JOINED SQUARES
- → 2BBA ⮺ overlapping white squares

Triangle symbols

29CA ⧊ TRIANGLE WITH DOT ABOVE
29CB ⧋ TRIANGLE WITH UNDERBAR
29CC ⧌ S IN TRIANGLE
29CD ⧍ TRIANGLE WITH SERIFS AT BOTTOM
- → 25B3 △ white up-pointing triangle

29CE ⧎ RIGHT TRIANGLE ABOVE LEFT TRIANGLE
29CF ⧏ LEFT TRIANGLE BESIDE VERTICAL BAR
29D0 ⧐ VERTICAL BAR BESIDE RIGHT TRIANGLE

**Bowtie symbols**

29D1 ⧑ BOWTIE WITH LEFT HALF BLACK
- → 22C8 ⋈ bowtie

29D2 ⧒ BOWTIE WITH RIGHT HALF BLACK
29D3 ⧓ BLACK BOWTIE
- → 1FB9B ◗◖ left and right triangular half block

29D4 ⧔ TIMES WITH LEFT HALF BLACK
- → 22C9 ⋉ left normal factor semidirect product

29D5 ⧕ TIMES WITH RIGHT HALF BLACK
- → 22CA ⋊ right normal factor semidirect product

29D6 ⧖ WHITE HOURGLASS
- = vertical bowtie
- = white framus
- → 231B ⌛ hourglass

29D7 ⧗ BLACK HOURGLASS
- → 1FB9A ⧗ upper and lower triangular half block

Fences

29D8 ⧘ LEFT WIGGLY FENCE
- → FE34 ︴ presentation form for vertical wavy low line

29D9 ⧙ RIGHT WIGGLY FENCE
29DA ⧚ LEFT DOUBLE WIGGLY FENCE
29DB ⧛ RIGHT DOUBLE WIGGLY FENCE

Miscellaneous mathematical symbols

29DC ⧜ INCOMPLETE INFINITY
- = ISOtech entity ⧜
- → 221E ∞ infinity

29DD ⧝ TIE OVER INFINITY
29DE ⧞ INFINITY NEGATED WITH VERTICAL BAR
29DF ⧟ DOUBLE-ENDED MULTIMAP
- → 22B8 ⊸ multimap
- → 1F73A 🜺 alchemical symbol for arsenic

29E0 ⧠ SQUARE WITH CONTOURED OUTLINE
- = D'Alembertian
- → 274F ❏ lower right drop-shadowed white square

29E1 ⧡ INCREASES AS
- → 22B4 ⊴ normal subgroup of or equal to

29E2 ⧢ SHUFFLE PRODUCT
- → 22FF ⋿ z notation bag membership

Relations

29E3 ⧣ EQUALS SIGN AND SLANTED PARALLEL
- → 0023 # number sign
- → 22D5 ⋕ equal and parallel to

29E4 ⧤ EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE

29E5 ⧥ IDENTICAL TO AND SLANTED PARALLEL
- → 2A68 ⩨ triple horizontal bar with double vertical stroke

29E6 ⧦ GLEICH STARK
- = tautological equivalent

Miscellaneous mathematical symbols

29E7 ⧧ THERMODYNAMIC
- = record mark
- • vertical bar crossed by two horizontals
- → 2260 ≠ not equal to
- → 2BD2 ⯒ group mark

29E8 ⧨ DOWN-POINTING TRIANGLE WITH LEFT HALF BLACK
- → 25ED ◭ up-pointing triangle with left half black

29E9 ⧩ DOWN-POINTING TRIANGLE WITH RIGHT HALF BLACK
- → 25EE ◮ up-pointing triangle with right half black

29EA ⧪ BLACK DIAMOND WITH DOWN ARROW
29EB ⧫ BLACK LOZENGE
- → 25CA ◊ lozenge

29EC ⧬ WHITE CIRCLE WITH DOWN ARROW
29ED ⧭ BLACK CIRCLE WITH DOWN ARROW

Error bar symbols

29EE ⧮ ERROR-BARRED WHITE SQUARE
29EF ⧯ ERROR-BARRED BLACK SQUARE
29F0 ⧰ ERROR-BARRED WHITE DIAMOND
29F1 ⧱ ERROR-BARRED BLACK DIAMOND
29F2 ⧲ ERROR-BARRED WHITE CIRCLE
29F3 ⧳ ERROR-BARRED BLACK CIRCLE

Miscellaneous mathematical symbols

29F4 ⧴ RULE-DELAYED
- = colon right arrow

29F5 ⧵ REVERSE SOLIDUS OPERATOR
- → 005C \ reverse solidus
- → 2216 ∖ set minus
- → 27CD ⟍ mathematical falling diagonal

29F6 ⧶ SOLIDUS WITH OVERBAR
29F7 ⧷ REVERSE SOLIDUS WITH HORIZONTAL STROKE
- → 2340 ⍀ apl functional symbol backslash bar

Large operators

29F8　/　BIG SOLIDUS
　　　　　　→ 2215 / division slash
29F9　\　BIG REVERSE SOLIDUS
　　　　　　= z notation schema hiding
　　　　　　→ 2216 ＼ set minus

Specialized plus sign operators

29FA　⧺　DOUBLE PLUS
29FB　⧻　TRIPLE PLUS

Brackets

29FC　⧼　LEFT-POINTING CURVED ANGLE BRACKET
　　　　　　→ 227A ≺ precedes
　　　　　　→ 2329 〈 left-pointing angle bracket
29FD　⧽　RIGHT-POINTING CURVED ANGLE BRACKET
　　　　　　→ 227B ≻ succeeds
　　　　　　→ 232A 〉 right-pointing angle bracket

Symbols used in game theory

TINY (pronounced "teenie") and MINY (pronounced "meenie") are symbols that yield infinitesimal values when applied to numbers in combinatorial game theory.

29FE　⧾　TINY
　　　　　　→ 002B + plus sign
29FF　⧿　MINY
　　　　　　→ 2212 − minus sign