Supplemental Arrows-C

Range: 1F800-1F8FF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard. Version 13.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-13.0/ for charts showing only the characters added in Unicode 13.0.

See http://www.unicode.org/Public/13.0.0/charts/ for a complete archived file of character code charts for Unicode 13.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 13.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 13.0, online at http://www.unicode.org/versions/Unicode13.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2020 Unicode, Inc. All rights reserved.



Arrows with triangle arrowheads

- 1F800 ← LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F801 1 UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F802 → RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F805 ↑ UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F806 → RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F807 ↓ DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD

- 1F80A → RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80B ◆ DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

- 1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F811 † UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F812 → RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F814 ← LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F815 † UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F816 → RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F818 ← HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F819 † HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81A → HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81C ← HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81D HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81E → HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81F ★ HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

- 1F820 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F821 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F822 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

- 1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F824 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F825 T UPWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F826 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F827 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F828 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F829 **†** UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82A → RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82B

 DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82C ← LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82D 1 UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82E → RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82F

 DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F830 LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F831 **1** UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F832 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F833 UDOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

- 1F834 LEFTWARDS FINGER-POST ARROW
- 1F836 RIGHTWARDS FINGER-POST ARROW
- 1F837 DOWNWARDS FINGER-POST ARROW

Squared arrows

- 1F839 UPWARDS SQUARED ARROW
- 1F83A * RIGHTWARDS SQUARED ARROW
- 1F83B ▼ DOWNWARDS SQUARED ARROW

Compressed arrows

- 1F83E → RIGHTWARDS COMPRESSED ARROW
- 1F83F → DOWNWARDS COMPRESSED ARROW

- 1F842 ► RIGHTWARDS HEAVY COMPRESSED ARROW

 → 27A7 ► squat black rightwards arrow
- 1F843 **▼** DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

- 1F844 ← LEFTWARDS HEAVY ARROW
- 1F845 **1** UPWARDS HEAVY ARROW
- 1F846 → RIGHTWARDS HEAVY ARROW
- 1F847 ■ DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850 ← LEFTWARDS SANS-SERIF ARROW → 2190 ← leftwards arrow

	1F851	\uparrow	UPWARDS SANS-SERIF ARROW	
			→ 2191 ↑ upwards arrow	
	1F852	\rightarrow	RIGHTWARDS SANS-SERIF ARROW	
			→ 2192 → rightwards arrow	
	1F853	Ţ	DOWNWARDS SANS-SERIF ARROW	
	11 000	•	→ 2193 ↓ downwards arrow	
	45054			
	1F854	~	NORTH WEST SANS-SERIF ARROW	
			→ 2196 🦎 north west arrow	
	1F855	7	NORTH EAST SANS-SERIF ARROW	
			→ 2197 / north east arrow	
	1F856	7	SOUTH EAST SANS-SERIF ARROW	
			→ 2198 \ south east arrow	
	1F857	4	SOUTH WEST SANS-SERIF ARROW	
			→ 2199 / south west arrow	
	1F858	\leftrightarrow	LEFT RIGHT SANS-SERIF ARROW	
			→ 2194 ↔ left right arrow	
	1F859	1	UP DOWN SANS-SERIE ARROW	
		•	\rightarrow 2195 \(\frac{1}{2}\) up down arrow	
			→ 2195 ‡ up down anow	
Wide-headed barb arrows				
	1F860	\leftarrow	WIDE-HEADED LEFTWARDS LIGHT 6	
	500	`	ARROW	

1F860	\leftarrow	WIDE-HEADED LEFTWARDS LIGHT BARB
		ARROW

1F861 WIDE-HEADED UPWARDS LIGHT BARB ARROW

 \rightarrow WIDE-HEADED RIGHTWARDS LIGHT BARB 1F862 ARROW

1F863 ↓ WIDE-HEADED DOWNWARDS LIGHT BARB ARROW

1F864 ☐ WIDE-HEADED NORTH WEST LIGHT BARB **ARROW**

1F865 7 WIDE-HEADED NORTH EAST LIGHT BARB ARROW

1F866 ☐ WIDE-HEADED SOUTH EAST LIGHT BARB **ARROW**

1F867 ∠ WIDE-HEADED SOUTH WEST LIGHT BARB ARROW

1F868 ← WIDE-HEADED LEFTWARDS BARB ARROW

1F86A → WIDE-HEADED RIGHTWARDS BARB ARROW

1F86B $\ ullet$ WIDE-HEADED DOWNWARDS BARB ARROW

1F86C

▼ WIDE-HEADED NORTH WEST BARB ARROW

1F86D 7 WIDE-HEADED NORTH EAST BARB ARROW

1F86E > WIDE-HEADED SOUTH EAST BARB ARROW

1F86F ∠ WIDE-HEADED SOUTH WEST BARB ARROW

1F870 ← WIDE-HEADED LEFTWARDS MEDIUM BARB

ARROW WIDE-HEADED UPWARDS MEDIUM BARB 1F871

ARROW 1F872 → WIDE-HEADED RIGHTWARDS MEDIUM BARB

ARROW → 2794 → heavy wide-headed rightwards

1F873 **↓** WIDE-HEADED DOWNWARDS MEDIUM BARB ARROW

arrow

1F874 K WIDE-HEADED NORTH WEST MEDIUM BARB **ARROW**

1F875 **7** WIDE-HEADED NORTH EAST MEDIUM BARB ARROW

1F876 WIDE-HEADED SOUTH EAST MEDIUM BARB **ARROW**

1F877 **Ľ** WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW

1F878 **←** WIDE-HEADED LEFTWARDS HEAVY BARB ARROW

1F879 WIDE-HEADED UPWARDS HEAVY BARB ARROW

1F87A → WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW

1F87B **↓** WIDE-HEADED DOWNWARDS HEAVY BARB ARROW

1F87C **** WIDE-HEADED NORTH WEST HEAVY BARB ARROW

1F87D 🐬 WIDE-HEADED NORTH EAST HEAVY BARB ARROW

1F87E WIDE-HEADED SOUTH EAST HEAVY BARB ARROW

1F87F 🕊 WIDE-HEADED SOUTH WEST HEAVY BARB ARROW

1F880 **←** WIDE-HEADED LEFTWARDS VERY HEAVY BARB ARROW

1F881 🛧 WIDE-HEADED UPWARDS VERY HEAVY BARB **ARROW**

1F882 🛨 WIDE-HEADED RIGHTWARDS VERY HEAVY **BARB ARROW**

1F883 **Ψ** WIDE-HEADED DOWNWARDS VERY HEAVY **BARB ARROW**

1F884 **** WIDE-HEADED NORTH WEST VERY HEAVY **BARB ARROW**

1F885 WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW

WIDE-HEADED SOUTH EAST VERY HEAVY BARB 1F886 ARROW

1F887 🕊 WIDE-HEADED SOUTH WEST VERY HEAVY **BARB ARROW**

Arrowheads

1F890 LEFTWARDS TRIANGLE ARROWHEAD 1F891 **UPWARDS TRIANGLE ARROWHEAD** 1F892 RIGHTWARDS TRIANGLE ARROWHEAD 1F893 DOWNWARDS TRIANGLE ARROWHEAD

1F894 4 LEFTWARDS WHITE ARROW WITHIN TRIANGLE **ARROWHEAD**

UPWARDS WHITE ARROW WITHIN TRIANGLE 1F895 ARROWHEAD

1F896 RIGHTWARDS WHITE ARROW WITHIN Þ TRIANGLE ARROWHEAD

1F897 DOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

Notched arrows

1F898 - LEFTWARDS ARROW WITH NOTCHED TAIL

1F899 UPWARDS ARROW WITH NOTCHED TAIL

1F89A → RIGHTWARDS ARROW WITH NOTCHED TAIL → 27AF ⇒ notched lower right-shadowed white rightwards arrow

1F89B ■ DOWNWARDS ARROW WITH NOTCHED TAIL

Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

1F89C - HEAVY ARROW SHAFT WIDTH ONE

1F89D **HEAVY ARROW SHAFT WIDTH TWO THIRDS**

1F89E HEAVY ARROW SHAFT WIDTH ONE HALF

1F89F **HEAVY ARROW SHAFT WIDTH ONE THIRD**

Shaded white arrows

1F8A0 ← LEFTWARDS BOTTOM-SHADED WHITE ARROW

1F8A1 **⇒** RIGHTWARDS BOTTOM SHADED WHITE **ARROW**

LEFTWARDS TOP SHADED WHITE ARROW 1F8A2 <

1F8A3

⇒ RIGHTWARDS TOP SHADED WHITE ARROW

1F8A4

□ LEFTWARDS LEFT-SHADED WHITE ARROW

- 1F8A5 \Rightarrow RIGHTWARDS RIGHT-SHADED WHITE ARROW
 - → 27A9 → right-shaded white rightwards arrow
- 1F8A6 ← LEFTWARDS RIGHT-SHADED WHITE ARROW
- 1F8A7

 ⇒ RIGHTWARDS LEFT-SHADED WHITE ARROW
 - → 27AA 🖒 left-shaded white rightwards arrow
- 1F8A8 ← LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
- 1F8A9

 RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
 - → 27AB → back-tilted shadowed white rightwards arrow
- 1F8AA

 LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
- 1F8AB ⇔ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
 - → 27AC ⇒ front-tilted shadowed white rightwards arrow

White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC WHITE ARROW SHAFT WIDTH ONE
- 1F8AD " WHITE ARROW SHAFT WIDTH TWO THIRDS

Arrows for legacy computing

- 1F8B0 **\(\bar{\bar} \)** ARROW POINTING UPWARDS THEN NORTH WEST
- 1F8B1 **2** ARROW POINTING RIGHTWARDS THEN CURVING SOUTH WEST