


TERRAFORM

PROVISIONANDO UMA EC2 COM IAC



No laboratório da **CloudFaster Academy** aprendi a provisionar uma instância EC2 na AWS usando Terraform! Desde a configuração inicial até a criação e exclusão automatizada da instância, o exercício mostrou como definir infraestrutura como código (IaC) de forma eficiente e replicável. Foi uma experiência prática incrível para entender o uso do Terraform na AWS.

```
terraform plan
```

• Para aplicar as mudanças, depois de revisar as mudanças e se sentir confortável com elas, execute o seguinte comando para aplicá-las:

```
advc@CF-032: ~/projeto
```

```
- tags           = {} -> null
- tags_all       = {} -> null
- throughput     = 125 -> null
- volume_id      = "vol-05e6d78ef6051f5f8" -> null
- volume_size    = 8 -> null
- volume_type    = "gp3" -> null
# (1 unchanged attribute hidden)
}
```

Plan: 0 to add, 0 to change, 1 to destroy.

Do you really want to destroy all resources?
Terraform will destroy all your managed infrastructure, as shown above.
There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

```
aws_instance.example: Destroying... [id=i-001c9e66e0879e3d5]
aws_instance.example: Still destroying... [id=i-001c9e66e0879e3d5, 10s elapsed]
aws_instance.example: Still destroying... [id=i-001c9e66e0879e3d5, 20s elapsed]
aws_instance.example: Still destroying... [id=i-001c9e66e0879e3d5, 30s elapsed]
aws_instance.example: Still destroying... [id=i-001c9e66e0879e3d5, 40s elapsed]
aws_instance.example: Destruction complete after 43s
```

```
Destroy complete! Resources: 1 destroyed.
advc@CF-032: ~/projeto
```



Escaneie o QR Code e vá para a Plataforma
CloudFaster Academy