

Exercise: Intro and Basic Syntax

Problems for exercises and homework for the ["Technology Fundamentals" course @ SoftUni](#).

You can check your solutions in [Judge](#).

1. Ages

Write a program that determines whether based on the given age a person is: baby, child, teenager, adult, elder. The bounders are:

- 0-2 – baby;
- 3-13 – child;
- 14-19 – teenager;
- 20-65 – adult;
- >=66 – elder;
- All the values are **inclusive**.

Examples

Input	Output
20	adult
1	baby
100	elder

2. Divison

You will be given an integer and you have to print on the console whether that number is divisible by the following numbers: 2, 3, 6, 7, 10. You should **always take the bigger division**. If the number is divisible by both **2** and **3** it is also divisible by **6** and you should print only the division by 6. If a number is divisible by **2** it is sometimes also divisible by **10** and you should print the division by 10. If the number is not divisible by any of the given numbers print **"Not divisible"**. Otherwise print **"The number is divisible by {number}"**.

Examples

Input	Output
30	The number is divisible by 10
15	The number is divisible by 3
12	The number is divisible by 6
1643	Not divisible

3. Vacation

You are given a group of people, type of the group, on which day of the week they are going to stay. Based on that information calculate how much they have to pay and print that price on the console. Use the table below. In each

cell is the price for a **single person**. The output should look like that: **"Total price: {price}"**. The price should be rounded to the second decimal point.

	Friday	Saturday	Sunday
Students	8.45	9.80	10.46
Business	10.90	15.60	16
Regular	15	20	22.50

There are also discounts based on some conditions:

- **Students** – if the group is bigger than or equal to 30 people you should reduce the **total** price by 15%
- **Business** – if the group is bigger than or equal to 100 people **10** of them can stay **for free**.
- **Regular** – if the group is bigger than or equal to 10 and less than or equal to 20 reduce the **total** price by 5%

You should reduce the prices in that **EXACT** order

Examples

Input	Output
30 Students Sunday	Total price: 266.73
40 Regular Saturday	Total price: 800.00

4. Print and Sum

Write a program to display numbers from given start to given end and their sum. All the numbers will be integers. On the first line you will receive the start, on the second the end.

Examples

Input	Output
5 10	5 6 7 8 9 10 Sum: 45
0 26	0 1 2 ... 26 Sum: 351
50 60	50 51 52 53 54 55 56 57 58 59 60 Sum: 605

5. Login

You will be given a string representing a username. The password will be that username reversed. Until you receive the correct password print on the console **"Incorrect password. Try again."**. When you receive the correct password print **"User {username} logged in."** However on the fourth try if the password is still not correct print **"User {username} blocked!"** and end the program.

Examples

Input	Output
Acer login go let me in recA	Incorrect password. Try again. Incorrect password. Try again. Incorrect password. Try again. User Acer logged in.
momo omom	User momo logged in.
sunny rainy cloudy sunny not sunny	Incorrect password. Try again. Incorrect password. Try again. Incorrect password. Try again. User sunny blocked!

6. Strong Number

Write a program to check if a given number is a strong number or not. A number is strong if the sum of the Factorial of each digit is equal to the number. For example 145 is a strong number, because $1! + 4! + 5! = 145$. Print "yes" if the number is strong and "no" if the number is not strong.

Examples

Input	Output
2	yes
3451	no
40585	yes

7. Vending Machine

Your task is to calculate the total price of a purchase from a vending machine. Until you receive "Start" you will be given different coins that are being inserted in the machine. You have to sum them in order to have the total money inserted. There is a problem though. Your vending machine only works with **0.1, 0.2, 0.5, 1, and 2** coins. If someone tries to insert some other coins you have to display "Cannot accept {money}" and **not** add it to the total money. On the next few lines until you receive "End" you will be given products to purchase. Your machine has however only "Nuts", "Water", "Crisps", "Soda", "Coke". The prices are: **2.0, 0.7, 1.5, 0.8, 1.0** respectively. If the person tries to purchase a not existing product print "Invalid product". Be careful that the person may try to purchase a product they don't have the money for. In that case print "Sorry, not enough money". If the person purchases a product successfully print "Purchased {product name}". After the "End" command print the money that are left formatted to the second decimal point in the format "Change: {money left}".

Examples

Input	Output
-------	--------

1	Cannot accept 0.6
1	Purchased coke
0.5	Purchased soda
0.6	Sorry, not enough money
Start	Change: 0.70
Coke	
Soda	
Crisps	
End	

8. Triangle of Numbers

Write a program, which receives a number – **n**, and prints a triangle from **1 to n** as in the examples.

Constraints

- n** will be in the interval [1...20].

Examples

Input	Output
3	1 2 2 3 3 3

Input	Output
5	1 2 2 3 3 3 4 4 4 4 5 5 5 5 5

Input	Output
6	1 2 2 3 3 3 4 4 4 4 5 5 5 5 5 6 6 6 6 6 6

9. *Padawan Equipment

Yoda is starting his newly created Jedi academy. So, he asked master Ivan Cho to **buy** the **needed equipment**. The number of **items** depends on **how many students will sign up**. The equipment for the Padawan contains **lightsabers, belts and robes**.

You will be given **the amount of money Ivan Cho has**, the **number of students** and the **prices of each item**. You have to help Ivan Cho **calculate** if the **money** he has is **enough to buy all of the equipment**, or how much more money he needs.

Because the lightsabres sometimes brake, Ivan Cho should **buy 10% more, rounded up** to the next integer. Also, every **sixth belt is free**.

Input / Constraints

The input data should be read from the console. It will consist of **exactly 5 lines**:

- The **amount of money** Ivan Cho has – **floating-point number** in range [0.00...1,000.00]
- The **count of students** – **integer** in range [0...100]
- The **price of lightsabers** for a **single sabre** – **floating-point number** in range [0.00...100.00]
- The **price of robes** for a **single robe** – **floating-point number** in range [0.00...100.00]
- The **price of belts** for a **single belt** – **floating-point number** in range [0.00...100.00]

The **input data will always be valid**. There is no need to check it explicitly.

Output

The output should be printed on the console.

- If the calculated price of the equipment is less or equal to the money Ivan Cho has:
 - "The money is enough - it would cost {the cost of the equipment}lv."
- If the calculated price of the equipment is more than the money Ivan Cho has:
 - "Ivan Cho will need {neededMoney}lv more."
- All prices must be rounded to two digits after the decimal point.

Examples

Input	Output	Comments
100 2 1.0 2.0 3.0	The money is enough - it would cost 13.00lv.	Needed equipment for 2 padawans : $\text{sabresPrice} * (\text{studentsCount} + 10\%) + \text{robesPrice} * (\text{studentsCount}) + \text{beltsPrice} * (\text{studentsCount} - \text{freeBelts})$ $1 * (3) + 2 * (2) + 3 * (2) = 13.00$ $13.00 \leq 100$ – the money will be enough.
Input	Output	Comments
100 42 12.0 4.0 3.0	Ivan Cho will need 737.00lv more.	Needed equipment for 42 padawans: $12 * 47 + 4 * 42 + 3 * 35 = 837.00$ $837 > 100$ – need 737.00 lv. more.

...May the force
be with you...

10. *Rage Expenses

As a MOBA challenger player, Pescho has the bad habit to trash his PC when he loses a game and rage quits. His gaming setup consists of **headset**, **mouse**, **keyboard** and **display**. You will receive Pescho's **lost games count**.

Every **second** lost game, Pescho trashes his **headset**.

Every **third** lost game, Pescho trashes his **mouse**.

When Pescho trashes **both his mouse and headset** in the **same** lost game, he also trashes his **keyboard**.

Every second time, when he trashes his keyboard, he also trashes his **display**.

You will receive the price of each item in his gaming setup. Calculate his rage expenses for renewing his gaming equipment.

Input / Constraints

- On the first input line - **lost games count** – integer in the range **[0, 1000]**.
- On the second line – **headset price** - floating point number in range **[0, 1000]**.
- On the third line – **mouse price** - floating point number in range **[0, 1000]**.
- On the fourth line – **keyboard price** - floating point number in range **[0, 1000]**.
- On the fifth line – **display price** - floating point number in range **[0, 1000]**.

Output

- As output you must print Pescho's total expenses: "**Rage expenses: {expenses} lv.**"
- Allowed working **time / memory**: **100ms / 16MB**.

Examples

Input	Output	Comment
7 2 3 4 5	Rage expenses: 16.00 lv.	Trashed headset -> 3 times Trashed mouse -> 2 times Trashed keyboard -> 1 time Total: 6 + 6 + 4 = 16.00 lv;
23 12.50 21.50 40 200	Rage expenses: 608.00 lv.	