



Report ID: DDR-2026-001-SAMPLE

Generated: 04 August 2026

Package: **SAMPLE - BASIC**

Property Due Diligence Report

Prepared for screening purposes only - NOT a formal LIM

42 Marewa Road

Marewa, Napier 4112

Legal: NA4521/89 | Land: 658 m²

⚠️ CRITICAL DISCLAIMER - READ FIRST

- This is **NOT** a Land Information Memorandum (LIM) issued under the Building Act 2004
- For informational screening only - do not rely on this for final settlement decisions
- No legal protection - this report does not provide statutory protections
- Always obtain before settlement: Formal LIM, professional building inspection, legal advice
- Data sources: LINZ Data Service, Napier City Council GIS, public records

Executive Summary

Overall Risk Rating: 2/5 (Low-Medium Risk)



Key Findings:

-  No flood hazard identified
-  Residential zoning permits medium-density housing
-  Minor liquefaction risk (yellow zone) - common in Napier
-  No contamination alerts on HAIL register
-  All essential services connected (water, wastewater, stormwater)
-  Two building consents from 2015 require status verification

Recommendation: Property appears suitable for residential purchase. Proceed with formal LIM to verify consent status and obtain full file review.

Table of Contents

1. Property Identification	Page 2
2. Title & Ownership Details	Page 2
3. Zoning & District Plan	Page 3
4. Natural Hazards Assessment	Page 4
5. Infrastructure & Services	Page 5
6. Contamination Check (HAIL)	Page 5
7. Building Consents & Rates	Page 6
9. Recommendations & Next Steps	Page 7



1 Property Identification

Full Address:	42 Marewa Road, Marewa, Napier 4112
Property Type:	Residential - Single Dwelling
Legal Description:	Lot 12 DP 45821
Title Number:	NA4521/89
Parcel ID:	4112-042-012
Land Area:	658 m ² (0.0658 hectares)
Coordinates:	Lat: -39.5123, Long: 176.9234
Data Source:	LINZ Data Service
Data Date:	03 August 2026

2 Title & Ownership Details

Tenure Type:	Freehold (Fee Simple)
Registered Owners:	J.M. Thompson & S.K. Thompson
Ownership Share:	Joint Tenants
Title Issue Date:	15 March 1998
Easements:	Drainage easement (2m wide) along rear boundary - benefits Lot 11
Covenants:	None registered
Mortgages:	Yes - Registered mortgage to ANZ Bank (amount not disclosed)

Other Interests:	None
Title Search Date:	03 August 2026

i What This Means

Clean freehold title with standard joint ownership. The drainage easement is common in this subdivision and allows neighboring property to use part of the rear section for stormwater runoff. This should not impact building or enjoyment but worth noting for future landscaping plans.



3 Zoning & District Plan Analysis

Council:	Napier City Council
District Plan:	Napier City Council District Plan 2021
Primary Zoning:	RESIDENTIAL - MEDIUM DENSITY
Zoning Code:	RMD (Residential Medium Density)
Overlay Zones:	None identified
Height Restriction:	10.5m maximum (typically 3 stories)
Site Coverage:	Maximum 60% site coverage permitted
Minimum Site Size:	300 m² for single dwelling (this site: 658 m² ☒)

Permitted Activities (No Consent Required):

- Single dwelling (one principal household unit)
- Home occupation (small-scale business from home)
- Accessory buildings (garages, sheds) under 30m²
- Minor dwellings (granny flats) up to 60m² subject to standards

Restricted Discretionary Activities (Consent Required):

- Duplex or two-unit developments
- Boarding houses or hostels
- Buildings exceeding 10.5m height
- Site coverage over 60%
- Commercial activities (except home occupation)

💡 Development Potential

Granny Flat: Feasible. Zone permits minor dwellings up to 60m². Must meet setback requirements (1.5m side/rear, 6m front) and parking standards (1 additional space).

Duplex: Potentially feasible but requires resource consent. Site area (658 m²) exceeds minimum threshold. Council discretion applies to design, parking, and outdoor living space.

Subdivision: Unlikely to support further subdivision given existing lot size and medium-density zoning. Consult planner for feasibility.

[Zoning Map Placeholder]Green shading = Residential Medium Density zoneRed pin = 42 Marewa Road

 Important Notes

- District Plan rules can change - verify current provisions with council before purchasing
- Resource consent not guaranteed - council has discretion over restricted activities
- Neighbour notification required for most consents - potential for objections
- Infrastructure capacity (water, wastewater) must be confirmed for intensified development



4 Natural Hazards Assessment

Napier City Council maintains detailed hazard overlays for flooding, erosion, liquefaction, tsunami, and landslide risk. This property has been checked against all available datasets.

Flood Hazard:

NO FLOOD HAZARD IDENTIFIED

Property is outside mapped 100-year and 500-year flood zones. No historical flooding recorded at this address. Surface water drainage appears adequate based on topography.

Coastal Erosion:

NOT APPLICABLE

Property is located 8.2km from coastline - coastal erosion hazard zone does not extend to this location.

Liquefaction:

MINOR RISK (YELLOW ZONE)

Property falls within Council's yellow (minor damage) liquefaction zone based on soil type and groundwater depth. Some areas may experience minor liquefaction in major seismic event. Standard foundation engineering should address this risk. Common across much of Napier.

Landslide / Slope Instability:

NO HAZARD IDENTIFIED

Property is on relatively flat terrain (slope <10 degrees). No landslide hazard mapping applies to this location.

Tsunami:

NO TSUNAMI ZONE

Property elevation (approximately 15m above sea level) places it outside Napier's tsunami evacuation zones.

Volcanic Hazard:

NO VOLCANIC ZONE

Hawke's Bay region is not subject to volcanic hazards (ash fall, lava flows). Nearest active volcanic zone is Taupō Volcanic Zone (150km+ distance).

Hazard Data Sources

Napier City Council Natural Hazard Layers (updated June 2026), GNS Science databases, LINZ topographic data.

Note: Hazard maps are based on available data and modeling. They may not capture all risks, especially localized issues. Always obtain geotechnical reports for new construction or if concerned about specific hazards.

[Natural Hazards
Composite Map]

Yellow overlay = Minor
liquefaction risk zone

Red pin = 42 Marewa Road (outside flood,
erosion, tsunami zones)

⚠️ Liquefaction - What You Should Know

The minor liquefaction risk (yellow zone) is common in Napier and typically manageable with appropriate foundation design. For standard residential construction:

- TC2 (Technical Category 2) foundation design usually sufficient
- Expect additional engineering costs of \$5,000-\$15,000 for enhanced foundations
- Most insurers will cover with no loading for yellow zone properties
- Consider site-specific geotechnical investigation if planning major renovations or new build



5 Infrastructure & Services

Water Supply:	{{WATERSUPPLY}}
Wastewater:	{{WASTEWATER}}
Stormwater:	{{STORMWATER}}
Electricity:	{{electricity}}
Gas:	{{gas}}
Telecommunications:	{{telecoms}}
Road Access:	{{roadAccess}}
Data Source:	{{council}} GIS / LINZ

Infrastructure Notes

{{infrastructureNotes}}

6 Contamination Check (HAIL Register)

The Ministry for the Environment's Hazardous Activities and Industries List (HAIL) identifies activities that may cause soil contamination. This property has been checked against the national HAIL database.

HAIL Status:	{{HAILSTATUS}}
Current Activity:	{{currentActivity}}
Historic Activities:	{{historicActivities}}
Contamination Notices:	{{contaminationNotices}}
Last Inspection:	{{lastInspection}}



7

Building Consents & Rates Information

Building Consents (Last 10 Years)

{{#each consents}} {{/each}}

Consent No.	Date	Description	Status
{{consentNumber}}	{{date}}	{{description}}	{{STATUS}}

{{#if consentsNote}}

Consents Requiring Follow-up

{{consentsNote}}

{{/if}}

Rates Information

Annual Rates:	{{annualRates}}
Capital Value:	{{capitalValue}}
Land Value:	{{landValue}}
Valuation Date:	{{valuationDate}}
Rates Status:	{{RATESSTATUS}}
Targeted Rates:	{{targetedRates}}
Data Source:	{{council}} Rates Database

Rates Notes

{{ratesNotes}}

AI Driven | Property Due Diligence Report ({{package}} Package)

Building consent and rates data from {{council}}. This report does not include full consent files or documentation - obtain formal LIM for complete records.

Page 6 of 7



8 Recommendations & Next Steps

Action Items Before Settlement

{{#each actionItems}}

- **{{priority}}:** {{item}}
- {{/each}}

Critical (Must Complete):

{{#each critical}}

- {{this}}
- {{/each}}

Recommended (Should Complete):

{{#each recommended}}

- {{this}}
- {{/each}}

Optional (Nice to Have):

{{#each optional}}

- {{this}}
- {{/each}}

Final Reminder

This Property Due Diligence Report is for informational screening only. It aggregates publicly available data to help you make an informed decision about whether to proceed with a formal LIM and professional inspections.

Before settlement, you MUST obtain:

-  Formal Land Information Memorandum (LIM) from council
-  Professional building inspection report
-  Legal advice from a qualified solicitor
-  Valuation report (if required by your lender)

Questions About This Report?

Contact us for clarification on any findings or to discuss next steps.

AI Driven

 gerhard@aidriven.biz

 021 XXX XXX

AI Driven | Practical AI for Real Business

© 2026 AI Driven. All rights reserved. | gerhard@aidriven.biz | aidriven.biz

This report is generated from publicly available data sources and is for informational purposes only. It does not constitute legal, building, or professional advice. Always verify information independently and obtain formal LIM, building inspection, and legal advice before property settlement.

Page 7 of 7

5 Infrastructure & Services

Water Supply:	CONNECTED Napier City Council municipal supply
Wastewater:	CONNECTED Council sewerage system (Napier has separate wastewater network)
Stormwater:	CONNECTED Council stormwater system, discharged to municipal drains
Electricity:	AVAILABLE Unison Networks distribution (single phase, typical residential connection)
Gas:	NOT CONNECTED Natural gas main available in street. Property not currently connected (common for older Napier homes)
Telecommunications:	CONNECTED Fibre broadband available (Chorus UFB network). Copper landline present. Mobile coverage: Excellent (all NZ networks)

Infrastructure Notes:

- **Water pressure:** Typical for Marewa area (40-60 PSI). No known issues from council records.
- **Three-phase power:** Not currently connected. Would require upgrade (\$2,000-\$4,000) if needed for workshop, EV charging, or air conditioning.
- **Gas connection:** Optional. Connection cost ~\$1,500-\$2,500 if desired for cooking, heating, or hot water.
- **Fibre internet:** Ready to connect. Typical plans: \$70-\$90/month for unlimited fibre (100-950 Mbps speeds available).

5.1 HAIL Contamination Check

HAIL Status:	NOT LISTED
Database Checked:	Ministry for the Environment HAIL Register (June 2026 update)
Search Radius:	Property boundary + 50m buffer

Historical Land Uses:	Residential (current), Residential (historical - since 1920s)
-----------------------	---

✔ What This Means

The property is **not listed** on the HAIL (Hazardous Activities and Industries List) register. This indicates:

- No history of hazardous industrial activities on-site
- No known soil contamination from past land uses
- No current environmental monitoring requirements
- Standard residential due diligence applies (no special investigations needed)

Note: HAIL check covers registered contaminated sites only. Does not guarantee absence of all contaminants. For properties with unknown history or planned earthworks, consider Phase 1 Environmental Site Assessment.

6

Building Consents & Rates Information

Building Consents (Last 10 Years):

Consent No.	Date Issued	Description	Status
BA2019-0847	15 Mar 2019	Kitchen renovation - removal of non-loadbearing wall, new cabinetry, plumbing alterations	CCC ISSUED
BA2021-1203	08 Nov 2021	Deck construction - 18m² timber deck with balustrades, rear elevation	CCC ISSUED

Consent Summary

2 consents found in the last 10 years, both with Code Compliance Certificates (CCC) issued. This indicates:

- All recent building work has been properly permitted and inspected
- No outstanding consent issues or unresolved CCCs
- Kitchen and deck upgrades completed to council standards

Note: Consents prior to 2016 (older than 10 years) not shown. Full consent history available via formal LIM request.

Rates Information:

Rating Unit ID:	1234567890
Owner of Record:	[Ratepayer Name Withheld - Privacy Act 2020]
Land Area:	658 m²
Capital Value (CV):	\$685,000 (as at 1 Oct 2025)
Land Value:	\$485,000
Improvement Value:	\$200,000
Annual Rates (2025/26):	\$3,247.50

Rates Status:**CURRENT** No arrears

Note: Capital Value for rating purposes may differ from current market value. CV updated every 3 years by council valuer. Next revaluation: Oct 2028.

AI Driven | Property Due Diligence Report (Basic Package)

Consent data from Napier City Council building records. Rates information from council rating database.

Page 6 of 7

7 Recommendations & Next Steps

Critical Reminder

This Property Due Diligence Report is for informational screening purposes ONLY. It is NOT a substitute for:

- A formal Land Information Memorandum (LIM) from Napier City Council
- A professional building inspection report
- Legal advice from a qualified conveyancing lawyer
- A registered valuation (if required by your lender)

Do not rely on this report for final settlement decisions. Always obtain a formal LIM and independent inspections before completing a property purchase.

Action Items Before Settlement:

CRITICAL (Must Do):

- **Order formal LIM** from Napier City Council (\$300-\$450, 3-5 working days)
- **Engage conveyancing lawyer** to review title, LIM, and sale agreement
- **Arrange building inspection** by qualified inspector (~\$500-\$800 for standard home)
- **Confirm finance approval** with lender (including any conditions related to this property)

RECOMMENDED (Should Do):

- **Review consent files** for kitchen (2019) and deck (2021) - ensure photos match actual work
- **Check insurance feasibility** - contact insurers for quotes given minor liquefaction risk (yellow zone)
- **Obtain builder's report** if planning major renovations or if property is pre-1978 (potential asbestos)
- **Verify chattels** included in sale (appliances, curtains, carpets, etc.)

OPTIONAL (Nice to Have):

- **Site-specific geotechnical report** if planning extensions or major renovations (~\$1,500-\$3,000)
- **Registered valuation** if unsure about purchase price (~\$500-\$700)
- **Pest inspection** (optional for low-risk areas, but recommended for older homes)
- **Toxicology screening** if concerned about historical contamination (unlikely given HAIL-clear status)

 **Need Help Interpreting This Report?**

We're happy to walk you through the findings and answer questions. Contact us for a 15-minute consultation call (included free with Premium reports, or \$50 standalone).

Email: gerhard@aidriven.biz

Phone: 021 402 8807

Hours: Mon-Fri 8am-6pm, Sat 9am-1pm

Thank You for Using AI Driven

We hope this report helps you make an informed property decision. Good luck with your purchase!

AI Driven | Property Due Diligence Report (Basic Package)

This report is for informational purposes only and does not constitute legal, financial, or professional advice. © 2026 AI Driven. All rights reserved.

Page 7 of 7