Informe de Seguridad — Jagi-Sentinel

Generado el 15/10/2026 22:49

Dispositivos analizados: 4
Nivel de riesgo general de la red: Crítico

192.168.56.1 — Linux 5.0 - 5.7

Riesgo del dispositivo: Medio

Puerto	Servicio	Estado NVD	CVSS máx.	Riesgo
80	http	*No verificado: versión no detectada*	0.0	Medio
3306	mysql	*No verificado: versión no detectada*	0.0	Bajo
8000	http-alt	*No verificado: versión no detectada*	0.0	Bajo

192.168.56.10 — Linux 5.3 - 5.4

Riesgo del dispositivo: Alto

Puerto	Servicio	Estado NVD	CVSS máx.	Riesgo
23	telnet	*No verificado: versión no detectada*	0.0	Medio
80	http	*No verificado: versión no detectada*	0.0	Alto

Credenciales por defecto detectadas — admin/admin

192.168.56.20 — Linux 5.3 - 5.4

Riesgo del dispositivo: Crítico

Puerto	Servicio	Estado NVD	CVSS máx.	Riesgo

80	http	100 CVE encontrados	9.8	Crítico

CVE-2021-41773	CVSS 9.8	A flaw was found in a change made to path normalization in Apache HTTP Server 2.4.49. An attacker could use a path traversal attack to map URLs to files outside the directories configured by Alias-like directives. If files outside of these directories are not protected by the usual default configuration "require all denied", these requests can succeed. If CGI scripts are also enabled for these aliased pathes, this could allow for remote code execution. This issue is known to be exploited in the wild. This issue only affects Apache 2.4.49 and not earlier versions. The fix in Apache HTTP Server 2.4.50 was found to be incomplete, see CVE-2021-42013. Referencias: http://packetstormsecurity.com/files/164418/Apache-HTTP-Server-2.4.49-Path-Traversal-Remote-Code-Execution.html, http://packetstormsecurity.com/files/164418/Apache-HTTP-Server-2.4.49-Path-Traversal.html, http://packetstormsecurity.com/files/164629/Apache-2.4.49-2.4.50-Traversal-Remote-Code-Execution.html, http://packetstormsecurity.com/files/164941/Apache-HTTP-Server-2.4.50-Remote-Code-Execution.html, http://www.openwall.com/lists/oss-security/2021/10/05/2
CVE-2021-42013	CVSS 9.8	It was found that the fix for CVE-2021-41773 in Apache HTTP Server 2.4.50 was insufficient. An attacker could use a path traversal attack to map URLs to files outside the directories configured by Alias-like directives. If files outside of these directories are not protected by the usual default configuration "require all denied", these requests can succeed. If CGI scripts are also enabled for these aliased pathes, this could allow for remote code execution. This issue only affects Apache 2.4.49 and Apache 2.4.50 and not earlier versions. Referencias: http://jvn.jp/en/jp/JVN51106450/index.html, http://packetstormsecurity.com/files/164501/Apache-HTTP-Server-2.4.50-Path-Traversal-Code-Execution.html, http://packetstormsecurity.com/files/164609/Apache-HTTP-Server-2.4.50-Remote-Code-Execution.html, http://packetstormsecurity.com/files/164629/Apache-2.4.49-2.4.50-Traversal-Remote-Code-Execution.html, http://packetstormsecurity.com/files/164941/Apache-HTTP-Server-2.4.50-Remote-Code-Execution.html
CVE-2021-44790	CVSS 9.8	A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts). The Apache httpd team is not aware of an exploit for the vulnerabilty though it might be possible to craft one. This issue affects Apache HTTP Server 2.4.51 and earlier. Referencias: http://httpd.apache.org/security/vulnerabilities_24.html, http://packetstormsecurity.com/files/171631/Apache-2.4.x-Buffer-Overflow.html, http://seclists.org/fulldisclosure/2022/May/33, http://seclists.org/fulldisclosure/2022/May/35, http://seclists.org/fulldisclosure/2022/May/38
CVE-2022-22720	CVSS 9.8	Apache HTTP Server 2.4.52 and earlier fails to close inbound connection when errors are encountered discarding the request body, exposing the server to HTTP Request Smuggling Referencias: http://seclists.org/fulldisclosure/2022/May/33, http://seclists.org/fulldisclosure/2022/May/35, http://seclists.org/fulldisclosure/2022/May/38, http://www.openwall.com/lists/oss-security/2022/03/14/3, https://httpd.apache.org/security/vulnerabilities_24.html
CVE-2022-23943	CVSS 9.8	Out-of-bounds Write vulnerability in mod_sed of Apache HTTP Server allows an attacker to overwrite heap memory with possibly attacker provided data. This issue affects Apache HTTP Server 2.4 version 2.4.52 and prior versions. Referencias: http://www.openwall.com/lists/oss-security/2022/03/14/1, https://httpd.apache.org/security/vulnerabilities_24.html, https://lists.debian.org/debian-lts-announce/2022/03/msg00033.html, https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/RGWILBORT67SHMSLYSQZG2NMXGCMPUZO/, https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/X73C35MMMZGBVPQQCH7LQZUMYZNQA5FO/

CVE-2022-31813	CVSS 9.8	Apache HTTP Server 2.4.53 and earlier may not send the X-Forwarded-* headers to the origin server based on client side Connection header hop-by-hop mechanism. This may be used to bypass IP based authentication on the origin server/application. Referencias: http://www.openwall.com/lists/oss-security/2022/06/08/8, https://httpd.apache.org/security/vulnerabilities_24.html, https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7QUGG2QZWHTITMABFLVXA4DNYUOTPWYQ/, https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/YPY2BLEVJWFH34AX77ZJPLD2OOBYR6ND/, https://security.gentoo.org/glsa/202208-20
CVE-2023-25690	CVSS 9.8	Some mod_proxy configurations on Apache HTTP Server versions 2.4.0 through 2.4.55 allow a HTTP Request Smuggling attack. Configurations are affected when mod_proxy is enabled along with some form of RewriteRule or ProxyPassMatch in which a non-specific pattern matches some portion of the user-supplied request-target (URL) data and is then re-inserted into the proxied request-target using variable substitution. For example, something like: RewriteEngine on RewriteRule "^/here/(.*)" "http://example.com:8080/elsewhere?$1"; [P] ProxyPassReverse /here/ http://example.com:8080/ Request splitting/smuggling could result in bypass of access controls in the proxy server, proxying unintended URLs to existing origin servers, and cache poisoning. Users are recommended to update to at least version 2.4.56 of Apache HTTP Server. Referencias: http://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html, https://httpd.apache.org/security/vulnerabilities_24.html, https://lists.debian.org/debian-lts-announce/2023/04/msg00028.html, https://security.gentoo.org/glsa/202309-01, http://packetstormsecurity.com/files/176334/Apache-2.4.55-mod_proxy-HTTP-Request-Smuggling.html
CVE-2024-38474	CVSS 9.8	Substitution encoding issue in mod_rewrite in Apache HTTP Server 2.4.59 and earlier allows attacker to execute scripts in directories permitted by the configuration but not directly reachable by any URL or source disclosure of scripts meant to only to be executed as CGI. Users are recommended to upgrade to version 2.4.60, which fixes this issue. Some RewriteRules that capture and substitute unsafely will now fail unless rewrite flag "UnsafeAllow3F" is specified. Referencias: https://httpd.apache.org/security/vulnerabilities_24.html, https://security.netapp.com/advisory/ntap-20240712-0001/, http://www.openwall.com/lists/oss-security/2024/07/01/7, https://httpd.apache.org/security/vulnerabilities_24.html, https://security.netapp.com/advisory/ntap-20240712-0001/
CVE-2024-38476	CVSS 9.8	Vulnerability in core of Apache HTTP Server 2.4.59 and earlier are vulnerably to information disclosure, SSRF or local script execution via backend applications whose response headers are malicious or exploitable. Users are recommended to upgrade to version 2.4.60, which fixes this issue. Referencias: https://httpd.apache.org/security/vulnerabilities_24.html, https://security.netapp.com/advisory/ntap-20240712-0001/, http://seclists.org/fulldisclosure/2024/Oct/11, http://www.openwall.com/lists/oss-security/2024/07/01/9, https://httpd.apache.org/security/vulnerabilities_24.html
CVE-2026-28780	CVSS 9.8	Heap-based Buffer Overflow vulnerability in mod_proxy_ajp of Apache HTTP Server. If mod_proxy_ajp connects to a malicious AJP server this AJP server can send a malicious AJP message back to mod_proxy_ajp and cause it to write 4 attacker controlled bytes after the end of a heap based buffer. This issue affects Apache HTTP Server: through 2.4.66. Users are recommended to upgrade to version 2.4.67, which fixes the issue. Referencias: https://httpd.apache.org/security/vulnerabilities_24.html, http://www.openwall.com/lists/oss-security/2026/05/05/9, https://access.redhat.com/errata/RHSA-2026:21391, https://access.redhat.com/errata/RHSA-2026:21433, https://access.redhat.com/errata/RHSA-2026:22140

Se muestran los 10 CVE más graves de 100 encontrados.

192.168.56.30 — Linux 5.3 - 5.4

Riesgo del dispositivo: Medio

Puerto	Servicio	Estado NVD	CVSS máx.	Riesgo
21	ftp	Sin CVE en NVD	0.0	Medio