


USB-C_Supply_Board Fabrication Document

Layer Stack Legend

	Material	Layer	Thickness	Dielectric	Type	Gerber
		F,Paste			Paste Mask	
		F,Silkscreen			Legend	GBR
		F.Mask	0,02mm	Solder Resist	Solder Mask	GBR
	Copper	L1 (Sig, PWR)	0,07mm (2,00oz)		Signal	GBR
	Core		1,48mm	FR4_7628	Dielectric	
	Copper	L6 (Sig, PWR)	0,07mm (2,00oz)		Signal	GBR
		B.Mask	0,02mm	Solder Resist	Solder Mask	GBR
		B,Silkscreen			Legend	GBR
		B,Paste			Paste Mask	
Total thickness: 1,66mm						
Note: external layer thicknesses are specified after plating						

Top Fabrication (Scale 1:1)



Impedance Table

Transmission Line	Impedance [ohms]	Tolerance [ohms]	Layer	Trace Width [mm]	Gap [mm]	Ref. Layers
Edge-Coupled Coated Microstrip	100	±10 %	L1	0,2032	0,28	L2

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

- 1) FABRICATE PER IPC-6012A CLASS 2.
- 2) OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- 3) SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- 4) SURFACE FINISH: IMMERSION GOLD
- 5) SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR BLACK.
- 6) SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING YELLOW NON-CONDUCTIVE EPOXY INK.
- 7) ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- 8) VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- 9) PCB MATERIAL REQUIREMENTS:

A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.

B. Tg 170 C OR EQUIVALENT.

C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY COMPANY.
- 10) DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE30,500 × 13,000 mm

BOARD THICKNESS1,660 mm

TRACE WIDTH0,400 mm

TRACE TO TRACE0,200 mm

MIN. HOLE (PTH)0,600 mm

MIN. HOLE (NPTH)N/A mm

ANNULAR RING0,250 mm

COPPER TO HOLE0,254 mm


COPPER TO EDGE0,250 mm

HOLE TO HOLE0,254 mm
- 11) REFER TO IMPEDANCE TABLE FOR IMPEDANCE CONTROL REQUIREMENTS.
- 12) CONFIRM SPACE WIDTHS AND SPACINGS.

All dimensions are in millimeters unless otherwise specified.

	Comments:	Company: HTL Steyr	Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board	Project Name: SuperSimpleSupply	
	Sheet Title: Top Fabrication (Scale 1:1)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13
	Sheet Path:		Reviewer:	Revision: + (Unreleased)
			Size: A4	Sheet: 1 of 7

USB-C_Supply_Board Fabrication Document



All dimensions are in millimeters unless otherwise specified.

	Comments:	Company: HTL Steyr		Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board		Project Name: SuperSimpleSupply	
	Sheet Title: Bottom Fabrication (Scale 1:1)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13	Revision: + (Unreleased)
	Sheet Path:		Reviewer:	Size: A4	Sheet: 2 of 7

USB-C_Supply_Board Fabrication Document

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
X	4	0,60mm (23,62mils)	PTH	Slot	L1 (Sig, PWR) - L6 (Sig, PWR)	Pad
O	8	1,00mm (39,37mils)	PTH	Round	L1 (Sig, PWR) - L6 (Sig, PWR)	Pad
	Total 12					

Drill Drawing L1 - L2 (Scale 1:1)




	Comments:	Company: HTL Steyr		Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board		Project Name: SuperSimpleSupply	
	Sheet Title: Drill Drawing (L1 - L2)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13	Revision: + (Unreleased)
	Sheet Path:		Reviewer:	Size: A4	Sheet: 3 of 7

USB-C_Supply_Board Fabrication Document

Top Test Points (Scale 1:1)

Ref.	Net	X [mm]	Y [mm]
TP1	VBUS	75.00	11.50
TP2	LED	88.00	7.50
TP3	GNDD	87.00	4.00

Ref.	Net	X [mm]	Y [mm]
------	-----	--------	--------




All dimensions are in millimeters unless otherwise specified.

	Comments:	Company: HTL Steyr		Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board		Project Name: SuperSimpleSupply	
	Sheet Title: Top Test Points (Scale 1:1)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13	Revision: + (Unreleased)
	Sheet Path:		Reviewer:	Size: A4	Sheet: 4 of 7

USB-C_Supply_Board Fabrication Document

Bottom Test Points (Scale 1:1)

Ref.	Net	X [mm]	Y [mm]
------	-----	--------	--------



All dimensions are in millimeters unless otherwise specified.

	Comments:	Company: HTL Steyr		Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board		Project Name: SuperSimpleSupply	
	Sheet Title: Bottom Test Points (Scale 1:1)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13	Revision: + (Unreleased)
	Sheet Path:		Reviewer:	Size: A4	Sheet: 5 of 7

USB-C_Supply_Board Fabrication Document

L1 (Sig, PWR) (Scale 1:1)



	Comments:	Company: HTL Steyr		Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board		Project Name: SuperSimpleSupply	
	Sheet Title: L1 (Sig, PWR) (Scale 1:1)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13	Revision: + (Unreleased)
	Sheet Path:		Reviewer:	Size: A4	Sheet: 6 of 7

USB-C_Supply_Board Fabrication Document

L6 (Sig, PWR) (Scale 1:1)



	Comments:	Company: HTL Steyr		Variant: CHECKED	Git Hash: f6b4cbd
		Board Name: USB-C_Supply_Board		Project Name: SuperSimpleSupply	
	Sheet Title: L6 (Sig, PWR) (Scale 1:1)	File Name: SuperSimpleSupply_USBC.kicad_pcb	Designer: Gerrit Mitterhuemer	Date: 2024-04-13	Revision: + (Unreleased)
	Sheet Path:		Reviewer:	Size: A4	Sheet: 7 of 7