

Лабораторна робота №1

Виконав: Товстенко Артем ФБ-31мп

git:

Запит GET на messages-service:

HTTP <http://localhost:3002/message> Save

GET <http://localhost:3002/message> Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (5) Test Results 200 OK 10 ms 198 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "message": "Not implemented yet"
3 }
```

Запит POST на logging-service:

HTTP <http://localhost:3001/log> Save

POST <http://localhost:3001/log> Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Beautify

```
2 {
3   "uuid": "1",
4   "msg": "msg1"
5 }
```

Body Cookies Headers (5) Test Results 200 OK 24 ms 192 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": "Message logged"
3 }
```

Запит GET на logging-service:

The screenshot shows a REST client interface with the URL `http://localhost:3001/log`. The method is set to `GET`. The response status is `200 OK` with a response time of `7 ms` and a body size of `172 B`. The response body is displayed in JSON format:

```
1 [
2   "msg1"
3 ]
```

Як бачимо повідомлення збереглось і повернулось.

Запит POST на facade-service:

The screenshot shows a REST client interface with the URL `http://localhost:3000/facade`. The method is set to `POST`. The response status is `200 OK` with a response time of `19 ms` and a body size of `251 B`. The response body is displayed in JSON format:

```
1 {
2   "response": {
3     "status": "Message logged"
4   },
5   "uuid": "33a143c1-d08f-48c6-9510-025df4ad856f"
6 }
```

Запит GET на facade-service:

HTTP `http://localhost:3000/facade` Save Send

GET `http://localhost:3000/facade`

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (5) Test Results 200 OK 23 ms 260 B Save as example

Pretty Raw Preview Visualize JSON Copy Search

```
1 {
2   "default_response": {
3     "message": "Not implemented yet"
4   },
5   "logged_messages": "msg1 msg_on_facade"
6 }
```

Отримуємо відповіді як з logging-service так і з messages-service.