

CRM API Inventory

Every route exposed by the NestJS API, generated by parsing the decorators of all 49 controllers. **SCREEN** is the required screen permission and level; **GUARDS** is the guard chain applied.

TOTAL ROUTES: 351

VERB	PATH	SCREEN	GUARDS	FILE
GET	/api/account/inbox	-	AuthGuard+AreaGuard	inbox/inbox.controller.ts
GET	/api/account/inbox/:id	-	AuthGuard+AreaGuard	inbox/inbox.controller.ts
PUT	/api/account/inbox/:id/seen	-	AuthGuard+AreaGuard	inbox/inbox.controller.ts
POST	/api/account/inbox/sync/:accountId	-	AuthGuard+AreaGuard	inbox/inbox.controller.ts
GET	/api/account/mail-accounts	-	AuthGuard	account/account.controller.ts
POST	/api/account/mail-accounts	-	AuthGuard	account/account.controller.ts
DELETE	/api/account/mail-accounts/:id	-	AuthGuard	account/account.controller.ts
PUT	/api/account/mail-accounts/:id	-	AuthGuard	account/account.controller.ts
POST	/api/account/mail-accounts/:id/default	-	AuthGuard	account/account.controller.ts
PUT	/api/account/mail-accounts/:id/scope	-	AuthGuard	account/account.controller.ts
POST	/api/account/mail-accounts/:id/test	-	AuthGuard	account/account.controller.ts
GET	/api/account/mail-accounts/limit	-	AuthGuard	account/account.controller.ts
GET	/api/account/notification-preferences	-	AuthGuard	notifications/notification-preference.controller.ts
PUT	/api/account/notification-preferences	-	AuthGuard	notifications/notification-preference.controller.ts
DELETE	/api/account/photo	-	AuthGuard	users/user-photo.controller.ts
GET	/api/account/photo	-	AuthGuard	users/user-photo.controller.ts
POST	/api/account/photo	-	AuthGuard	users/user-photo.controller.ts
GET	/api/account/profile	-	AuthGuard	account/account.controller.ts
PUT	/api/account/profile	-	AuthGuard	account/account.controller.ts
GET	/api/account/settings	-	AuthGuard	account/account.controller.ts
PUT	/api/account/settings	-	AuthGuard	account/account.controller.ts
GET	/api/agent-change-notifications	-	AuthGuard	notifications/notifications.controller.ts
GET	/api/agent-commissions	-	AuthGuard	agents/agents.controller.ts
GET	/api/agent-emails	-	AuthGuard	agents/agents.controller.ts
GET	/api/agent-loans	-	AuthGuard	agents/agents.controller.ts
GET	/api/agents	-	AuthGuard	agents/agents.controller.ts
GET	/api/audit-logs	audit:view	AuthGuard+ScreenGuard+AreaGuard	audit-log/audit-log.controller.ts
GET	/api/calendar/analytics	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
GET	/api/calendar/events	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
POST	/api/calendar/events	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
DELETE	/api/calendar/events/:id	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
GET	/api/calendar/events/:id	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
PUT	/api/calendar/events/:id	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
POST	/api/calendar/events/:id/suggestions	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
GET	/api/calendar/holidays	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
POST	/api/calendar/ical/connect	-	AuthGuard	google/ical.controller.ts
POST	/api/calendar/ical/disconnect	-	AuthGuard	google/ical.controller.ts
GET	/api/calendar/ical/status	-	AuthGuard	google/ical.controller.ts
POST	/api/calendar/ical/sync	-	AuthGuard	google/ical.controller.ts
GET	/api/calendar/options	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
GET	/api/calendar/push/key	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
POST	/api/calendar/push/subscribe	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
GET	/api/calendar/push/subscriptions	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
POST	/api/calendar/push/test	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
POST	/api/calendar/push/unsubscribe	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/calendar.controller.ts
GET	/api/calendar/todos	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/todos.controller.ts
POST	/api/calendar/todos	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/todos.controller.ts
DELETE	/api/calendar/todos/:id	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/todos.controller.ts
PUT	/api/calendar/todos/:id	calendar:edit	AuthGuard+ScreenGuard+AreaGuard	calendar/todos.controller.ts
GET	/api/calendar/todos/options	calendar:view	AuthGuard+ScreenGuard+AreaGuard	calendar/todos.controller.ts
GET	/api/campaigns	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
POST	/api/campaigns	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
DELETE	/api/campaigns/:id	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/:id	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
POST	/api/campaigns/:id/cancel	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
POST	/api/campaigns/leads/import	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/leads/import/:jobId	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
POST	/api/campaigns/leads/tag	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/leads/tags	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/options	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
POST	/api/campaigns/preview	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/suppressions	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
DELETE	/api/campaigns/suppressions/:email	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/templates	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
POST	/api/campaigns/templates	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
DELETE	/api/campaigns/templates/:id	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
GET	/api/campaigns/templates/:id	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
PUT	/api/campaigns/templates/:id	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
POST	/api/campaigns/templates/:id/attachments	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
DELETE	/api/campaigns/templates/:id/attachments/:attachmentId	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
GET	/api/campaigns/templates/:id/attachments/:attachmentId	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
GET	/api/campaigns/templates/categories	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaign-templates.controller.ts
POST	/api/campaigns/test-send	campaigns:edit	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/track/click	-	-	campaigns/campaign-tracking.controller.ts
GET	/api/campaigns/track/open	-	-	campaigns/campaign-tracking.controller.ts
GET	/api/campaigns/tracking-health	campaigns:view	AuthGuard+ScreenGuard	campaigns/campaigns.controller.ts
GET	/api/campaigns/unsubscribe	-	-	campaigns/campaign-tracking.controller.ts
POST	/api/campaigns/unsubscribe	-	-	campaigns/campaign-tracking.controller.ts
GET	/api/company-settings	-	AuthGuard	settings/company-settings.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
PUT	/api/company-settings	settings:edit	AuthGuard+ScreenGuard	settings/company-settings.controller.ts
DELETE	/api/company-settings/logo	settings:edit	AuthGuard+ScreenGuard	settings/company-settings.controller.ts
GET	/api/company-settings/logo	-	-	settings/company-settings.controller.ts
POST	/api/company-settings/logo	settings:edit	AuthGuard+ScreenGuard	settings/company-settings.controller.ts
GET	/api/crm-settings	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
POST	/api/crm-settings	settings:edit	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
PUT	/api/crm-settings	settings:edit	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/broadcasts	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
POST	/api/crm-settings/broadcasts	settings:edit	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/email-log	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/email-settings	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
POST	/api/crm-settings/email-settings	settings:edit	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
PUT	/api/crm-settings/email-settings	settings:edit	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/integrations	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/options	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/profile	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
PUT	/api/crm-settings/profile	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/referral-codes	settings:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/crm-settings/triggers	triggers:view	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
PUT	/api/crm-settings/triggers	triggers:edit	AuthGuard+ScreenGuard	crm-settings/crm-settings.controller.ts
GET	/api/customers	invoice:view	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
POST	/api/customers	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
DELETE	/api/customers/:customer	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
PUT	/api/customers/:customer	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
GET	/api/dashboard/commissions	dashboard:view	AuthGuard+ScreenGuard	dashboard/dashboard.controller.ts
GET	/api/dashboard/crm	dashboard:view	AuthGuard+ScreenGuard	dashboard/dashboard.controller.ts
GET	/api/dashboard/desk	dashboard:view	AuthGuard+ScreenGuard	dashboard/dashboard.controller.ts
GET	/api/dashboard/review-errors	dashboard:view	AuthGuard+ScreenGuard	dashboard/dashboard.controller.ts
GET	/api/dashboard/reviews	dashboard:view	AuthGuard+ScreenGuard	dashboard/dashboard.controller.ts
POST	/api/delete-requests/:deleteRequest/approve	-	AuthGuard	workflows/delete-requests.controller.ts
POST	/api/delete-requests/:deleteRequest/forward	-	AuthGuard	workflows/delete-requests.controller.ts
POST	/api/delete-requests/:deleteRequest/reject	-	AuthGuard	workflows/delete-requests.controller.ts
GET	/api/doc-notifications	-	AuthGuard	notifications/notifications.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
DELETE	/api/documents/:document	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
GET	/api/documents/:document/file	-	AuthGuard	documents/documents.controller.ts
GET	/api/documents/:document/files/:index	-	AuthGuard	documents/documents.controller.ts
POST	/api/documents/:document/restore	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
GET	/api/documents/:document/validation-file	-	AuthGuard	documents/documents.controller.ts
POST	/api/edit-requests/:editRequest/approve	-	AuthGuard+AdminGuard	workflows/edit-requests.controller.ts
POST	/api/edit-requests/:editRequest/reject	-	AuthGuard+AdminGuard	workflows/edit-requests.controller.ts
GET	/api/email-templates	-	AuthGuard+AdminGuard	email/email.controller.ts
PUT	/api/email-templates/:emailTemplate	-	AuthGuard+AdminGuard	email/email.controller.ts
POST	/api/email-templates/:emailTemplate/attachments	-	AuthGuard+AdminGuard	email/email.controller.ts
DELETE	/api/email-templates/:emailTemplate/attachments/:attachmentId	-	AuthGuard+AdminGuard	email/email.controller.ts
GET	/api/email-templates/:emailTemplate/attachments/:attachmentId	-	AuthGuard+AdminGuard	email/email.controller.ts
POST	/api/email-templates/:emailTemplate/preview	-	AuthGuard+AdminGuard	email/email.controller.ts
GET	/api/export-centre	-	AuthGuard+ScreenGuard	reports/export-centre.controller.ts
DELETE	/api/export-centre/:exportId	-	AuthGuard+ScreenGuard	reports/export-centre.controller.ts
GET	/api/export-centre/download/:token	-	AuthGuard+ScreenGuard	reports/export-centre.controller.ts
GET	/api/export-centre/job/:exportId	-	AuthGuard+ScreenGuard	reports/export-centre.controller.ts
POST	/api/export-centre/queue/:action	-	AuthGuard+ScreenGuard	reports/export-centre.controller.ts
POST	/api/export-centre/sweep	-	AuthGuard+ScreenGuard	reports/export-centre.controller.ts
GET	/api/favorites	favorites:view	AuthGuard+ScreenGuard	favorites/favorites.controller.ts
DELETE	/api/favorites/:listingKey	favorites:view	AuthGuard+ScreenGuard	favorites/favorites.controller.ts
GET	/api/favorites/keys	favorites:view	AuthGuard+ScreenGuard	favorites/favorites.controller.ts
POST	/api/favorites/toggle	favorites:view	AuthGuard+ScreenGuard	favorites/favorites.controller.ts
GET	/api/google/calendar/connect	-	AuthGuard	google/google.controller.ts
POST	/api/google/calendar/disconnect	-	AuthGuard	google/google.controller.ts
POST	/api/google/calendar/retry	-	AuthGuard	google/google.controller.ts
GET	/api/google/calendar/status	-	AuthGuard	google/google.controller.ts
POST	/api/google/calendar/sync	-	AuthGuard	google/google.controller.ts
GET	/api/google/callback	-	-	google/google-public.controller.ts
GET	/api/google/mail/connect	-	AuthGuard	google/google-mail.controller.ts
GET	/api/health	-	-	observability/health.controller.ts
GET	/api/health/metrics	-	-	observability/health.controller.ts
GET	/api/health/ready	-	-	observability/health.controller.ts
GET	/api/health/workers	-	-	observability/health.controller.ts
GET	/api/invoices	invoice:view	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
POST	/api/invoices	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
DELETE	/api/invoices/:invoice	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
GET	/api/invoices/:invoice	invoice:view	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
PUT	/api/invoices/:invoice	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
POST	/api/invoices/:invoice/payments	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
DELETE	/api/invoices/:invoice/payments/:payment	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
POST	/api/invoices/:invoice/reminders	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
POST	/api/invoices/:invoice/send	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
GET	/api/leads	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/:id	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
PUT	/api/leads/:id	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/browser-call	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/call	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/calls	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id/calls/:callId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id/calls/:callId/recording	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/:id/calls/:callId/recording	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/calls/:callId/recording	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/email	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/email/generate	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/messages	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id/messages/:messageId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
PUT	/api/leads/:id/messages/:messageId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/notes	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id/notes/:noteId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
PUT	/api/leads/:id/notes/:noteId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/showings	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id/showings/:showingId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
PUT	/api/leads/:id/showings/:showingId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/:id/tasks	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/:id/tasks/:taskId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
PUT	/api/leads/:id/tasks/:taskId	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/books	-	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/bulk-delete	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/deleted	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/deleted/:id	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/deleted/:id/restore	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/export	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/import	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/import/:jobId	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/imports/recent	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/options	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/showings	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/tag	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
DELETE	/api/leads/tags	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/tags	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/tags	lead:edit	AuthGuard+ScreenGuard	leads/leads.controller.ts
GET	/api/leads/tasks	lead:view	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/leads/transfer-ownership	-	AuthGuard+ScreenGuard	leads/leads.controller.ts
POST	/api/login	-	-	auth/auth.controller.ts
POST	/api/logout	-	AuthGuard	auth/auth.controller.ts
GET	/api/mail-accounts	-	AuthGuard+AdminGuard	email/email.controller.ts
POST	/api/mail-accounts	-	AuthGuard+AdminGuard	email/email.controller.ts
DELETE	/api/mail-accounts/:mailAccount	-	AuthGuard+AdminGuard	email/email.controller.ts
PUT	/api/mail-accounts/:mailAccount	-	AuthGuard+AdminGuard	email/email.controller.ts
POST	/api/mail-accounts/:mailAccount/default	-	AuthGuard+AdminGuard	email/email.controller.ts
POST	/api/mail-accounts/:mailAccount/test	-	AuthGuard+AdminGuard	email/email.controller.ts
GET	/api/mail-events	-	AuthGuard+AdminGuard	email/email.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
GET	/api/marketing-inventory	inventory:view	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
POST	/api/marketing-inventory	inventory:edit	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
DELETE	/api/marketing-inventory/:id	inventory:edit	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
GET	/api/marketing-inventory/:id	inventory:view	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
PUT	/api/marketing-inventory/:id	inventory:edit	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
POST	/api/marketing-inventory/:id/restore	inventory:edit	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
GET	/api/marketing-inventory/options	inventory:edit	AuthGuard+ScreenGuard	marketing-inventory/marketing-inventory.controller.ts
GET	/api/meta/ad-accounts	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
POST	/api/meta/ad-accounts/select	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/auth-url	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/callback	-	-	meta/meta-public.controller.ts
POST	/api/meta/data-deletion	-	-	meta/meta-public.controller.ts
GET	/api/meta/diagnostics	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
DELETE	/api/meta/disconnect	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/forms	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
POST	/api/meta/forms	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/leads	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/pages	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
POST	/api/meta/pages/refresh	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/status	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
POST	/api/meta/sync	meta:edit	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/sync-history	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/meta/webhook	-	-	meta/meta-public.controller.ts
POST	/api/meta/webhook	-	-	meta/meta-public.controller.ts
GET	/api/meta/webhook-health	meta:view	AuthGuard+ScreenGuard	meta/meta.controller.ts
GET	/api/mls	mls:view	AuthGuard+ScreenGuard	mls/mls.controller.ts
GET	/api/mls/:key	mls:view	AuthGuard+ScreenGuard	mls/mls.controller.ts
GET	/api/mls/status	mls:view	AuthGuard+ScreenGuard	mls/mls.controller.ts
GET	/api/onboarding/:kind/attachments/:attachmentId	-	AuthGuard+AdminGuard	users/users.controller.ts
POST	/api/register	-	-	auth/auth.controller.ts
GET	/api/registration-open	-	-	auth/auth.controller.ts
GET	/api/reminder-notifications	-	AuthGuard	notifications/notifications.controller.ts
GET	/api/reports	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
GET	/api/reports/:reportType/columns	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
POST	/api/reports/:reportType/export/pdf	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
POST	/api/reports/:reportType/export/xlsx	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
POST	/api/reports/:reportType/search	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
GET	/api/reports/documents/:transactionId	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
GET	/api/reports/filter-options	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
POST	/api/reports/reminders/preview	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
POST	/api/reports/reminders/send	-	AuthGuard+ScreenGuard	reports/reports.controller.ts
GET	/api/review-notifications	-	AuthGuard	notifications/notifications.controller.ts
GET	/api/roles	users:view	AuthGuard+ScreenGuard	core/roles.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
POST	/api/roles	users:edit	AuthGuard+ScreenGuard	core/roles.controller.ts
DELETE	/api/roles/:role	users:edit	AuthGuard+ScreenGuard	core/roles.controller.ts
PATCH	/api/roles/:role	users:edit	AuthGuard+ScreenGuard	core/roles.controller.ts
PUT	/api/roles/:role/permissions	users:edit	AuthGuard+ScreenGuard	core/roles.controller.ts
GET	/api/sanctum/csrf-cookie	-	-	auth/auth.controller.ts
GET	/api/sms/status	lead:view	AuthGuard+ScreenGuard	sms/sms.controller.ts
POST	/api/sms/twilio/call-status	-	-	sms/sms-public.controller.ts
POST	/api/sms/twilio/inbound	-	-	sms/sms-public.controller.ts
POST	/api/sms/twilio/recording-status	-	-	sms/sms-public.controller.ts
POST	/api/sms/twilio/status	-	-	sms/sms-public.controller.ts
GET	/api/suggestions/brokerages	-	AuthGuard	suggestions/suggestions.controller.ts
GET	/api/suggestions/lawyers	-	AuthGuard	suggestions/suggestions.controller.ts
GET	/api/transaction-imports	-	AuthGuard+ScreenGuard	reports/transaction-import.controller.ts
POST	/api/transaction-imports/:batchId/confirm	-	AuthGuard+ScreenGuard	reports/transaction-import.controller.ts
GET	/api/transaction-imports/:batchId/errors	-	AuthGuard+ScreenGuard	reports/transaction-import.controller.ts
GET	/api/transaction-imports/sample	-	AuthGuard+ScreenGuard	reports/transaction-import.controller.ts
GET	/api/transaction-imports/template	-	AuthGuard+ScreenGuard	reports/transaction-import.controller.ts
POST	/api/transaction-imports/validate	-	AuthGuard+ScreenGuard	reports/transaction-import.controller.ts
GET	/api/transaction-types	-	AuthGuard	reference/reference.controller.ts
GET	/api/transactions	-	AuthGuard	transactions/transactions.controller.ts
POST	/api/transactions	transactions:edit	AuthGuard+ScreenGuard	transactions/transactions.controller.ts
DELETE	/api/transactions/:transaction	transactions:edit	AuthGuard+ScreenGuard	transactions/transactions.controller.ts
GET	/api/transactions/:transaction	-	AuthGuard	transactions/transactions.controller.ts
PUT	/api/transactions/:transaction	transactions:edit	AuthGuard+ScreenGuard	transactions/transactions.controller.ts
POST	/api/transactions/:transaction/delete-requests	-	AuthGuard	workflows/delete-requests.controller.ts
POST	/api/transactions/:transaction/deposit-receipt/send	transactions:edit	AuthGuard+ScreenGuard	quick-actions/quick-actions.controller.ts
POST	/api/transactions/:transaction/doc-notifications/seen	-	AuthGuard	notifications/notifications.controller.ts
GET	/api/transactions/:transaction/documents	-	AuthGuard	documents/documents.controller.ts
PUT	/api/transactions/:transaction/documents	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
POST	/api/transactions/:transaction/documents/:document/file	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
POST	/api/transactions/:transaction/documents/:document/files	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
DELETE	/api/transactions/:transaction/documents/:document/files/index	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
DELETE	/api/transactions/:transaction/documents/:document/validation-file	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
POST	/api/transactions/:transaction/documents/:document/validation-file	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
GET	/api/transactions/:transaction/documents/download-all	-	AuthGuard	documents/documents.controller.ts
POST	/api/transactions/:transaction/documents/send-reminders	transactions:edit	AuthGuard+ScreenGuard	documents/documents.controller.ts
POST	/api/transactions/:transaction/edit-requests	-	AuthGuard	workflows/edit-requests.controller.ts
GET	/api/transactions/:transaction/identifications	-	AuthGuard	fintrac/client-identification.controller.ts
PUT	/api/transactions/:transaction/identifications	transactions:edit	AuthGuard+ScreenGuard	fintrac/client-identification.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
POST	/api/transactions/:transaction/identifications/extract	transactions:edit	AuthGuard+ScreenGuard	fintrac/client-identification.controller.ts
POST	/api/transactions/:transaction/invoices	invoice:edit	AuthGuard+ScreenGuard	invoices/invoices.controller.ts
GET	/api/transactions/:transaction/messages	-	AuthGuard	transactions/messages.controller.ts
POST	/api/transactions/:transaction/messages	-	AuthGuard	transactions/messages.controller.ts
GET	/api/transactions/:transaction/notice-of-sale	-	AuthGuard	quick-actions/quick-actions.controller.ts
PUT	/api/transactions/:transaction/notice-of-sale	transactions:edit	AuthGuard+ScreenGuard	quick-actions/quick-actions.controller.ts
POST	/api/transactions/:transaction/notice-of-sale/send	transactions:edit	AuthGuard+ScreenGuard	quick-actions/quick-actions.controller.ts
POST	/api/transactions/:transaction/reject-agent-change	-	AuthGuard	transactions/transactions.controller.ts
POST	/api/transactions/:transaction/reminders/seen	-	AuthGuard	notifications/notifications.controller.ts
POST	/api/transactions/:transaction/review-agent-changes	-	AuthGuard	transactions/transactions.controller.ts
GET	/api/transactions/:transaction/reviews	-	AuthGuard	transactions/transactions.controller.ts
POST	/api/transactions/:transaction/reviews/bulk	-	AuthGuard	transactions/transactions.controller.ts
GET	/api/transactions/:transaction/reviews/export:ext	-	AuthGuard	transactions/transactions.controller.ts
GET	/api/transactions/:transaction/reviews/open	-	AuthGuard	transactions/transactions.controller.ts
POST	/api/transactions/:transaction/reviews/seen	-	AuthGuard	transactions/transactions.controller.ts
POST	/api/transactions/:transaction/trade-sheet/send	transactions:edit	AuthGuard+ScreenGuard	quick-actions/quick-actions.controller.ts
POST	/api/transactions/bulk/documents/zip	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
POST	/api/transactions/bulk/export/complete/csv	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
POST	/api/transactions/bulk/export/complete/xlsx	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
POST	/api/transactions/bulk/export/csv	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
POST	/api/transactions/bulk/export/pdf	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
POST	/api/transactions/bulk/export/xlsx	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
POST	/api/transactions/bulk/summary	-	AuthGuard+ScreenGuard	reports/bulk-export.controller.ts
GET	/api/transactions/reminders/history	transactions:view	AuthGuard+ScreenGuard	transactions/transactions.controller.ts
GET	/api/transactions/reviews/:review/messages	-	AuthGuard	transactions/transactions.controller.ts
POST	/api/transactions/reviews/:review/messages	-	AuthGuard	transactions/transactions.controller.ts
GET	/api/transactions/reviews/attachments/:attachment	-	AuthGuard	transactions/transactions.controller.ts
GET	/api/trash/deletions	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
GET	/api/trash/documents	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
DELETE	/api/trash/documents/:id	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
POST	/api/trash/documents/:id/restore	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
GET	/api/trash/invoices	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
DELETE	/api/trash/invoices/:id	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
POST	/api/trash/invoices/:id/restore	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
GET	/api/trash/payments	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
DELETE	/api/trash/payments/:id	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
POST	/api/trash/payments/:id/restore	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
GET	/api/trash/row-items	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
DELETE	/api/trash/row-items/:id	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
POST	/api/trash/row-items/:id/restore	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
GET	/api/trash/transactions	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
DELETE	/api/trash/transactions/:id	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
POST	/api/trash/transactions/:id/restore	-	AuthGuard	recycle-bin/recycle-bin.controller.ts
POST	/api/twilio/voice	-	-	twilio-voice/twilio-voice-public.controller.ts

VERB	PATH	SCREEN	GUARDS	FILE
GET	/api/twilio/voice/status	-	AuthGuard	twilio-voice/twilio-voice.controller.ts
GET	/api/twilio/voice/token	-	AuthGuard	twilio-voice/twilio-voice.controller.ts
GET	/api/user	-	AuthGuard	auth/auth.controller.ts
POST	/api/user/password	-	AuthGuard	auth/auth.controller.ts
GET	/api/users	-	AuthGuard+AdminGuard	users/users.controller.ts
POST	/api/users	-	AuthGuard+AdminGuard	users/users.controller.ts
DELETE	/api/users/:user	-	AuthGuard+AdminGuard	users/users.controller.ts
PATCH	/api/users/:user	-	AuthGuard+AdminGuard	users/users.controller.ts
PUT	/api/users/:user	-	AuthGuard+AdminGuard	users/users.controller.ts
GET	/api/users/:user/deal-history	-	AuthGuard+AdminGuard	users/users.controller.ts
GET	/api/users/:user/offboarding	-	AuthGuard+AdminGuard	users/users.controller.ts
GET	/api/users/:user/onboarding/:kind	-	AuthGuard+AdminGuard	users/users.controller.ts
POST	/api/users/:user/onboarding/:kind	-	AuthGuard+AdminGuard	users/users.controller.ts
POST	/api/users/:user/onboarding/:kind/document	-	AuthGuard+AdminGuard	users/users.controller.ts
DELETE	/api/users/:user/photo	-	AuthGuard	users/user-photo.controller.ts
GET	/api/users/:user/photo	-	AuthGuard	users/user-photo.controller.ts
POST	/api/users/:user/photo	-	AuthGuard	users/user-photo.controller.ts
GET	/api/users/catalog	-	AuthGuard+AdminGuard	users/users.controller.ts

UNGUARDED / PUBLIC ROUTES: 23

GET /api/campaigns/track/click (campaigns/campaign-tracking.controller.ts)
 GET /api/campaigns/track/open (campaigns/campaign-tracking.controller.ts)
 GET /api/campaigns/unsubscribe (campaigns/campaign-tracking.controller.ts)
 POST /api/campaigns/unsubscribe (campaigns/campaign-tracking.controller.ts)
 GET /api/company-settings/logo (settings/company-settings.controller.ts)
 GET /api/google/callback (google/google-public.controller.ts)
 GET /api/health (observability/health.controller.ts)
 GET /api/health/metrics (observability/health.controller.ts)
 GET /api/health/ready (observability/health.controller.ts)
 GET /api/health/workers (observability/health.controller.ts)
 POST /api/login (auth/auth.controller.ts)
 GET /api/meta/callback (meta/meta-public.controller.ts)
 POST /api/meta/data-deletion (meta/meta-public.controller.ts)
 GET /api/meta/webhook (meta/meta-public.controller.ts)
 POST /api/meta/webhook (meta/meta-public.controller.ts)
 POST /api/register (auth/auth.controller.ts)
 GET /api/registration-open (auth/auth.controller.ts)
 GET /api/sanctum/csrf-cookie (auth/auth.controller.ts)
 POST /api/sms/twilio/call-status (sms/sms-public.controller.ts)
 POST /api/sms/twilio/inbound (sms/sms-public.controller.ts)
 POST /api/sms/twilio/recording-status (sms/sms-public.controller.ts)
 POST /api/sms/twilio/status (sms/sms-public.controller.ts)
 POST /api/twilio/voice (twilio-voice/twilio-voice-public.controller.ts)