# Assignment No.2

**Problem Statement : Design and Develop SQL DDL statements which demonstrate the use of SQL objects such as Table, View, Index, Sequence, Synonym, different constraints etc**

**Program :**

Sql> Create Table Employee (Emp_Id Number(5) Primary Key,Emp_Name Varchar(8) Not Null,Job_Name Varchar(8) Not Null,Manager_Id Number(5) Default '00000', Hire_Date Date, Salary Decimal(8,2),Commission Decimal(8,2) Null,Dept_Id Number(2));

table created.

Sql> Insert Into Employee Values(1011,'Jay','Manager',1234,'11-June-1999',7500.00,1000.00,10);

1 Row Created.

Sql> Insert Into Employee Values(1012,'Adity','Junior',1234,'11-June-1999',6500.00,2000.00,11);

1 Row Created.

Sql> Insert Into Employee Values(1013,'Rahul','Ceo',1245,'23-Sep-1998',8500.00,5000.00,12);

1 Row Created.

Sql> Select * From Employee;

```
   EMP_ID EMP_NAME   JOB_NAME   MANAGER_ID HIRE_DATE     SALARY
COMMISSION DEPT_ID
---------- ---------- ---------- ---------- --------- ---------- ----------
      1011 Jay        Manager          1234 11-Jun-99       7500       1000         10
      1012 Adity      Junior           1234 11-Jun-99       6500       2000         11
      1013 Rahul      Ceo              1245 23-Sep-98       8500       5000         12
```

SQL> Create View Employee_View As Select Emp_Id, Emp_Name, Job_Name, Salary From Employee;

View Created.

Sql> Select * From Employee_View;

```
   EMP_ID EMP_NAME   JOB_NAME       SALARY
      1011 Jay        Manager          7500
      1012 Adity      Junior           6500
      1013 Rahul      Ceo              8500
```

SQL> Create Index Idx_Emp_Name On Employee (Emp_Name);

Index Created.

Sql> Create Sequence Emp_Id_Seq S

Tart With 1

Increment By 1

Nocache;

Sequence Created.

Sql> Select * From Employee;

```
    EMP_ID EMP_NAME   JOB_NAME   MANAGER_ID HIRE_DATE     SALARY
COMMISSION    DEPT_ID
---------- ---------- ---------- ---------- --------- ---------- ----------
      1011 JAY        MANAGER          1234 11-JUN-99       7500       1000   10
       1012 ADITY      JUNIOR           1234 11-JUN-99       6500       2000       11
       1013 RAHUL      CEO              1245 23-SEP-98       8500       5000          12
```

SQL> CREATE SYNONYM Emp FOR EMPLOYEE;

Synonym Created.

SQL> SELECT * FROM Emp;

```
   EMP_ID EMP_NAME   JOB_NAME   MANAGER_ID HIRE_DATE     SALARY
COMMISSION    DEPT_ID
---------- ---------- ---------- ---------- --------- ---------- ----------
      1011 JAY        MANAGER          1234 11-JUN-99       7500       1000    10
      1012 ADITY      JUNIOR           1234 11-JUN-99       6500       2000      11
      1013 RAHUL      CEO              1245 23-SEP-98       8500       5000        12
```

SQL> ALTER TABLE EMPLOYEE ADD CONSTRAINT chk_salary CHECK (SALARY > 0);

Table altered.

SQL> CREATE TABLE DEPARTMENT (DEPT_ID NUMBER(4) PRIMARY KEY,DEPT_NAME VARCHAR(50));

Table created.

SQL> INSERT INTO DEPARTMENT VALUES(1001,'IT');

1 row created.

SQL> INSERT INTO DEPARTMENT VALUES(1002,'COMP');

```
1 row created.

SQL> INSERT INTO DEPARTMENT VALUES(1003,'ENTC');

 1 row created.

 SQL> ALTER TABLE DEPARTMENT ADD CONSTRAINT fk_dept FOREIGN KEY
(DEPT_ID) REFERENCES DEPARTMENT(DEPT_ID);

 Table altered.

 SQL> SELECT * FROM DEPARTMENT;

   DEPT_ID DEPT_NAME

---------- --------------------------------------------------

      1001 IT

      1002 COMP

      1003 ENTC



SQL> SELECT * FROM EMPLOYEE;


    EMP_ID EMP_NAME   JOB_NAME   MANAGER_ID HIRE_DATE     SALARY
COMMISSION

---------- ---------- ---------- ---------- --------- ---------- ----------

   DEPT_ID

----------

      1011 JAY        MANAGER          1234 11-JUN-99       7500       1000

        10

      1012 ADITY      JUNIOR           1234 11-JUN-99       6500       2000

        11

      1013 RAHUL      CEO              1245 23-SEP-98       8500       5000

        12
```