



Annual trend slopes for total phosphorus (mg/L per year)

Trend	Monitoring sites										
Period	NS5	NS9	NB8	CR8	SB8	BC2	GC1	LC4	LC6		
5-year	0.007	-	-	-	-	-	-	0.005	0.113		
10-year	-0.006	-	-	-0.014	-	-	-0.025	-	-0.095		
25-year	-	0.009	0.005	-	-	-0.005	-0.012	-	-0.027		




Winter trend slopes for total phosphorus (mg/L per year)

Trend	Monitoring sites										
Period	NS5	NS9	NB1	NB8	CR8	SB8	BC2	GC1	LC4	LC6	
5-year	-	-0.131	-0.106	-	-	-	-	-	-	-	
10-year	-	-	-	-	-0.038	-	-	-	-	-0.205	
25-year	-	-	-0.043	-	-	-	-0.026	-	-	-0.053	




Spring trend slopes for total phosphorus (mg/L per year)

Trend	Monitoring sites										
Period	NS5	NS9	NB8	CR8	SB8	BC2	GC1	LC4	LC6		
5-year	-	-	-	-	-	-	-	0.009	0.115		
10-year	-0.007	-	-	-	-	-	-0.028	-	-0.155		
25-year	-	-	-	-0.01	-	-0.014	-0.011	-0.004	-0.034		



Summer trend slopes for total phosphorus (mg/L per year)

Trend	Monitoring sites									
Period	NS5	NS9	NB8	CR8	SB8	BC2	GC1	LC4	LC6	
5-year	0.013	-	-	-	-	-	-	-	-	
10-year	-	-	-	-0.013	-	-	-0.035	-	-	
25-year	-	0.02	0.01	0.005	0.008	-	-0.015	0.002	-0.016	



Fall trend slopes for total phosphorus (mg/L per year)

Trend	Monitoring sites										
Period	NS5	NS9	NB8	CR8	SB8	BC2	GC1	LC4	LC6		
5-year	0.01	-	-	0.025	-	0.059	-	0.006	0.276		
10-year	-0.006	-	-	-	-	-	-0.021	-	-		
25-year	-	0.02	0.015	-	-	-	-0.015	-	-		