






Fall trend slopes for dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites								
	NS5	NS9	NB8	CR8	SB8	BC2	GC1	LC4	LC6
5-year	-	-	-	-	-	0.883	-	0.311	0.143
10-year	-	0.104	0.099	0.1	-	-	0.495	0.2	0.176
25-year	-	0.043	0.054	-	-	0.064	0.117	0.06	0.063




Winter trend slopes for minimum dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	-	-	-	-	-
10-year	-	0.12	0.14	0.12	-	0.15	0.74	0.40	-	0.33	0.11
25-year	-	-	0.08	-	-	-	-	-	-	-	-




Summer trend slopes for minimum dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	0.11	-	0.11	1.09	1.02	-	0.69	-
10-year	-	0.18	0.11	-	-	0.18	0.35	0.42	-	0.39	-
25-year	-	-	0.04	-	-	-	-	-	-	-	-




Fall trend slopes for minimum dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	0.92	-	-	-	-
10-year	-	0.11	0.11	0.09	-	0.12	0.30	0.21	-	0.16	0.10
25-year	-	-	0.06	-	-	-	-	-	-	-	-




Winter trend slopes for median dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	-	-	-	-	-
10-year	-	0.12	0.14	0.12	-	0.15	0.74	0.40	-	0.33	0.11
25-year	-	-	0.08	-	-	-	-	-	-	-	-




Summer trend slopes for median dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	0.11	-	0.11	1.09	1.02	-	0.69	-
10-year	-	0.18	0.11	-	-	0.18	0.35	0.42	-	0.39	-
25-year	-	-	0.04	-	-	-	-	-	-	-	-




Fall trend slopes for median dissolved oxygen (mg/L per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	0.92	-	-	-	-
10-year	-	0.11	0.11	0.09	-	0.12	0.30	0.21	-	0.16	0.10
25-year	-	-	0.06	-	-	-	-	-	-	-	-




Winter trend slopes for median specific conductance ($\mu\text{S}/\text{cm}$ per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	-	-	-	-	-
10-year	-	-	-	-	-	-	-	-	-	-	-
25-year	-	-	13.73	-	-	-	-	-	-	-	-




Spring trend slopes for median specific conductance ($\mu\text{S}/\text{cm}$ per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	31.50	-	-	141.50	-	-	25.00	-
10-year	-	-	-	-	-	-	-	-	-	-	-
25-year	-	-	-	-	-	-	19.54	-	-	-	-



Summer trend slopes for median specific conductance ($\mu\text{S}/\text{cm}$ per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	-	-	-	-	-
10-year	-1.05	-7.20	-	-9.95	-	-9.00	-	-9.42	-	-	-
25-year	-	-	3.36	-	-	-	-	-	-	-	-



Fall trend slopes for median specific conductance ($\mu\text{S}/\text{cm}$ per year)

Trend Period	Monitoring sites										
	NS4	NS13	NB6	NB11	CR4	SB6	BC1	BC3	LC2	LC5	LC8
5-year	-	-	-	-	-	-	-33.39	-	-	-	-
10-year	-	-	-	-	-	-	-	-	9.15	-	-
25-year	-	-	5.75	-	-	-	-	-	-	-	-