Status	Finished
Started	Monday, 12 October 2026, 6:48 PM
Completed	Monday, 12 October 2026, 7:01 PM
Duration	12 mins 33 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

- a. writelines(list) ✓
- b. write(list)
- c. writelist(list)
- d. None of the mentioned

The correct answer is: writelines(list)

Question **2**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- a. To delete a file
- b. To automatically close the file after its suite finishes ✓
- c. To write data to a file
- d. To read data from a file

The correct answer is: To automatically close the file after its suite finishes

Question **3**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

- a. file.closed ✓
- b. file.closed()
- c. file.is_closed()
- d. file.isclosed()

The correct answer is: file.closed

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. terminate()
b. end()
c. finish()
d. close() ✓

The correct answer is: close()

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Python Programming
b. Python ✓
c. Program
d. An error is raised

The correct answer is: Python

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Overwrites the file with "Adding new data"
b. Opens the file in read mode
c. Raises an error because the file is opened in append mode
d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **7**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

- a. move the file pointer to beginning of the file
- b. move the file pointer five characters behind from the current position
- c. moves the file pointer to the end of a file
- d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **8**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

- a. Prints the first 10 characters of the file
- b. Prints an error message
- c. Prints each line of the file
- d. Prints the entire content of the file ✓

The correct answer is: Prints the entire content of the file

Question **9**

Incorrect

Mark 0.00 out of 1.00

Which method is used to sets the position of a file pointer

- a. ftell()
- b. fseek() ✗
- c. tell()
- d. seek()

The correct answer is: seek()

Question **10**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Writes data to the file
b. Deletes the file
c. Moves the file cursor to the specified position ✓
d. Reads the file line by line

The correct answer is: Moves the file cursor to the specified position

Question **11**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open() ✓
b. open_file()
c. file()
d. openfile()

The correct answer is: open()

Question **12**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. none of the mentioned
b. sets the file's current position within the file
c. sets the file's previous position at the offset
d. sets the file's current position at the offset ✓

The correct answer is:
sets the file's current position at the offset

Question **13**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \t

b. \n ✓

c. space

d. ,

The correct answer is:
\n

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. line()

b. readline() ✓

c. readlines(1)

d. read(1)

The correct answer is: readline()

Question **15**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The file's read/write position

b. The access mode of the file

c. The buffer size for the file operations ✓

d. The encoding of the file

The correct answer is: The buffer size for the file operations