


SAF User Documentation : Logical Internal Exchange Viewpoint

Domain	Aspect	Maturity
Logical	Interaction & Collaboration	 released

Example



Purpose

The Logical Internal Exchange Viewpoint serves for the identification and definition of interfaces of elements of the Logical System. Also, the delegation of system element interfaces to the Logical System boundary interfaces is covered. The Logical Internal Exchange Viewpoint

- identifies system element interfaces on a Logical Level
- states to which other system elements the interfaces are connected to
- assigns interface specifications to interfaces

- defines the usage of interfaces, e.g., if only a subset of the interfaces is used
- defines the delegation of system element interfaces to the system boundary interfaces

Applicability

The Logical Internal Exchange Viewpoint supports the "Develop Models and Views of Candidate Architecture" activity included in the "Architecture Definition Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.4] and contributes to the preliminary interface definition and system architecture description.

Presentation

One or more IBD featuring the Logical Elements of the SOI, and the SOI boundary, containing connectors for each identified SOI interface delegation to SOI elements, as well as connectors between related interfaces of SOI parts. An interface is a connection resource for hooking on the Logical SOI Elements to other Logical SOI Elements. Item flows are defined for each exchange on the identified interface. Recommendation: Use more than one IBD focused on different areas of interest to keep the view comprehensive. Depending on the Stakeholder Concerns the logical item exchange information might be suppressed.

Stakeholder

- [Safety Expert](#)
- [Security Expert](#)
- [Software Developer](#)
- [System Architect](#)

Concern

- How do internal system elements interact with each other to provide the system function or service?
- How do the logical system elements interact to fulfill the designated system function?
- What are data / information items exchanged?
- What are the items exchanged between logical system elements during an interaction?
- Which requirements apply to a logical interface?

Profile Model Reference

The following Stereotypes / Model Elements are used in the Viewpoint:

- Attribute "realizing connector" of ItemFlow referencing Connector
- Connector [UML_Standard_Profile]
- FlowProperty [SysML Profile]
- FlowProperty contained in SAF_ConceptualInterfaceDefinition
- FlowProperty typed by SAF_DomainKind
- ItemFlow [SysML Profile]

- [ItemFlow](#) typed by [SAF_DomainKind](#)
- [ProxyPort](#) [[SysML Profile](#)]
- [ProxyPort](#) typed by [InterfaceBlock](#)
- [SAF_ConceptualInterfaceDefinition](#)
- [SAF_DomainKind](#)
- [SAF_LogicalElement](#)
- [SAF_SLV04b_View](#)

Input from other Viewpoints

Required Viewpoints

- [System Domain Item Kind Viewpoint](#)
- [Logical Structure Viewpoint](#)

Recommended Viewpoints

- [System Process Viewpoint](#)
- [System Functional Refinement Viewpoint](#)