




# Operational Context Exchange Viewpoint

Domain: [Operational](#) Aspect: [Context & Exchange](#)

## Example



## Purpose

The Operational Context Exchange Viewpoint defines connectivity and exchange between Operational Performer(s).

## Applicability

The Operational Context Exchange Viewpoint supports the "Business or Mission Analysis Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.1] and contributes to the problem or opportunity statement.

## Stakeholder

- 
- [Acquirer](#)
  - [Customer](#)
  - [Supplier](#)
  - [System Architect](#)

## Concern

---

- What operational exchange does the operational performers need to consume or provide?

## Presentation

---

An internal block diagram (IBD) associated to an Operational Context showing the connected Operational Performer(s) in their respective Operational Role and the Operational Exchange per connection.

## Profile Model Reference

---

- [Connector \[UML\\_Standard\\_Profile\]](#)
- [ItemFlow \[SysML Profile\]](#)
- [ItemFlow \[SysML Profile\]](#)
- [SAF\\_OperationalContext](#)
- [SAF\\_OperationalDomainKind](#)
- [SAF\\_OperationalRole](#)
- [SAF\\_SOV01c\\_View](#)

## Input from other Viewpoints

---

### Required Viewpoints

- [Operational Context Definition Viewpoint](#)
- [Operational Domain Item Kind Viewpoint](#)

### Recommended Viewpoints

- [Operational Story Viewpoint](#)