



SAF User Documentation : Operational Process Viewpoint

Domain	Aspect	Maturity
Operational	Process & Behavior	 released

Example



Purpose

The Operational Process Viewpoint describes the Operational Processes related to a specific Operational Story, the sequence of execution, and their Operational Exchanges, including information, materials, natural resources, etc. The assignment of Operational Processes to Operational Performers is captured.

Applicability

The Operational Process Viewpoint supports the "Business or Mission Analysis Process" and the "Stakeholder Needs and Requirements Definition Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.1, § 4.2] and contributes to the definition of operational scenarios.

Stakeholder

Concern

- What operational process activities shall be executed during the execution of an operational story?
- Which operational activity shall be executed by which operational performer in the operational story?

Presentation

The Operational Processes related to an Operational Story are represented in an activity diagram featuring the ordered execution of Operational Process Actions. Operational Processes may be linked in terms of control flow and/or data flow visualizing the Operational Exchanges needed. Note: Operational Process Actions are assigned to Operational Roles and therefore in a more general manner to the Operational Performers.

Profile Model Reference

- Allocate [SysML Profile]
- ControlFlow [UML_Standard_Profile]
- InputPin [UML_Standard_Profile]
- ObjectFlow [UML_Standard_Profile]
- OutputPin [UML_Standard_Profile]
- [SAF_OperationalDomainKind](#)
- [SAF_OperationalPerformer](#)
- [SAF_OperationalProcess](#)
- [SAF_OperationalProcessAction](#)
- [SAF_OperationalRole](#)
- [SAF_SOV03a_View](#)

Input from other Viewpoints

Required Viewpoints

none

Recommended Viewpoints

- [Operational Context Definition Viewpoint](#)
- [Operational Domain Item Kind Viewpoint](#)

