




Operational Process Viewpoint

Domain: Operational Aspect: Behavior

Example



Purpose

The Operational Process Viewpoint describes the Operational Process Activity(s) related to a specific Operational Story, the sequence of execution and/or their operational exchange. The assignment of Operational Process Activity(s) to Operational Performer(s) is captured.

Applicability

The Operational Process Viewpoint supports the "Business or Mission Analysis Process" and the "Stakeholder Needs and Requirements Definition Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.1, § 4.2] and contributes to the definition of operational scenario(s).
Note:

Stakeholder

- [Acquirer](#)
- [Customer](#)
- [Supplier](#)
- [System Architect](#)

Concern

- Which Operational Activity shall be executed by which Operational Performer in the Operational Story?
- What Operational Process Activitys shall be executed during the execution of an Operational Story?

Presentation

The Operational Process related to an Operational Story is represented in an activity diagram showing the ordered execution of Operational Process Activity(s). Operational Process Activity(s) may be linked in terms of control flow and/or data flow visualizing Operational Exchange needed. Note: Operational Process Activity(s) are assigned to Operational Role(s) and therefore in a more general manner to the Operational Performer(s).

Profile Model Reference

- [Allocate \[SysML Profile\]](#)
- [ControlFlow \[UML_Standard_Profile\]](#)
- [InputPin \[UML_Standard_Profile\]](#)
- [ObjectFlow \[UML_Standard_Profile\]](#)
- [OutputPin \[UML_Standard_Profile\]](#)
- [SAF_OperationalPerformer](#)
- [SAF_OperationalProcess](#)
- [SAF_OperationalProcessAction](#)
- [SAF_OperationalRole](#)
- [SAF_SOV03a_View](#)

Input from other Viewpoints

Required Viewpoints

none

Recommended Viewpoints

- [Operational Context Definition Viewpoint](#)
- [Operational Domain Item Kind Viewpoint](#)