

Assignment 5

Page No.:

Date:

youva

Q1] #include <stdio.h>

```
int main()  
{
```

```
    char Name[30];
```

```
    printf("please enter full name: \n");
```

```
    scanf("%s", Name);
```

```
    return 0;
```

```
}
```

Time complexity : $O(1)$

Q2] #include <stdio.h>
typedef int BOOL;
#define TRUE 1
#define FALSE 0

```
BOOL chkGreater(int iNo)  
{  
    if (iNo > 100) {  
        return TRUE; }  
    else {  
        return FALSE; }  
}
```

```
int main()  
{  
    int iValue = 0;  
    BOOL bRet = FALSE;  
    printf("Please enter no \n");  
    scanf("%d", &iValue);  
    bRet = chkGreater(iValue);  
  
    if (iValue > 100) {  
        printf("Greater"); }  
    else {  
        printf("Smaller"); }  
    return 0;  
}
```

Time complexity: $O(1)$


```
Q3] #include <stdio.h>
typedef int BOOL;
#define TRUE 1
#define FALSE 0

BOOL chkEqual(int iNo1, int iNo2) {
    if (iNo1 == iNo2) {
        return TRUE;
    }
    else {
        return FALSE;
    }
}

int main() {
    int iValue1, iValue2 = 0;
    BOOL bRet = FALSE;
    printf("Enter 2 nos: \n");
    scanf("%d %d", &iValue1, &iValue2);
    bRet = chkEqual(iValue1, iValue2);

    if (iValue1 == iValue2) {
        printf("Equal");
    }
    else {
        printf("Not Equal");
    }
    return 0;
}
```

Time complexity: $O(1)$

Q4] #include <stdio.h>

```
int Multiply(int iNo1, int iNo2, int iNo3) {
printf("0\n");
if (iNo1 == 0 || iNo2 == 0 || iNo3 == 0) {
printf("0\n");
return iNo1 * iNo2 * iNo3;
}
```

```
int main() {
```

```
int iValue1, iValue2, iValue3, iRet = 0;
```

```
printf("Enter 3 nos\n");
```

```
scanf("%d %d %d", &iValue1, &iValue2, &iValue3);
```

```
iRet = Multiply(iValue1, iValue2, iValue3);
```

```
printf("%d\n", iRet);
```

```
return 0;
```

```
}
```

Time Complexity: $O(1)$

Q5] #include <stdio.h>

```
float percentages (int iNo1, int iNo2) {  
    if (iNo1 == 0 || iNo2 == 0) {  
        printf("0%");  
        return 0 ((float) iNo2 / iNo1) * 100;  
    }  
}
```

```
int main() {
```

```
    int iValue1, iValue2 = 0;  
    float fRet = 0.0f;
```

```
    printf("Enter total marks, \n");  
    scanf("%d", &iValue1);
```

```
    printf("Enter obtained marks");  
    scanf("%d", &iValue2);
```

```
    fRet = percentages (iValue1, iValue2);  
    printf("0.02f", fRet);  
    return 0;  
}
```

Time Complexity : $O(1)$