

ASSIGNMENT 7

17

#include <stdio.h>

void display (int iNo)

{

if (iNo < 50)

printf ("small");

else if (iNo < 100)

printf ("medium");

else

printf ("large");

}

int main()

{

int iVal = 0;

printf ("Enter no: ");

scanf ("%d", &iVal);

display(iVal);

return 0;

}

3] #include <stdio.h>

int factorial (int iNo)

{

int ifact = 1;

int iCnt = 0;

if (iNo < 0)

{

iNo = -iNo;

}

for (iCnt = iNo; iCnt >= 1; iCnt --)

{

ifact = ifact * iCnt;

}

return ifact;

}

int main()

{

int iVal = 0, iRet = 0;

printf("Enter no: ");

scanf("%d", &iVal);

iRet = factorial(iVal);

printf("Factorial of no is %d", iRet);

return 0;

}


```
4] #include <stdio.h>
void printTable (int iNo)
{
    int iCnt = 0;
    if (iNo < 0)
    {
        iNo = -iNo;
    }
    for (iCnt = 1; iCnt <= 10; iCnt++)
    {
        printf("%d\n", iNo * iCnt);
    }
}
```

```
int main()
{
    int iVal = 0;
    printf("Enter no: ");
    scanf("%d", &iVal);
}
```

```
PrintTable(iVal);
return 0;
}
```



```
5] #include <stdio.h>
```

```
void printRevTable (int iNo)
```

```
{
```

```
    int iCnt = 0;
```

```
    if (iNo < 0)
```

```
        iNo = -iNo;
```

```
    for (iCnt = 10; iCnt >= 1; iCnt--)
```

```
        printf ("%d * %d = ", iNo, iCnt);
```

```
        printf ("\n");
```

```
}
```

```
int main()
```

```
{
```

```
    int iVal = 0;
```

```
    printf ("Enter no: ");
```

```
    scanf ("%d", &iVal);
```

```
    printRevTable (iVal);
```

```
    return 0;
```

```
}
```