

Cucumber Report

14 Nov 2024, 11:45:18 am

Start : Nov 14, 11:45:14.915 am

End : Nov 14, 11:45:17.284 am

Duration : 2.369 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0

PASSED - 9
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Harley Enterprise : API Login Testing	2	2	0	0	2.369 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Harley Enterprise : API Login Testing	Successful login with valid mobile number	5	5	0	0	2.153 s
2	Harley Enterprise : API Login Testing	Unsuccessful login with special character in mobile number	4	4	0	0	0.199 s

(F)- Harley Enterprise : API Login Testing

PASSED	DURATION - 2.369 s	Scenarios		Steps	
/ 11:45:14.915 am // 11:45:17.284 am /		Total - 2		Total - 9	
		Pass - 2		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Successful login with valid mobile number

<div>PASSED</div> <div>DURATION - 2.153 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:45:14.922 am // 11:45:17.075 am /</div>			
<div>Harley Enterprise : API Login Testing</div>			
<div>@SuccessfulLoginWithOTP</div>			

#	Step / Hook Details	Status	Duration
1	Given the login API is available	PASSED	0.532 s
	Base URL is: https://uat-apim.heromotocorp.com/enterprise/api/externalLogin		
2	When the user sends a login request with valid_mobile_number and add headers	PASSED	0.003 s
	Base URL is: https://uat-apim.heromotocorp.com/enterprise/api/externalLogin		
3	And user add requestbody for validlogin "9891803084" ,"mobile" and "sms"	PASSED	0.357 s
	Request_payload: loginid=9891803084,logintype=mobile,notification=sms		
4	And the user sends a Externallogin request with "POST"	PASSED	1.151 s
5	Then the response status should be 200 and message "OTP Generated Successfully"	PASSED	0.091 s
	Response Status code is: 200 Response Generated is: { "success": true, "message": "OTP Generated Successfully", "data": { "loginId": "9891803084", "registeredUser": true } }		

(S)- Unsuccessful login with special character in mobile number

PASSED	DURATION - 0.199 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:45:17.085 am // 11:45:17.284 am /				
Harley Enterprise : API Login Testing				
@SpecialChar				

#	Step / Hook Details	Status	Duration
1	Given the login API is available Base URL is: https://uat-apim.heromotocorp.com/enterprise/api/externalLogin	PASSED	0.001 s
2	When user add requestbody for login "\$##\$%#\$%\$dwd", "mobile" and "sms" Request_payload: loginid=\$##\$%#\$%\$dwd,logintype=mobile,notification=sms	PASSED	0.009 s
3	And the user sends a login request with "POST"	PASSED	0.181 s
4	Then Validate response with Message "Mobile number is not numeric.", Status code 200 ,Success "false", errorCode 1002 and error description "Unable to process Your Request" Response Status code is: 200 Response Generated is: { "success": false, "message": "Mobile number is not numeric.", "errorCode": 1002, "errorDescription": "Unable to process Your Request" }	PASSED	0.007 s