





PROJECT INFORMATION

Tittle ESP32 VOICE CHAT
Version v.0.1
Review by: GH0XPWD
Notes: Prototipo de ups con esp32

INDEX



- 1.- Portada
- 2.- Diagrama de bloques
- 3.-Circuito

Title		
Size A3	Number	Revision
Date:	11/18/2025	Sheet of
File:	D:\PCB\IOT_micro_esp32s3\Portada.SchDoc	Drawn By:





MICROFONO POSIBLE INCORPORACION
SW button x
SD x
SIM
MAX TERMINAR x
CAMBIO DE 5V 5A (CONFIG) x
GPIO presencia
GSM CONFIG UART AND ESD PROTECTION
CONECTOR SPEAKER x




Title		
Size	Number	Revision
A3		
Date:	11/18/2025	Sheet of
File:	D:\PCB\Diagrama de bloques.SchDoc	Drawn By:



BOOST BAT/5V 1.5A



STEP DOWN to 3v3



$$R_1 = 22.1k \times \left(\frac{3.8}{0.8} - 1 \right)$$

$$\frac{3.8}{0.8} = 4.75$$



$$4.75 - 1 = 3.75$$

$$22.1k \times 3.75 = 82.875k\Omega$$


Table 1. Recommended Components Selections									
AP64501									
Output Voltage (V)	R1 (kΩ)	R2 (kΩ)	L (μH)	C1 (μF)	C2 (μF)	C3 (nF)	C4 (pF)	R5 (kΩ)	C5 (nF)
1.2	11.0	22.1	1.5	10	3 x 22	100	OPEN	3.74	2.7
1.5	19.6	22.1	2.2	10	3 x 22	100	OPEN	4.75	2.7
1.8	27.4	22.1	2.2	10	3 x 22	100	OPEN	5.62	2.7
2.5	47.5	22.1	3.3	10	3 x 22	100	OPEN	7.87	2.7
3.3	69.8	22.1	3.3	10	3 x 22	100	OPEN	10.50	2.7
5.0	115.8	22.1	3.6	10	3 x 22	100	OPEN	15.80	2.7
12.0	309.0	22.1	10.0	10	3 x 22	100	OPEN	37.40	2.7

Title		
Size	Number	Revision
A3		
Date:	11/18/2025	Sheet of
File:	D:\PCB\...\power supply.SchDoc	Drawn By:




USB CONN




VBUS PROTECTION





5V CHARGE DECOUPLING




5V CHARGE UC



ESD USB



CONECTORES




GPIO BTN

SD Memory

Title			ESP32 PORTATIL		
Size	Number			Revision	
A3				V.0.01	
Date:	11/18/2025			Sheet of	
File:	D:\PCB\...\ESP32_VCC.SchDoc			Drawn By: GH0XPWD	


A

A



B

B




C

C

D

D

Title		
Size	Number	Revision
A3		
Date:	11/18/2025	Sheet of
File:	D:\PCB\max_amplificador.SchDoc	Drawn By:



DECOUPLING VOLTAGE







图 1. 在 SIM 卡接口上使用 TPD3F303 的电路板布局

Title		
Size	Number	Revision
A3		
Date:	11/18/2025	Sheet of
File:	D:\PCB\IOT_micro_esp32s3\GSM.SchDoc	Drawn By: