

| ID         | Module   | Title                               | Method | Endpoint      | Header                         | Precondtion            | Request Body                                                                                               | Steps                                                                                                                                      | Expected Result                                                 | Status       |
|------------|----------|-------------------------------------|--------|---------------|--------------------------------|------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------|
| TC_API_001 | Register | Register with valid data            | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"email": "test@gmail.com",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>} | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 201<br>Message: user registered successfully       | Not Executed |
| TC_API_002 | Register | Register with missing email         | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>}                               | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: validation error for missing email | Not Executed |
| TC_API_003 | Register | Register with missing pwd           | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"email": "test@gmail.com",<br>"pwd": "",<br>"confirm pwd": "123456"<br>}       | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: validation error for missing pwd   | Not Executed |
| TC_API_004 | Register | Register with empty email           | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"email": "",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>}               | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: validation error show              | Not Executed |
| TC_API_005 | Register | Register with empty pwd             | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"email": "test@gmail.com",<br>"pwd": "",<br>"confirm pwd": "123456"<br>}       | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: validation error show              | Not Executed |
| TC_API_006 | Register | Register with not match confirm pwd | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"email": "test@gmail.com",<br>"pwd": "123456",<br>"confirm pwd": "123"<br>}    | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: validation error show              | Not Executed |
| TC_API_007 | Register | Register with invalid email         | Post   | /api/register | Content-Type: application/json | User is not registered | json{<br>"name": "test",<br>"email": "testgmail.com",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>}  | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: invalid email format error         | Not Executed |

|            |          |                                          |      |               |                                |                         |                                                                                                                       |                                                                                                                                            |                                                                                   |              |
|------------|----------|------------------------------------------|------|---------------|--------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|
| TC_API_008 | Register | Register with short password             | Post | /api/register | Content-Type: application/json | User is not registered  | json{<br>"name": "test",<br>"email": "test@gmail.com",<br>"pwd": "1234",<br>"confirm pwd": "1234"<br>}                | 1.Set method = POST<br>2.Enter endpoint /api/register<br>3.Add header Content-Type: application/json<br>4.Add request body<br>5.Click Send | Status code: 400<br>Message: password validation error                            | Not Executed |
| TC_API_009 | Register | Register with duplicate email            | Post | /api/register | Content-Type: application/json | User is not registered  | json{<br>"name": "test",<br>"email": "test@gmail.com",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>}            | 1.send POST request to /api/register<br>2.enter duplicate email<br>3.click send request                                                    | Status code: 400<br>Message: duplicate email error                                | Not Executed |
| TC_API_010 | Register | Register with SQL Injection input        | Post | /api/register | Content-Type: application/json | User is not registered  | json{<br>"name": "admin' OR 1=1--",<br>"email": "test@gmail.com",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>} | 1.send POST request to /api/register<br>2.enter SQL injection name<br>3.click send request                                                 | expected behavior:<br>request rejected<br>no data inserted<br>no DB error exposed | Not Executed |
| TC_API_011 | Register | Register with special characters in name | Post | /api/register | Content-Type: application/json | User is not registered  | json{<br>"name": "@@###",<br>"email": "test@gmail.com",<br>"pwd": "123456",<br>"confirm pwd": "123456"<br>}           | 1.send POST request to /api/register<br>2.enter special characters in name<br>3.click send request                                         | Validation handled according to business rules                                    | Not Executed |
| TC_API_012 | Register | Register with empty request body         | Post | /api/register | Content-Type: application/json | User is not registered  | json{}                                                                                                                | 1.send POST request to /api/register<br>2.enter empty fields<br>3.click send request                                                       | Status code: 400<br>Message: required fields validation errors                    | Not Executed |
| TC_API_013 | Login    | Login with valid credentials             | Post | /api/login    | Content-Type: application/json | User is registered      | json{<br>"email": "test@gmail.com",<br>"pwd": "123456"<br>}                                                           | 1.Send POST request to /api/login<br>2.Enter valid email and password<br>3.Click Send request                                              | Status code: 200 ok, token return                                                 | Not Executed |
| TC_API_014 | Login    | Login with invalid pwd                   | Post | /api/login    | Content-Type: application/json | User is registered      | json{<br>"email": "test@gmail.com",<br>"pwd": "wrong123"<br>}                                                         | 1.Send POST request to /api/register<br>2.enter request body with invalid pwd<br>3.click send request                                      | 401 Unauthorized + error message                                                  | Not Executed |
| TC_API_015 | Login    | login with unregistered email            | Post | /api/login    | Content-Type: application/json | No user with this email | json{<br>"email": "notexist@gmail.com",<br>"password": "123456"<br>}                                                  | 1.Send POST request to /api/register<br>2.enter request body with unregistered email<br>3.click send request                               | 401 error return                                                                  | Not Executed |

|            |            |                                             |      |                 |                                |                      |                                                                    |                                                                                                         |                                                     |              |
|------------|------------|---------------------------------------------|------|-----------------|--------------------------------|----------------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------|--------------|
| TC_API_016 | Login      | login with empty email                      | Post | /api/login      | Content-Type: application/json | User is registered   | json{<br>"email": "", "password": "123456"<br>}                    | 1.Send POST request to /api/register<br>2.enter request body with empty email<br>3.click send request   | 400 Bad Request (validation error)                  | Not Executed |
| TC_API_017 | Login      | login with empty pwd                        | Post | /api/login      | Content-Type: application/json | User is registered   | json{<br>"email": "test@gmail.com",<br>"password": ""<br>}         | 1.Send POST request to /api/register<br>2.enter request body with empty pwd<br>3.click send request     | 400 Bad Request (validation error)                  | Not Executed |
| TC_API_018 | Login      | login with missing fields                   | Post | /api/login      | Content-Type: application/json | User is registered   | json{<br>"email": ""<br>}                                          | empty pwdSend request with missing fields                                                               | 400 Bad Request (validation error)                  | Not Executed |
| TC_API_019 | Login      | login with wrong pwd                        | Post | /api/login      | Content-Type: application/json | User is registered   | json{<br>"email": "test@gmail.com",<br>"password": "wrong123"<br>} | 1.Send POST request to /api/register<br>2.enter request body with wrong pwd<br>3.click send request     | 401 Bad Request (validation error)                  | Not Executed |
| TC_API_020 | Login      | SQL Injection attempt                       | Post | /api/login      | Content-Type: application/json | User is registered   | json<br>{ "email": "" OR 1=1 --",<br>"password": "123" }           | 1.Send POST request to /api/register<br>2.enter request body with SQL Injection<br>3.click send request | 400 Bad Request or 401 Unauthorized                 | Not Executed |
| TC_API_021 | Forgot pwd | send reset pwd link with valid email        | Post | /api/forgot-pwd | Content-Type: application/json | User is registered   | json{<br>"email": "test@gmail.com"}<br>}                           | 1.Send POST request to /api/forgot-pwd<br>2.enter registered email<br>3.click send request              | Status code 200, reset email/link sent successfully | Not Executed |
| TC_API_022 | Forgot pwd | send reset pwd link with invalid email      | Post | /api/forgot-pwd | Content-Type: application/json | User is registered   | json{<br>"email": "testgmail.com"}<br>}                            | 1.Send POST request tao /api/forgot-pwd<br>2.enter invalid email<br>3.click send request                | 400 bad request (validation error)                  | Not Executed |
| TC_API_023 | Forgot pwd | send reset pwd link with empty email        | Post | /api/forgot-pwd | Content-Type: application/json | User is registered   | json{<br>"email": ""}<br>}                                         | 1.Send POST request tao /api/forgot-pwd<br>2.enter empty email<br>3.click send request                  | 400 bad request (validation error)                  | Not Executed |
| TC_API_024 | Forgot pwd | send reset pwd link with unregistered email | Post | /api/forgot-pwd | Content-Type: application/json | Email not registered | json{<br>"email": "unknown@gmail.com"}<br>}                        | 1.Send POST request tao /api/forgot-pwd<br>2.enter unregistered email<br>3.click send request           | 401 bad request (validation error)                  | Not Executed |
| TC_API_025 | Forgot pwd | send reset pwd link with missing email      | Post | /api/forgot-pwd | Content-Type: application/json | User is registered   | json{<br>"": ""<br>}                                               | 1.Send POST request tao /api/forgot-pwd<br>2.enter missing email<br>3.click send request                | 400 bad request (validation error)                  | Not Executed |

|            |                |                                        |      |                     |                                |                          |                                                                                   |                                                                                                                                                                             |                                                                                                                            |              |
|------------|----------------|----------------------------------------|------|---------------------|--------------------------------|--------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------|
| TC_API_026 | Forgot pwd     | send reset pwd link with SQL Injection | Post | /api/forgot-pwd     | Content-Type: application/json | User is registered       | json{"email":""," OR 1=1--}                                                       | 1.Send POST request to /api/forgot-pwd<br>2.enter SQL email<br>3.click send request                                                                                         | 400 Bad Request or 401 Unauthorized                                                                                        | Not Executed |
| TC_API_027 | Reset Password | Reset password with valid token        | POST | /api/reset-password | Content-Type: application/json | Valid reset token exists | json { "token":"abc123", "newPassword":"12345678", "confirmPassword":"12345678" } | 1.Send POST request to /api/reset-password<br>2.Enter valid reset token in request body<br>3.Enter new password and confirm password (matching)<br>4.Click Send request     | Status Code: 200 OK<br>Response: Password reset successfully<br>Token behavior: Token becomes invalid after successful use | Not Executed |
| TC_API_028 | Reset Password | Reset with invalid token               | POST | /api/reset-password | Content-Type: application/json | Invalid token            | { "token":"wrong123", "newPassword":"12345678", "confirmPassword":"12345678" }    | 1.Send POST request to /api/reset-password<br>2.Enter invalid reset token in request body<br>3.Enter new password and confirm password (matching)<br>4.Click Send request   | Status Code: 400 Bad Request<br>Response: "Invalid reset token"                                                            | Not Executed |
| TC_API_029 | Reset Password | Reset with expired token               | POST | /api/reset-password | Content-Type: application/json | Expired token            | { "token":"expired123", "newPassword":"12345678", "confirmPassword":"12345678" }  | 1.Send POST request to /api/reset-password<br>2.Enter expired reset token in request body<br>3.Enter new password and confirm password (matching)<br>4.Click Send request   | Status Code: 400 Bad Request (or 401 Unauthorized depending on API design)<br>Response: "Token has expired"                | Not Executed |
| TC_API_030 | Reset Password | Password and confirm password mismatch | POST | /api/reset-password | Content-Type: application/json | Valid token              | { "token":"abc123", "newPassword":"12345678", "confirmPassword":"111111" }        | 1.Send POST request to /api/reset-password<br>2.Enter invalid reset token in request body<br>3.Enter new password and confirm password (mismatched)<br>4.Click Send request | Status Code: 400 Bad Request<br>Response: "Password and confirm password do not match"                                     | Not Executed |
| TC_API_031 | Reset Password | Empty password field                   | POST | /api/reset-password | Content-Type: application/json | Valid token              | { "token":"abc123", "newPassword":""," "confirmPassword":"" }                     | 1.Send POST request to /api/reset-password<br>2.Enter invalid reset token in request body<br>3.Enter empty pwd<br>4.Click Send request                                      | Status Code: 400 Bad Request<br>Response: "Password fields are required"                                                   | Not Executed |

|            |                |                                |      |                     |                                |                    |                                                                             |                                                                                                                                                                            |                                                                                                                            |              |
|------------|----------------|--------------------------------|------|---------------------|--------------------------------|--------------------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------|
| TC_API_032 | Reset Password | Weak password                  | POST | /api/reset-password | Content-Type: application/json | Valid token        | { "token": "abc123",<br>"newPassword": "123",<br>"confirmPassword": "123" } | 1.Send POST request to /api/reset-password<br>2.Enter invalid reset token in request body<br>3.Enter weak password and confirm password (matching)<br>4.Click Send request | Status Code: 400 Bad Request<br>Response: "Password does not meet security requirements"                                   | Not Executed |
| TC_API_033 | Reset Password | Missing token field            | POST | /api/reset-password | Content-Type: application/json | None               | {<br>"newPassword": "12345678",<br>"confirmPassword": "12345678" }          | 1.Send POST request to /api/reset-password<br>2.Enter without reset token in request body<br>3.Enter new password and confirm password (matching)<br>4.Click Send request  | Status Code: 400 Bad Request<br>Response: "Reset token is required"                                                        | Not Executed |
| TC_API_034 | Reset Password | Reuse same token after success | POST | /api/reset-password | Content-Type: application/json | Token already used | same previous body                                                          | 1.Use token مرة ثانية                                                                                                                                                      | Status Code: 400 Bad Request (or 401 if token lifecycle enforced strictly)<br>Response: "Token is invalid or already used" | Not Executed |