

LANCE R. LEFLEUR
DIRECTOR



ROBERT J. BENTLEY
GOVERNOR

Alabama Department of Environmental Management
adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463
Montgomery, Alabama 36130-1463
(334) 271-7700 ■ FAX (334) 271-7950

December 22, 2016

Ms. Elizabeth Grinder
Post Office Box 2641
Birmingham, AL 35291-0831

Re: Miller Steam Plant Landfill
Permit No. 37-16

Dear Ms. Grinder:

The Department has approved your application to renew and modify the Solid Waste Facility Permit for the Miller Steam Plant Landfill. Enclosed please find the referenced permit. The permit is effective December 22, 2016, and will expire on December 21, 2021.

If you should have any questions, please contact Shane Lovett of the Solid Waste Engineering Section at (334) 270-5628.

Sincerely,

A handwritten signature in black ink that reads "S. Scott Story".

S. Scott Story, Chief
Solid Waste Engineering Section
Land Division

SSS/sl

Birmingham Branch
110 Vulcan Road
Birmingham, AL 35209-4702
(205) 942-6168
(205) 941-1603 (FAX)

Decatur Branch
2715 Sandlin Road, S.W.
Decatur, AL 35603-1333
(256) 353-1713
(256) 340-9359 (FAX)



Mobile Branch
2204 Perimeter Road
Mobile, AL 36615-1131
(251) 450-3400
(251) 479-2593 (FAX)

Mobile-Coastal
3664 Dauphin Street, Suite B
Mobile, AL 36608
(251) 304-1176
(251) 304-1189 (FAX)

FINAL DETERMINATION

PERMIT RENEWAL & MODIFICATION

Alabama Power Company

P. O. Box 2641

Birmingham, AL 35291-0830

Miller Steam Plant Landfill
Permit No. 37-16

December 22, 2016

Alabama Power Company has submitted to the Alabama Department of Environmental Management (ADEM) an application to continue to operate and modify an industrial landfill known as the Miller Steam Plant Landfill. The modification expands the service area to include all wastes generated by Alabama Power Company within the State of Alabama. All other conditions of the current permit for the Miller Steam Plant Landfill including previously approved variances and special conditions would be granted in the renewed permit.

The Miller Steam Plant Landfill is described as being located in Section 28, Township 16 South, Range 5 West in Jefferson County, Alabama. The Miller Steam Plant Landfill consists of 9.65 acres with 9.65 acres for disposal operations.

A public comment period was announced by ADEM on November 2, 2016, and ended on December 7, 2016. The permit application and draft permit was available for inspection at the Alabama Department of Environmental Management. The Department received no comments during the comment period.

The Land Division has determined that the renewal and modification of the permit meets the applicable requirements of ADEM's Administrative Code Division 13.

Technical Contact:

Shane Lovett
Solid Waste Engineering Section
Land Division



SOLID WASTE DISPOSAL FACILITY PERMIT

PERMITTEE: Alabama Power Company

FACILITY NAME: Miller Steam Plant Landfill

FACILITY LOCATION: Section 28, Township 16 South, Range 5 West in Jefferson County, Alabama. The facility consists of 9.65 acres with 9.65 acres for disposal.

PERMIT NUMBER: 37-16

PERMIT TYPE: Industrial Landfill

WASTE APPROVED FOR DISPOSAL: Non-hazardous construction and demolition waste such as waste building materials, masonry, wall board, roofing material, wood products, pipe, insulation and similar materials, rubbish such as paper products, cartons, cardboard, pallets, scrap metal, tires, furniture, plastic trash bags, landscaping waste, and similar materials; asbestos containing material; and non-hazardous industrial wastes such as spent anion/cation resins and non-hazardous sandblasting waste.

APPROVED WASTE VOLUME: Maximum Average Daily Volume of 10 cubic yards per day


APPROVED SERVICE AREA: Wastes generated by Alabama Power Company within the State of Alabama

In accordance with and subject to the provisions of the Alabama Solid Wastes and Recyclable Materials Management Act, as amended, Code of Alabama 1975, SS 22-27-1 to 22-27-27 ("SWRMMA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, SS 22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to dispose of the above-described solid wastes at the above-described facility location.

ISSUANCE DATE: December 22, 2016

EFFECTIVE DATE: December 22, 2016

EXPIRATION DATE: December 21, 2021



A handwritten signature in black ink, appearing to read "Blair J. D. S." followed by a stylized signature, is placed over a horizontal line. Below the line, the text "Alabama Department of Environmental Management" is printed in a small, black, sans-serif font.

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
SOLID WASTE PERMIT**

Permittee: Alabama Power Company
Post Office Box 2641
Birmingham, Alabama 35291-0830

Landfill Name: Miller Steam Plant Landfill

Landfill Location: 4250 Porter Road SW
Quinton, Alabama
Section 28, Township 16 South, Range 5 West
Jefferson County

Permit Number: 37-16

Landfill Type: Industrial

Pursuant to the Solid Wastes and Recyclable Materials Management Act, Code of Alabama 1975, §§22-27-1, *et seq.*, as amended (the "Act"), and attendant regulations promulgated thereunder by the Alabama Department of Environmental Management (ADEM), this permit is issued Alabama Power Company (hereinafter called the Permittee), to operate a solid waste disposal facility, known as the Miller Steam Plant Landfill.

The Permittee must comply with all terms and conditions of this permit. This permit consists of the conditions set forth herein (including those in any attachments), and the applicable regulations contained in 335-13-1 through 335-13-14 of the ADEM Administrative Code (hereinafter referred to as the "ADEM Admin. Code" or as "335-13"). Rules cited are set forth in this document for the purpose of Permittee reference. Any rule that is cited incorrectly in this document does not constitute grounds for noncompliance on the part of the Permittee. Applicable ADEM Admin. Codes are those that are in effect on the date of issuance of this permit or any revisions approved after permit issuance.

This permit is based on the information submitted to ADEM on May 31, 2016 and as amended, for permit renewal and is known as the Permit Application (hereby incorporated by reference and hereinafter referred to as the Application). Any inaccuracies found in this information could lead to the termination or modification of this permit and potential enforcement action. The Permittee must inform ADEM of any deviation from or changes in the information in the Application that would affect the Permittee's ability to comply with the applicable ADEM Admin. Code or permit conditions.

This permit is effective as of **December 22, 2016**, and shall remain in effect until **December 21, 2021**, unless suspended or revoked.


Alabama Department of Environmental Management

12/22/16
Date Signed

SECTION I. STANDARD CONDITIONS.

- A. Effect of Permit. The Permittee is allowed to dispose of nonhazardous solid waste in accordance with the conditions of this permit and 335-13. Issuance of this permit does not convey property rights of any sort or any exclusive privilege, nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of state or local laws or regulations. Except for actions brought under the Act, compliance with the conditions of this permit shall be deemed to be compliance with applicable requirements in effect as of the date of issuance of this permit and any future revisions.
- B. Permit Actions. This permit may be suspended, revoked or modified for cause. The filing of a request for a permit modification or the notification of planned changes or anticipated noncompliance on the part of the Permittee, and the suspension or revocation does not stay the applicability or enforceability of any permit condition.
- C. Severability. The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.
- D. Definitions. For the purpose of this permit, terms used herein shall have the same meaning as those in 335-13, unless this permit specifically provides otherwise; where terms are not otherwise defined, the meaning associated with such terms shall be as defined by a standard dictionary reference or the generally accepted scientific or industrial meaning of the term.
 - 1. "EPA" for purposes of this permit means the United States Environmental Protection Agency.
 - 2. "Permit Application" for the purposes of this permit, means all permit application forms, design plans, operational plans, closure plans, technical data, reports, specifications, plats, geological and hydrological reports, and other materials which are submitted to ADEM in pursuit of a solid waste disposal permit.
- E. Duties and Requirements.
 - 1. Duty to Comply. The Permittee must comply with all conditions of this permit except to the extent and for the duration such noncompliance is authorized by a variance granted by ADEM. Any permit noncompliance, other than noncompliance authorized by a variance, constitutes a violation of the Act and is grounds for enforcement action, permit suspension, revocation, modification, and/or denial of a permit renewal application.
 - 2. Duty to Reapply. If the Permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the Permittee must apply for and obtain a new permit. The renewal application must be submitted to ADEM at least 180 days before this permit expires.
 - 3. Permit Expiration. This permit and all conditions therein will remain in effect beyond the permit's expiration date if the Permittee has submitted a timely, complete application as required by Section I.,E.,2., and, through no fault of the Permittee, ADEM has not made a final decision regarding the renewal application.
 - 4. Need to Halt or Reduce Activity Not A Defense. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the conditions of this permit.
 - 5. Duty to Mitigate. In the event of noncompliance with this permit, the Permittee shall take all reasonable steps to minimize releases to the environment, and shall carry out such measures as are reasonable to prevent significant adverse impacts on human health or the environment.

6. **Proper Operation and Maintenance.** The Permittee shall at all times properly operate and maintain all facilities and systems of control (and related appurtenances) that are installed or used by the Permittee to achieve compliance with the conditions of this permit.
7. **Duty to Provide Information.** If requested, the Permittee shall furnish to ADEM, within a reasonable time, any information that ADEM may reasonably need to determine whether cause exists for denying, suspending, revoking, or modifying this permit, or to determine compliance with this permit. If requested, the Permittee shall also furnish ADEM with copies of records kept as a requirement of this permit.
8. **Inspection and Entry.** Upon presentation of credentials and other documents as may be required by law, the Permittee shall allow the employees of ADEM or their authorized representative to:
 - a. Enter at reasonable times the Permittee's premises where the regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit.
 - b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit.
 - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit.
 - d. Sample or monitor, at reasonable times, any substances or parameters at any location for the purposes of assuring permit compliance or as otherwise authorized by the Act.
9. **Monitoring, Corrective Actions, and Records.**
 - a. Samples and measurements taken for the purpose of monitoring or corrective action shall be representative of the monitored activity. The methods used to obtain representative samples to be analyzed must be the appropriate method from 335-13-4 or the methods as specified in the Application attached hereto and incorporated by reference. Laboratory methods must be those specified in Standard Methods for the Examination of Water and Wastewater (American Public Health Association, latest edition), Methods for Chemical Analysis of Water and Wastes (EPA-600/4-79-020), Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (EPA Publication SW-846, latest edition), other appropriate EPA methods, or as specified in the Application. All field tests must be conducted using approved EPA test kits and procedures.
 - b. The Permittee shall retain records, at the location specified in Section I.,I., of all monitoring, or corrective action information, including all calibration and maintenance records, copies of all reports and records required by this permit, and records of all data used to complete the application for this permit for a period of at least three years from the date of the sample, measurement, report or record or for periods elsewhere specified in this permit. These periods may be extended by the request of ADEM at any time and are automatically extended during the course of any unresolved enforcement action regarding this facility.
 - c. Records of monitoring and corrective action information shall include.
 - i. The exact place, date, and time of sampling or measurement.
 - ii. The individual(s) and company who performed the sampling or measurements.
 - iii. The date(s) analyses were performed.
 - iv. The individual(s) and company who performed the analyses.
 - v. The analytical techniques or methods used.

- vi. The results of such analyses.
 - d. The Permittee shall submit all monitoring and corrective action results at the interval specified elsewhere in this permit.
 - 10. **Reporting Planned Changes.** The Permittee shall notify ADEM, in the form of a request for permit modification, at least 90 days prior to any change in the permitted service area, increase in the waste received, or change in the design or operating procedure as described in this permit, including any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
 - 11. **Transfer of Permit.** This permit may be transferred to a new owner or operator. All requests for transfer of permits shall be in writing and shall be submitted on forms provided by ADEM. Before transferring ownership or operation of the facility during its operating life, the Permittee shall notify the new owner or operator in writing of the requirements of this permit.
 - 12. **Certification of Construction.** The Permittee may not commence disposal of waste in any new cell or phase until the Permittee has submitted to ADEM, by certified mail or hand delivery, a letter signed by both the Permittee and a professional engineer stating that the facility has been constructed in compliance with the permit. ADEM must inspect the constructed cells or phases before the owner or operator can commence waste disposal unless the Permittee is notified that ADEM will waive the inspection.
 - 13. **Compliance Schedules.** Reports of compliance or noncompliance with or any progress reports on interim and final requirements contained in any compliance schedule required and approved by ADEM shall be submitted no later than 14 days following each schedule date.
 - 14. **Other Noncompliance.** The Permittee shall report all instances of noncompliance with the permit at the time monitoring reports are submitted.
 - 15. **Other Information.** If the Permittee becomes aware that information required by the Application was not submitted or was incorrect in the Application or in any report to ADEM, the Permittee shall promptly submit such facts or information. In addition, upon request, the Permittee shall furnish to ADEM, within a reasonable time, information related to compliance with the permit.
- F. **Design and Operation of Facility.** The Permittee shall maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or nonsudden release of contaminants (including leachate and explosive gases) to air, soil, groundwater, or surface water, which could threaten human health or the environment.
- G. **Inspection Requirements.**
- 1. The Permittee shall comply with all requirements of 335-13.
 - 2. The Permittee shall conduct random inspections of incoming loads.
 - 3. Records of all inspections shall be included in the operating record.
- H. **Recordkeeping and Reporting.**
- 1. The Permittee shall maintain a written operating record at the location specified in Section I.,I. The operating record shall include:
 - a. Documentation of inspection and maintenance activities.
 - b. Daily Volume reports.

- c. Personnel training documents and records.
 - d. Solid/Hazardous Waste Determination Forms for Industrial Wastes, and associated ADEM disposal approval correspondence for industrial waste and special waste.
 - e. Groundwater monitoring records.
 - f. Explosive gas monitoring records.
 - g. Surface water and leachate monitoring records.
 - h. Copies of this Permit and the Application.
 - i. Copies of all variances granted by ADEM, including copies of all approvals of special operating conditions.
2. Quarterly Volume Report. Beginning with the effective date of this permit, the Permittee shall submit, within thirty (30) days after the end of each calendar quarter, a report summarizing the daily waste receipts for the previous (just ended) quarter. Copies of the quarterly reports shall be maintained in the operating record.
3. Monitoring and Corrective Action Reports. The Permittee shall submit reports on all monitoring and corrective activities conducted pursuant to the requirements of this permit, including, but not limited to, groundwater, surface water, explosive gas and leachate monitoring. The groundwater monitoring shall be conducted in March and September of each year, or as directed by ADEM, and the reports shall be submitted at least semi-annually, or as directed by ADEM. The reports should contain all monitoring results and conclusions from samples and measurements conducted during the sampling period. Explosive gas monitoring must be submitted on a quarterly basis, and the reports should be submitted to ADEM and placed in the operating record within 30 days of the monitoring event. Copies of the groundwater and explosive gas monitoring reports shall be maintained in the operating record.
4. Availability, Retention, and Disposition of Records.
- a. All records, including plans, required under this permit or 335-13 must be furnished upon request, and made available at reasonable times for inspection by any officer, employee, or representative of ADEM.
 - b. All records, including plans, required under this permit or 335-13 shall be retained by the Permittee for a period of at least three years. The retention period for all records is extended automatically during the course of any unresolved enforcement action regarding the facility, or as requested by ADEM.
 - c. A copy of records of waste disposal locations and quantities must be submitted to ADEM and local land authority upon closure of the facility.
- I. Documents to be Maintained by the Permittee. The Permittee shall maintain, at the Alabama Power Company Miller Steam Plant office located in Quinton, Alabama, the following documents and amendments, revisions and modifications to these documents until an engineer certifies closure of the permitted landfill.
- 1. Operating record.
 - 2. Closure Plan.

- J. Mailing Location. All reports, notifications, or other submissions which are required by this permit should be sent via signed mail (i.e. certified mail, express mail delivery service, etc.) or hand delivered to:
1. Mailing Address.
Chief, Waste Programs Branch
Alabama Department of Environmental Management
P.O. Box 301463
Montgomery, AL 36130-1463
 2. Physical Address.
Chief, Waste Programs Branch
Alabama Department of Environmental Management
1400 Coliseum Blvd.
Montgomery, Alabama 36110-2059
- K. Signatory Requirement. All applications, reports or information required by this permit, or otherwise submitted to ADEM, shall be signed and certified by the owner as follows:
1. If an individual, by the applicant.
 2. If a city, county, or other municipality or governmental entity, by the ranking elected official, or by a duly authorized representative of that person.
 3. If a corporation, organization, or other legal entity, by a principal executive officer, of at least the level of Vice President, or by a duly authorized representative of that person.
- L. Confidential Information. The Permittee may claim information submitted as confidential if the information is protected under Code of Alabama 1975 §§22-39-18, as amended.
- M. State Laws and Regulations. Nothing in this permit shall be construed to preclude the initiation of any legal action or to relieve the Permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

SECTION II. GENERAL OPERATING CONDITIONS.

- A. Operation of Facility. The Permittee shall operate and maintain the disposal facility consistent with the Application, this permit, and 335-13.
- B. Open Burning. The Permittee shall not allow open burning without prior written approval from ADEM and other appropriate agencies. A burn request should be submitted in writing to ADEM outlining why that burn request should be granted. This request should include, but not be limited to, specifically what areas will be utilized, types of waste to be burned, the projected starting and completion dates for the project, and the projected days and hours of operation. The approval, if granted, shall be included in the operating record.
- C. Prevention of Unauthorized Disposal. The Permittee shall follow the approved procedures for the detecting and preventing the disposal of free liquids, regulated hazardous waste, PCB's, and medical waste at the facility.
- D. Unauthorized Discharge. The Permittee shall operate the disposal facility in such a manner that there will be no water pollution or unauthorized discharge. Any discharge from the disposal facility or practice thereof may require a National Pollutant Discharge Elimination System permit under the Alabama Water Pollution Control Act.
- E. Industrial Waste Disposal. The Permittee shall dispose of industrial waste as required by 335-13-4-.21(1)(c), and as specified in the Application.

- F. **Boundary Markers.** The Permittee shall ensure that the facility is identified with a sufficient number of permanent boundary markers that are at least visible from one marker to the next.

SECTION III. SPECIFIC REQUIREMENTS FOR INDUSTRIAL WASTE LANDFILLS.

A. **Waste Identification and Management.**

1. Subject to the terms of this permit, the Permittee may accept for disposal the nonhazardous solid wastes listed in III.B. Disposal of any other wastes is prohibited, except waste granted a temporary or one time waiver by the Director.
2. The total permitted area for the Miller Steam Plant Landfill is approximately 9.65 acres, with a disposal area of 9.65 acres.
3. The maximum average daily volume of waste disposed at the facility, as contained in the permit application, shall not exceed 10 cubic yards/day. Should the average daily volume exceed this value by 20% or 100 tons/day, whichever is less, for two (2) consecutive quarters the permittee shall be required to modify the permit in accordance with 335-13-5-.06(2)(a)5. The average daily volume shall be computed as specified by 335-13-5-.06(2)(a)5.(i).

B. **Waste Streams.** The Permittee may accept for disposal non-hazardous construction and demolition waste such as waste building materials, masonry, wall board, roofing material, wood products, pipe, insulation, and similar materials, rubbish such as paper products, cartons, cardboard, pallets, scrap metal, tires, furniture, plastic trash bags, landscaping waste, and similar materials; asbestos containing material; and non-hazardous industrial wastes such as spent anion/cation resins and non-hazardous sandblasting waste.

C. **Service Area.** The service area for this landfill, as contained in the permit application, is wastes generated by Alabama Power Company within the State of Alabama.

D. **Waste Placement, Compaction, and Cover.** All waste shall be confined to an area as small as possible and placed onto an appropriate slope not to exceed 4 to 1 (25%). All waste shall be spread in layers two feet or less in thickness and thoroughly compacted weekly with adequate landfill equipment prior to placing additional layers of waste or placing the monthly cover. A minimum of six inches of compacted earth or other alternative cover material approved by ADEM shall be added by the last Friday of the month (See Section VIII., I.).

E. **Liner Requirements.** At this time, the Permittee shall not be required to install a liner system. The base of the landfill shall be a minimum of five (5) feet above the temporal fluctuation of the groundwater table.

F. **Security.** The Permittee shall provide artificial and/or natural barriers, which prevent entry of unauthorized vehicular traffic to the facility.

G. **All Weather Access Roads.** The Permittee shall provide an all-weather access road to the dumping face that is wide enough to allow passage of collection vehicles.

H. **Adverse Weather Disposal.** The Permittee shall provide for disposal activities in adverse weather conditions.

I. **Personnel.** The Permittee shall maintain adequate personnel to ensure continued and smooth operation of the facility.

J. **Environmental Monitoring and Treatment Structures.** The Permittee shall provide protection and proper maintenance of environmental monitoring and treatment structures.

K. **Vector Control.** The Permittee shall provide for vector control as required by ADEM Admin. Code 335-13.

- L. Bulk or Noncontainerized Liquid Waste. The Permittee shall not dispose of bulk or noncontainerized liquid waste, or containers capable of holding liquids, unless the conditions of 335-13-4-.23(1)(j) are met.
- M. Empty Containers. Empty containers larger than 10 gallons in size must be rendered unsuitable for holding liquids prior to disposal in the landfill unless otherwise approved by ADEM.
- N. Other Requirements. ADEM may enhance or reduce any requirements for operating and maintaining the landfill as deemed necessary by the Land Division.
- O. Other Permits. The Permittee shall operate the landfill according to this and any other applicable permits.
- P. Scavenging and Salvaging Operations. The Permittee shall prevent scavenging and salvaging operations, except as part of a controlled recycling effort. Any recycling operation must be in accordance with plans submitted and approved by ADEM.
- Q. Signs. If the landfill is available to the public or commercial haulers, the Permittee shall provide a sign outlining instructions for use of the site. The sign shall be posted and have the information required by 335-13-4-.23(1)(f).
- R. Litter Control. The Permittee shall control litter.
- S. Fire Control. The Permittee shall provide fire control measures.

SECTION IV. GROUNDWATER MONITORING REQUIREMENTS.

At this time, groundwater monitoring is not being required. If at any time the Department determines that a groundwater monitoring system is deemed necessary for the protection of human health and the environment, the Permittee must, within 90 days, submit an application for permit modification for the installation of a groundwater monitoring system that meets the proper regulatory requirements of the Alabama Department of Environmental Management

SECTION V. GAS MONITORING REQUIREMENTS.

At this time, the Permittee is not required to conduct gas monitoring or install a gas collection system. If the Department determines that monitoring and/or a system is necessary, the Permittee shall submit a proposed plan that would meet the Division 13 regulations (See Section VIII., 2.).

SECTION VI. SURFACE WATER MANAGEMENT REQUIREMENTS.

The permittee shall construct and maintain run-on and run-off control structures. Any discharges from drainage control structures shall be permitted through a discharge permit issued by the ADEM.

SECTION VII. CLOSURE AND POST-CLOSURE REQUIREMENTS.

The Permittee shall close the landfill and perform post-closure care of the landfill in accordance with 335-13.

- A. Final Cover. The Permittee shall grade final soil cover such that surface water does not pond over the permitted area as specified in the Application. The final cover system shall be constructed as specified in the application.

- B. Vegetative Cover. The Permittee shall establish a vegetative or other appropriate cover within 90 days after completion of final grading requirements in the Application. Preparation of a vegetative cover shall include, but not be limited to, the placement of seed, fertilizer, mulch, and water.
- C. Notice of Intent. The Permittee shall place in the operating record and notify ADEM of their intent to close the landfill prior to beginning closure.
- D. Completion of Closure Activities. The Permittee must complete closure activities of each landfill unit in accordance with the Closure Plan within 180 days of the last known receipt of waste.
- E. Certification of Closure. Following closure of each unit, the Permittee must submit to ADEM a certification, signed by an engineer, verifying the closure has been completed according to the Closure Plan.
- F. Post-Closure Care Period. Post-closure care activities shall be conducted after closure of each unit throughout the life of this permit and continuing for a period of thirty (30) years following closure of the facility. ADEM may shorten or extend the post-closure care period applicable to the solid waste disposal facility. The Permittee shall reapply in order to fulfill the post-closure care requirements of this permit.
- G. Post-Closure Maintenance. The Permittee shall provide post closure maintenance of the facility to include regularly scheduled inspections. This shall include maintenance of the cover, vegetation, monitoring devices and pollution control equipment and correction of other deficiencies that may be observed by ADEM. Monitoring requirements shall continue throughout the post closure period as determined by ADEM unless all waste is removed and no unpermitted discharge to waters of the State have occurred.
- H. Post-Closure Use of Property. The Permittee shall ensure that post closure use of the property never be allowed to disturb the integrity of the final cover, liner, or any other component of the containment system. This shall preclude the growing of deep-rooted vegetation on the closed area.
- I. Certification of Post-Closure. Following post-closure of each unit, the Permittee must submit to ADEM a certification, signed by an engineer, verifying the post-closure has been completed according to the Post-Closure Plan.
- J. Notice in Deed to Property. The Permittee shall record a notation onto the land deed containing the property utilized for disposal within 90 days after permit expiration, revocation or when closure requirements are achieved as determined by ADEM as stated in the Application. This notation shall state that the land has been used as a solid waste disposal facility, the name of the Permittee, type of disposal activity, location of the disposal facility and beginning and closure dates of the disposal activity.
- K. Recording Instrument. The Permittee shall submit a certified copy of the recording instrument to ADEM within 120 days after permit expiration, revocation, or as directed by ADEM as described in the Application.
- L. Removal of Waste. If the Permittee, or any other person(s), wishes to remove waste, waste residues, or any liner or contaminated soils, the owner must request and receive prior approval from ADEM.

SECTION VIII. VARIANCES AND SPECIAL CONDITIONS.

1. The Permittee is granted a variance from Rule 335-13-4-.23(1)(a)1. requiring weekly cover. The Permittee shall be required to cover all exposed by the last Friday of each month (See Section III., D.).
2. The Permittee is granted a variance from Rule 335-13-4-.16 requiring explosive gas monitoring (See Section V.).
3. The Permittee is granted a variance from Rule 335-13-4-.12(2)(f) requiring a 100 foot buffer zone.

Any variance granted by ADEM may be terminated by ADEM whenever ADEM finds, after notice and opportunity for hearing, that the petitioner is in violation of any requirement, condition, schedule, limitation or any other provision of the variance, or that operation under the variance does not meet the minimum requirements established by state and federal laws and regulations or is unreasonably threatening the public health.