

LANCE R. LEFLEUR
DIRECTOR

ADEM

ROBERT J. BENTLEY
GOVERNOR

Alabama Department of Environmental Management
adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463
Montgomery, Alabama 36130-1463
(334) 271-7700 ■ FAX (334) 271-7950

September 25, 2015

Mr. Allen Bolton
General Manufacturing Manager
TAMKO Building Products, Inc.
2300 35th Street
Tuscaloosa, Alabama 35403


Re: TAMKO Building Products, Inc. Industrial Landfill
Tuscaloosa County, Alabama
Permit No. 63-17

Dear Mr. Bolton:

Enclosed is the Solid Waste Facility Permit for the TAMKO building Products, Inc. Industrial Landfill (Permit No. 63-17). The effective date of the permit is October 7, 2015 and the permit will expire on October 6, 2020.

If you have any questions, please contact Mr. Chris Griffin of the Solid Waste Engineering Section at (334) 270-5607.

Sincerely,



S. Scott Story, Chief
Solid Waste Engineering Section
Land Division

SSS/cg

Birmingham Branch
110 Vulcan Road
Birmingham, AL 35209-4702
(205) 942-6168
(205) 941-1603 (FAX)

Decatur Branch
2715 Sandlin Road, S.W.
Decatur, AL 35603-1333
(256) 353-1713
(256) 340-9359 (FAX)



Mobile Branch
2204 Perimeter Road
Mobile, AL 36615-1131
(251) 450-3400
(251) 479-2593 (FAX)

Mobile-Coastal
3664 Dauphin Street, Suite B
Mobile, AL 36608
(251) 304-1176
(251) 304-1189 (FAX)

FINAL DETERMINATION

RENEWAL

TAMKO Building Products, Inc.
2300 35th Street
Tuscaloosa, Alabama 35403

Permit No. 63-17
TAMKO Building Products, Inc. Industrial Landfill

September 25, 2015

TAMKO Building Products, Inc submitted to the Alabama Department of Environmental Management (ADEM) an application to continue to operate an industrial waste landfill known as the TAMKO Building Products, Inc. Industrial Landfill (Permit No. 63-17). The waste stream for the TAMKO Building Products, Inc. Industrial Landfill would remain nonhazardous industrial wastes and construction and demolition waste such as asphalt, concrete, steel, dust collector bags/cartridge, fume filter elements, fiber glass/polyester/organic mat materials, fiber glass/organic shingles, misc. packing materials, roll roofing, fiber glass/organic roofing felt, solid materials and fiberglass mat process materials from process operations and settling ponds, similar materials from fume filters and fiberglass and polyester baghouse bags, and misc. waste with prior ADEM approval. The service area for the TAMKO Building Products, Inc. Industrial Landfill would remain TAMKO Building Products, Inc., plant located in Tuscaloosa, Alabama. The maximum average daily volume of waste disposed at the TAMKO Building Products, Inc. Industrial Landfill would remain 350 tons per day.

The TAMKO Building Products, Inc. Industrial Landfill is described as being located in Southwest ¼ of the Southeast ¼ of Section 27 and Northwest ¼ of the Northeast ¼ of Section 34, Township 21 South, Range 10 West in Tuscaloosa County. The TAMKO Building Products, Inc. Industrial Landfill consists of 21.52 acres with 20 acres for disposal operations.

A public comment period was announced by ADEM on July 13, 2015 and ended on August 16, 2015. The permit application and draft permit was available for inspection at the Alabama Department of Environmental Management. The Department received no comments during the comment period.

The Solid Waste Engineering Section of ADEM has determined that the proposed renewal complies with the requirements of ADEM's Administrative Code Division 13 for an industrial waste landfill.

Technical Contact:

Chris Griffin
Solid Waste Engineering Section
Land Division
(334) 270-5607



SOLID WASTE DISPOSAL FACILITY PERMIT

PERMITTEE:

TAMKO Building Products, Inc.

FACILITY NAME:

TAMKO Building Products, Inc. Industrial Landfill

FACILITY LOCATION:

Southwest ¼ of the Southeast ¼ of Section 27 and Northwest ¼ of the Northeast ¼ of Section 34, Township 21 South, Range 10 West in Tuscaloosa County, Alabama. The permitted facility consists of 21.52 acres with approximately 20 acres for disposal.

PERMIT NUMBER:

63-17

PERMIT TYPE:

Industrial

WASTE APPROVED FOR DISPOSAL:

Nonhazardous industrial and construction and demolition waste such as asphalt, concrete, steel, dust collector bags/cartridge, fume filter elements, fiberglass/polyester/organic mat materials, fiber glass/organic shingles, misc. packing materials, roll roofing, fiber glass/organic roofing felt, solid materials and fiberglass mat process materials from process operations and settling ponds, similar materials from fume filters and fiberglass and polyester baghouse bags, and misc. waste with prior ADEM approval.

APPROVED WASTE VOLUME:

Maximum Average Daily Volume of 350 tons per day

APPROVED SERVICE AREA:

TAMKO Building Products, Inc. plant located in Tuscaloosa County, Alabama

In accordance with and subject to the provisions of the Solid Wastes & Recyclable Materials Act, as amended, Code of Alabama 1975, S 22-27-1 to 22-27-27 ("SWRMMA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, S 22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to dispose of the above-described solid wastes at the above-described facility location.

ISSUANCE DATE:

September 25, 2015

EFFECTIVE DATE:

October 7, 2015

EXPIRATION DATE:

October 6, 2020



Alabama Department of Environmental Management

**ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
SOLID WASTE PERMIT**

Permittee: TAMKO Building Products, Inc.
2300 35th Street
Tuscaloosa, AL 35403

Landfill: TAMKO Building Products, Inc. Industrial Landfill

Landfill Location: Southwest ¼ of the Southeast ¼ of Section 27 and Northwest ¼ of the Northeast ¼ of Section 34, Township 21 South, Range 10 West in Tuscaloosa County, Alabama.

Permit No. 63-17

Landfill Type: Industrial

Pursuant to the Solid Wastes & Recyclable Materials Management Act, Code of Alabama 1975, §§22-27-1, *et seq.*, as amended (the "Act"), and attendant regulations promulgated thereunder by the Alabama Department of Environmental Management (ADEM), this permit is issued to TAMKO Building Products, Inc (hereinafter called the Permittee), to operate a solid waste disposal facility, known as the TAMKO Building Products, Inc. Industrial Landfill.

The Permittee must comply with all terms and conditions of this permit. This permit consists of the conditions set forth herein (including those in any attachments), and the applicable regulations contained in 335-13-1 through 335-13-14 of the ADEM Administrative Code (hereinafter referred to as the "ADEM Admin. Code" or as "335-13"). Rules cited are set forth in this document for the purpose of Permittee reference. Any rule that is cited incorrectly in this document does not constitute grounds for noncompliance on the part of the Permittee. Applicable ADEM Admin. Codes are those that are in effect on the date of issuance of this permit or any revisions approved after permit issuance.

This permit is based on the information submitted to ADEM on February 23, 2015 and as amended and known as the Permit Application (hereby incorporated by reference and hereinafter referred to as the Application). Any inaccuracies found in this information could lead to the termination or modification of this permit and potential enforcement action. The Permittee must inform ADEM of any deviation from or changes in the information in the Application that would affect the Permittee's ability to comply with the applicable ADEM Admin. Code or permit conditions.

This permit is effective as of **October 7, 2015**, and shall remain in effect until **October 6, 2020**, unless suspended or revoked.



Alabama Department of Environmental Management

9/25/15
Date Signed

SECTION I. STANDARD CONDITIONS.

- A. Effect of Permit. The Permittee is allowed to dispose of nonhazardous solid waste in accordance with the conditions of this permit and 335-13. Issuance of this permit does not convey property rights of any sort or any exclusive privilege, nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of state or local laws or regulations. Except for actions brought under the Act, compliance with the conditions of this permit shall be deemed to be compliance with applicable requirements in effect as of the date of issuance of this permit and any future revisions.
- B. Permit Actions. This permit may be suspended, revoked or modified for cause. The filing of a request for a permit modification or the notification of planned changes or anticipated noncompliance on the part of the Permittee, and the suspension or revocation does not stay the applicability or enforceability of any permit condition.
- C. Severability. The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.
- D. Definitions. For the purpose of this permit, terms used herein shall have the same meaning as those in 335-13, unless this permit specifically provides otherwise; where terms are not otherwise defined, the meaning associated with such terms shall be as defined by a standard dictionary reference or the generally accepted scientific or industrial meaning of the term.
 - 1. "EPA" for purposes of this permit means the United States Environmental Protection Agency.
 - 2. "Permit Application" for the purposes of this permit, means all permit application forms, design plans, operational plans, closure plans, technical data, reports, specifications, plats, geological and hydrological reports, and other materials which are submitted to ADEM in pursuit of a solid waste disposal permit.
- E. Duties and Requirements.
 - 1. Duty to Comply. The Permittee must comply with all conditions of this permit except to the extent and for the duration such noncompliance is authorized by a variance granted by ADEM. Any permit noncompliance, other than noncompliance authorized by a variance, constitutes a violation of the Act and is grounds for enforcement action, permit suspension, revocation, modification, and/or denial of a permit renewal application.
 - 2. Duty to Reapply. If the Permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the Permittee must apply for and obtain a new permit. The renewal application must be submitted to ADEM at least 180 days before this permit expires.
 - 3. Permit Expiration. This permit and all conditions therein will remain in effect beyond the permit's expiration date if the Permittee has submitted a timely, complete application as required by Section I.,E.,2., and, through no fault of the Permittee, ADEM has not made a final decision regarding the renewal application.
 - 4. Need to Halt or Reduce Activity Not A Defense. It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the conditions of this permit.
 - 5. Duty to Mitigate. In the event of noncompliance with this permit, the Permittee shall take all reasonable steps to minimize releases to the environment, and shall carry out such measures as are reasonable to prevent significant adverse impacts on human health or the environment.

6. **Proper Operation and Maintenance.** The Permittee shall at all times properly operate and maintain all facilities and systems of control (and related appurtenances) that are installed or used by the Permittee to achieve compliance with the conditions of this permit.
7. **Duty to Provide Information.** If requested, the Permittee shall furnish to ADEM, within a reasonable time, any information that ADEM may reasonably need to determine whether cause exists for denying, suspending, revoking, or modifying this permit, or to determine compliance with this permit. If requested, the Permittee shall also furnish ADEM with copies of records kept as a requirement of this permit.
8. **Inspection and Entry.** Upon presentation of credentials and other documents as may be required by law, the Permittee shall allow the employees of ADEM or their authorized representative to:
 - a. Enter at reasonable times the Permittee's premises where the regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit.
 - b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit.
 - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit.
 - d. Sample or monitor, at reasonable times, any substances or parameters at any location for the purposes of assuring permit compliance or as otherwise authorized by the Act.
9. **Monitoring, Corrective Actions, and Records.**
 - a. Samples and measurements taken for the purpose of monitoring or corrective action shall be representative of the monitored activity. The methods used to obtain representative samples to be analyzed must be the appropriate method from 335-13-4 or the methods as specified in the Application attached hereto and incorporated by reference. Laboratory methods must be those specified in Standard Methods for the Examination of Water and Wastewater (American Public Health Association, latest edition), Methods for Chemical Analysis of Water and Wastes (EPA-600/4-79-020), Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (EPA Publication SW-846, latest edition), other appropriate EPA methods, or as specified in the Application. All field tests must be conducted using approved EPA test kits and procedures.
 - b. The Permittee shall retain records, at the location specified in Section I.,J., of all monitoring, or corrective action information, including all calibration and maintenance records, copies of all reports and records required by this permit, and records of all data used to complete the application for this permit for a period of at least three years from the date of the sample, measurement, report or record or for periods elsewhere specified in this permit. These periods may be extended by the request of ADEM at any time and are automatically extended during the course of any unresolved enforcement action regarding this facility.
 - c. Records of monitoring and corrective action information shall include.
 - i. The exact place, date, and time of sampling or measurement.
 - ii. The individual(s) and company who performed the sampling or measurements.
 - iii. The date(s) analyses were performed.
 - iv. The individual(s) and company who performed the analyses.
 - v. The analytical techniques or methods used.

- vi. The results of such analyses.
- d. The Permittee shall submit all monitoring and corrective action results at the interval specified elsewhere in this permit.
10. Reporting Planned Changes. The Permittee shall notify ADEM, in the form of a request for permit modification, at least 90 days prior to any change in the permitted service area, increase in the waste received, or change in the design or operating procedure as described in this permit, including any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
11. Transfer of Permit. This permit may be transferred to a new owner or operator. All requests for transfer of permits shall be in writing and shall be submitted on forms provided by ADEM. Before transferring ownership or operation of the facility during its operating life, the Permittee shall notify the new owner or operator in writing of the requirements of this permit.
12. Certification of Construction. The Permittee may not commence disposal of waste in a new cell or phase until the Permittee has submitted to ADEM, by certified mail or hand delivery, a letter signed by both the Permittee and a professional engineer stating that the facility has been constructed in compliance with the permit. ADEM must inspect the constructed cells or phases before the owner or operator can commence waste disposal unless the Permittee is notified that ADEM will waive the inspection.
13. Compliance Schedules. Reports of compliance or noncompliance with or any progress reports on interim and final requirements contained in any compliance schedule required and approved by ADEM shall be submitted no later than 14 days following each schedule date.
14. Other Noncompliance. The Permittee shall report all instances of noncompliance with the permit at the time monitoring reports are submitted.
15. Other Information. If the Permittee becomes aware that information required by the Application was not submitted or was incorrect in the Application or in any report to ADEM, the Permittee shall promptly submit such facts or information. In addition, upon request, the Permittee shall furnish to ADEM, within a reasonable time, information related to compliance with the permit.
- F. Design and Operation of Facility. The Permittee shall maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or nonsudden release of contaminants (including leachate and explosive gases) to air, soil, groundwater, or surface water, which could threaten human health or the environment. The Permittee shall comply with all applicable requirements set forth under Rule 335-13-4-.21 and Rule 335-13-4-.23 of the ADEM Admin. Code. The Permittee is granted a variance from Rule 335-13-4-.21(1)(b) and (c).
- G. Inspection Requirements.
1. The Permittee shall perform periodic inspection of the landfill in accordance with the permit application (Specifically section 6.3.9 Operation Inspection in the Operation Manual prepared November 2006 and as amended).
 2. Records of all inspections shall be included in the operating record.
- H. The Permittee shall conduct personnel training in accordance with the procedures described in permit application (Specifically section 6.1.4. Operating Personnel in the Operation Manual prepared November 2006 and as amended). The Permittee shall maintain training documents and records as a part of the operating record required by Section I., 1.

I. Recordkeeping and Reporting.

1. The Permittee shall maintain a written operating record at the location specified in Section I., J. The operating record shall include:
 - a. Documentation of inspection (Section I., G.).
 - b. Daily and quarterly volume reports (Section I., I., 2.).
 - c. Personnel training records (Section I., H.).
 - d. Groundwater monitoring records (Section I., I., 3.).
 - e. Copies of this Permit, application and other pertinent operating, inspection, maintenance and monitoring information. (Rule 335-13-4-.29)
 - f. Copies of all variances granted by ADEM, including copies of all approvals of special operating conditions.
2. Quarterly Volume Report. Beginning with the effective date of this permit, the Permittee shall submit, within thirty (30) days after the end of each calendar quarter, a report summarizing the daily waste receipts for the previous (just ended) quarter. Copies of the quarterly reports shall be maintained in the operating record.
3. Monitoring and Corrective Action Reports. The Permittee shall submit reports on all monitoring and corrective activities conducted pursuant to the requirements of this permit, including, but not limited to, groundwater, surface water and leachate monitoring. The groundwater monitoring shall be conducted in March and September of each year, or as directed by ADEM, and the reports shall be submitted at least semi-annually, or as directed by ADEM. The reports should contain all monitoring results and conclusions from samples and measurements conducted during the sampling period. Copies of the groundwater reports shall be maintained in the operating record.
4. Availability, Retention, and Disposition of Records.
 - a. All records, including plans, required under this permit or 335-13 must be furnished upon request, and made available at reasonable times for inspection by any officer, employee, or representative of ADEM.
 - b. All records, including plans, required under this permit or 335-13 shall be retained by the Permittee for a period of at least three years. The retention period for all records is extended automatically during the course of any unresolved enforcement action regarding the facility, or as requested by ADEM.
 - c. A copy of records of waste disposal locations and quantities must be submitted to ADEM and local land authority upon closure of the facility.

J. Documents to be Maintained by the Permittee. The Permittee shall maintain, at the TAMKO Building Products, Inc. office the following documents and amendments, revisions and modifications to these documents until an engineer certifies closure of the permitted landfill.

1. Operating record.
2. Closure Plan.

K. Mailing Location. All reports, notifications, or other submissions which are required by this permit should be sent via signed mail (i.e. certified mail, express mail delivery service, etc.) or hand delivered to:

1. Mailing Address.

Chief, Solid Waste Branch, Land Division
Alabama Department of Environmental Management
P.O. Box 301463
Montgomery, AL 36130-1463

2. Physical Address.

Chief, Solid Waste Branch, Land Division
Alabama Department of Environmental Management
1400 Coliseum Blvd.
Montgomery, Alabama 36110-2059

L. Signatory Requirement. All applications, reports or information required by this permit, or otherwise submitted to ADEM, shall be signed and certified by the owner as follows:

1. If an individual, by the applicant.
2. If a city, county, or other municipality or governmental entity, by the ranking elected official, or by a duly authorized representative of that person.
3. If a corporation, organization, or other legal entity, by a principal executive officer, of at least the level of Vice President, or by a duly authorized representative of that person.

M. Confidential Information. The Permittee may claim information submitted as confidential if the information is protected under Code of Alabama 1975 §§22-39-18, as amended.

N. State Laws and Regulations. Nothing in this permit shall be construed to preclude the initiation of any legal action or to relieve the Permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation.

SECTION II. GENERAL OPERATING CONDITIONS.

- A. Operation of Facility. The Permittee shall operate and maintain the disposal facility consistent with the Application, this permit, and 335-13. The Permittee is granted a variance from Rule 335-13-4-.21(1)(b) and (c).
- B. Open Burning. The Permittee shall not allow open burning without prior written approval from ADEM and other appropriate agencies. A burn request should be submitted in writing to ADEM outlining why that burn request should be granted. This request should include, but not be limited to, specifically what areas will be utilized, types of waste to be burned, the projected starting and completion dates for the project, and the projected days and hours of operation. The approval, if granted, shall be included in the operating record.
- C. Prevention of Unauthorized Disposal. The Permittee shall follow the approved procedures for the detecting and preventing the disposal of free liquids, regulated hazardous waste, PCB's, and medical waste at the facility.
- D. Unauthorized Discharge. The Permittee shall operate the disposal facility in such a manner that there will be no water pollution or unauthorized discharge. Any discharge from the disposal facility or practice thereof may require a National Pollutant Discharge Elimination System permit under the Alabama Water Pollution Control Act.
- E. Industrial Waste Disposal. The Permittee shall dispose of industrial waste as specified in Section III, B.

F. Boundary Markers. The Permittee shall ensure that the facility is identified with a sufficient number of permanent boundary markers that are at least visible from one marker to the next.

SECTION III. SPECIFIC REQUIREMENTS FOR INDUSTRIAL WASTE LANDFILLS.

A. Waste Identification and Management.

1. Subject to the terms of this permit, the Permittee may accept for disposal the nonhazardous solid wastes listed in Section III., B. Disposal of any other wastes is prohibited, except waste granted a temporary or one time waiver by the Director or waste streams approved following the Solid Waste Form process.
2. The total permitted area for the TAMKO Building Products, Inc. Industrial Landfill is approximately 21.52 acres with 20 acres for disposal.
3. The maximum average daily volume of waste disposed at the facility, as contained in the permit application, shall not exceed 350 tons/day. Should the average daily volume exceed this value by 20% or 100 tons/day, whichever is less, for two (2) consecutive quarters the permittee shall be required to modify the permit in accordance with 335-13-5-.06(2)(a)5. The average daily volume shall be computed as specified by 335-13-5-.06(2)(a)5.(i).

B. Waste Streams. The Permittee may accept for disposal nonhazardous industrial wastes and construction and demolition waste such as asphalt, concrete, steel, dust collector bags/cartridge, fume filter elements, fiber glass/polyester/organic mat materials, fiber glass/organic shingles, misc. packing materials, roll roofing, fiber glass/organic roofing felt, solid materials and fiberglass mat process materials from process operations and settling ponds, similar materials from fume filter and fiberglass and polyester baghouse bags, and misc. waste with prior ADEM approval.

C. Service Area. The service area for this landfill, as contained in the permit application is TAMKO Building Products, Inc., plant located in Tuscaloosa, Alabama.

D. Waste Placement, Compaction, and Cover. All waste shall be confined to an area as small as possible and placed onto an appropriate slope not to exceed 33% (See Section VIII., 3.). All waste shall be spread in layers two feet or less in thickness and thoroughly compacted weekly with adequate landfill equipment prior to placing additional layers of waste. No cover is required until final fill elevations have been reached (See Section VIII., 11.)

E. Liner Requirements. The Permittee shall not be required to construct a liner. The base of the waste shall be a minimum of five (5) feet above the temporal fluctuation of the groundwater table as demonstrated by the permit application documents.

F. Security. The Permittee shall provide artificial and/or natural barriers, which prevent entry of unauthorized vehicular traffic to the facility.

G. All Weather Access Roads. The Permittee shall provide an all-weather access road to the dumping face that is wide enough to allow passage of collection vehicles.

H. Adverse Weather Disposal. The Permittee shall provide for disposal activities in adverse weather conditions.

I. Personnel. The Permittee shall maintain adequate personnel to ensure continued and smooth operation of the facility.

J. Environmental Monitoring and Treatment Structures. The Permittee shall provide protection and proper maintenance of environmental monitoring and treatment structures.

- K. Vector Control. The Permittee shall provide for vector control as required by ADEM Admin. Code 335-13.
- L. Bulk or Noncontainerized Liquid Waste. The Permittee shall not dispose of bulk or noncontainerized liquid waste, or containers capable of holding liquids, unless the conditions of 335-13-4-.23(1)(j) are met.
- M. Empty Containers. Empty containers larger than 10 gallons in size must be rendered unsuitable for holding liquids prior to disposal in the landfill unless otherwise approved by ADEM.
- N. Other Requirements. ADEM may enhance or reduce any requirements for operating and maintaining the landfill as deemed necessary by the Land Division.
- O. Other Permits. The Permittee shall operate the landfill according to this and any other applicable permits.
- P. Scavenging and Salvaging Operations. The Permittee shall prevent scavenging and salvaging operations, except as part of a controlled recycling effort. Any recycling operation must be in accordance with plans submitted and approved by ADEM.
- Q. Litter Control. The Permittee shall control litter.
- R. Fire Control. The Permittee shall provide fire control measures.

SECTION IV. GROUNDWATER MONITORING REQUIREMENTS.

- A. The Permittee shall install and/or maintain a groundwater monitoring system, as specified below.
 - 1. The permittee shall maintain the groundwater monitoring wells and piezometers identified in Table IV.1. at the locations specified in the Application, and any other groundwater monitoring wells which are added (Section IV.,A.,3.) during the active life and the post closure care period.
 - 2. The Permittee shall maintain groundwater monitoring wells MW-1 and MW-6 as the background groundwater monitoring wells for the entire facility.
 - 3. The Permittee shall install and maintain additional groundwater monitoring wells as necessary to assess changes in the rate and extent of any plume of contamination or as otherwise deemed necessary to maintain compliance with 335-13.
 - 4. Prior to installing any additional groundwater monitoring wells, the Permittee shall submit a report to ADEM with a permit modification request specifying the design, location and installation of any additional monitoring wells. This report shall be submitted within ninety (90) days prior to the installation which, at a minimum, shall include.
 - a. Well construction techniques including proposed casing depths, proposed total depth, and proposed screened interval of well(s);
 - b. Well development method(s);
 - c. A complete analysis of well construction materials;
 - d. A schedule of implementation for construction; and
 - e. Provisions for determining the lithologic characteristics, hydraulic conductivity and grain-size distribution for the applicable aquifer unit(s) at the location of the new well(s).

B. Groundwater Monitoring Requirements.

1. The Permittee shall determine the groundwater surface elevation at each monitoring well and piezometer identified in Table IV.1. each time the well or piezometer is sampled and at least semi-annually throughout the active life and post-closure care period.
2. The Permittee shall determine the groundwater flow direction in the first zone of saturation at least annually or each time groundwater is sampled and submit as required Section I.I.3.
3. The Permittee shall sample, and analyze all monitoring wells identified in Table IV.1 for the parameters listed in Appendix I of 335-13-4-.27(3), and/or any other parameters specified by ADEM in Table IV.3, on a semi-annual basis throughout the active life of the facility and the post-closure care period in accordance with 335-13-4-.27(3). Sampling shall be conducted during March and September of each year, beginning with the effective date of this permit.
4. In addition to the requirements of Section IV., B.,1., B.,2., and B.,3., the Permittee shall record water levels, mean sea level elevation measuring point, depth to water, and the results of field tests for pH and specific conductance at the time of sampling for each well.

C. Sampling and Analysis Procedures. The Permittee shall use the following techniques and procedures when obtaining and analyzing samples from the groundwater monitoring wells described in Section IV.,A. to provide a reliable indication of the quality of the groundwater.

1. Samples shall be collected, preserved, and shipped (when shipped off-site for analysis) in accordance with the procedures specified in the Application. Monitoring wells shall be bailed or pumped to remove at least four times the well volume of water or as specified in the Operation Manual prepared November 2006 and as amended. Slow recharge wells shall be bailed until dry. Wells shall be allowed to recharge prior to sampling.
2. Samples shall be analyzed according to the procedures specified of the Application, Standard Methods for the Examination of Water and Wastewater (American Public Health Association, latest edition), Methods for Chemical Analysis of Water and Wastes (EPA-600/4-79-020), Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (EPA Publication SW-846, latest edition), or other appropriate methods approved by this Department. All field tests must be conducted using approved EPA test kits and procedures.
3. Samples shall be tracked and controlled using the chain-of-custody and QA/QC procedures specified of the Application.

D. Recordkeeping and Reporting Requirements.

1. Recording of Results. For each sample and/or measurement taken pursuant to the requirements of this permit, the Permittee shall record the information required by Section I.,E.,9.,c.
2. Recordkeeping. Records and results of all groundwater monitoring, sampling, and analysis activities conducted pursuant to the requirements of this permit shall be included in the operating record required by Section I.,I.,1.

E. Permit Modification. If at any time the Permittee or ADEM determines that the groundwater monitoring system no longer satisfies the requirements of 335-13-4-.14 or Section IV.,A. of this permit, the Permittee must, within 90 days, submit an application for a permit modification to make any necessary and/or appropriate changes to the system.

TABLE IV.1.
GROUNDWATER MONITORING WELLS.

Monitoring Well Number	Top of Casing (feet msl)	Part Monitoring
UPGRADIENT/BACKGROUND MONITORING WELLS		
MW I	174.21	Southern Portion
MW-6	173.58	Northern Portion
DOWNGRADIENT MONITORING WELLS		
MW 2	161.14	Southern Portion
MW 3	161.29	Southern Portion
MW-4	171.17	Northern Portion
MW-5	170.32	Northern Portion

TABLE IV.2.
SEMI-ANNUAL GROUNDWATER MONITORING PARAMETERS.

NOTE: The parameters to be monitored for in this Table are those listed in Appendix I of 335-13-4 , and/or any other waste stream specific parameters.

SECTION V. GAS MONITORING REQUIREMENTS.

At this time, gas monitoring is not being required (See Section VIII., 1.). If at any time the Department determines that a explosive gas monitoring system is deemed necessary for the protection of human health and the environment, the Permittee must, within 90 days, submit an application for permit modification for the installation of an explosive gas monitoring system that meets the proper regulatory requirements of the Alabama Department of Environmental Management.

SECTION VI. LEACHATE AND SURFACE WATER MANAGEMENT REQUIREMENTS.

At this time, a leachate management collection system is not being required (See Section VIII., 6.). If at any time the Department determines that a leachate management collection system is deemed necessary for the protection of human health and environment, the permittee must, within 90 days submit an application for permit modification for the installation of a leachate management collection system that meets the proper regulatory requirements of the Alabama Department of Environmental Management.

The permittee shall construct and maintain run-on and run-off control structures. Any discharges from drainage control structures shall be permitted through a discharge permit issued by the ADEM Water Division.

SECTION VII. CLOSURE AND POST-CLOSURE REQUIREMENTS.

The Permittee shall close the landfill and perform post-closure care of the landfill in accordance with 335-13.

- A. Final Cover. The Permittee shall grade final soil cover such that surface water does not pond over the permitted area as specified in the Application submitted to the Department on June 14, 2002. The final grade of the two foot earthen material cover shall not exceed 2.5H to 1V with a minimum grade of 2 percent (See Section VIII., 2.). The final cover system shall comply with 335-13.
- B. Vegetative Cover. The Permittee shall establish a vegetative or other appropriate cover within 90 days after completion of final grading requirements in the Application. Preparation of a vegetative cover shall include, but not be limited to, the placement of seed, fertilizer, mulch, and water.
- C. Notice of Intent. The Permittee shall place in the operating record and notify ADEM of their intent to close the landfill prior to beginning closure.
- D. Completion of Closure Activities. The Permittee must complete closure activities of each landfill unit in accordance with the Closure Plan within 180 days of the last known receipt of waste.
- E. Certification of Closure. Following closure of each unit, the Permittee must submit to ADEM a certification, signed by an engineer, verifying the closure has been completed according to the Closure Plan.
- F. Post-Closure Care Period. Post-closure care activities shall be conducted after closure of each unit throughout the life of this permit and continuing for a period of thirty (30) years following closure of the facility. ADEM may shorten or extend the post-closure care period applicable to the solid waste disposal facility. The Permittee shall reapply in order to fulfill the post-closure care requirements of this permit.
- G. Post-Closure Maintenance. The Permittee shall provide post closure maintenance of the facility to include regularly scheduled inspections. This shall include maintenance of the cover, vegetation, monitoring devices and pollution control equipment and correction of other deficiencies that may be observed by ADEM. Monitoring requirements shall continue throughout the post closure period as determined by ADEM unless all waste is removed and no unpermitted discharge to waters of the State have occurred.
- H. Post-Closure Use of Property. The Permittee shall ensure that post closure use of the property never be allowed to disturb the integrity of the final cover, liner, or any other component of the containment system. This shall preclude the growing of deep-rooted vegetation on the closed area.
- I. Certification of Post-Closure. Following post-closure of each unit, the Permittee must submit to ADEM a certification, signed by an engineer, verifying the post-closure has been completed according to the Post-Closure Plan.
- J. Notice in Deed to Property. The Permittee shall record a notation onto the land deed containing the property utilized for disposal within 90 days after permit expiration, revocation or when closure requirements are achieved as determined by ADEM as stated in the Application. This notation shall state that the land has been used as a solid waste disposal facility, the name of the Permittee, type of disposal activity, location of the disposal facility and beginning and closure dates of the disposal activity.
- K. Recording Instrument. The Permittee shall submit a certified copy of the recording instrument to ADEM within 120 days after permit expiration, revocation, or as directed by ADEM as described in the Application.
- L. Removal of Waste. If the Permittee, or any other person(s), wishes to remove waste, waste residues, or any liner or contaminated soils, the owner must request and receive prior approval from ADEM.

SECTION VIII. VARIANCES AND SPECIAL CONDITIONS.

1. The permittee is granted a variance from Rule 335-13-4-.16 requiring explosive gas monitoring. If at any time the Department determines that an explosive gas monitoring system is deemed necessary for the protection of human health and the environment, the Permittee must, within 90 days, submit an application for permit modification for the installation of an explosive gas monitoring system that meets the proper regulatory requirements of the Alabama Department of Environmental Management. (See Section V.).
2. The Permittee is granted a variance from Rule 335-13-4-.20(2)(c)2 which requires the final grade of the two-foot earthen-material cover not to exceed 25 percent. The Permittee will be allowed to use a 2.5H to 1V maximum final grade and shall be a minimum of 2 percent as shown in the permit application. (See Section VII., A.)
3. A variance is granted from Rule 335-13-4-.23(1)(c) allowing the active face to have a maximum slope of 33 percent (See Section III., D.).
4. A variance is granted from Rule 335-13-4-.12(f) concerning 100 foot buffer zones for the north, south and west boundaries. However 100 foot buffer is still in effect for the portion of the landfill starting at the northeast corner then a distance of 199.91 feet in a south easterly direction, continuing 380.80 feet in a southerly direction, continuing 182.16 feet in a southerly direction, continuing 213.27 feet in a south easterly direction.
5. A variance is granted for Rule 335-13-4-.27(3)(b)(1)(i) concerning monitoring the first semiannual period in accordance with the Rule 335-13-4-.27(1)(a) as the landfill is an existing landfill.
6. A variance is granted for Rule 335-13-4-.18(c) requiring a leachate collection system. (See Section VI.).
7. A variance is granted from Rule 335-13-4-.17 so that the Permittee is not required to collect and control the water volume resulting from the 24-hour, 25-year storm. The Permittee must construct and maintain run-on and run-off control structures in accordance with the permit application and operate the landfill in accordance with the existing NPDES permit. (See Section VI.)
8. A variance is granted for Rule 335-13-4-.29(1)(c) relating to the site records for control measures or procedures that are not required at the landfill as follows:
 - (a) 335-13-4-.29(1)(c)1. explosive gas monitoring and reporting records.
 - (b) 335-13-4-.29(1)(c)4. analytical and monitoring records for leachate collection and surface water.
 - (c) 335-13-4-.29(2) inspection training and notification pertaining to random load inspection for improper waste disposal.
 - (d) 335-13-4-.29(6) waste certifications.
9. A variance is granted from Rule 335-13-4-.21(1)(b) relating to the implementation of detecting and preventing the disposal of free liquids, regulated hazardous waste, regulated medical wastes, and regulated PCB wastes. As the landfill is permitted for use only by the Permittee and for specified waste sources as described in this permit, Rule 335-13-4-.21(1)(b) does not apply.
10. A variance is granted for Rule 335-13-4-.21(1)(c) concerning written certification from each generator. As the landfill is permitted for use only by the Permittee and for specified waste sources as described in this permit, Rule 335-13-4-.21(1)(c) does not apply.

11. The Permittee is granted a variance from Rule 335-13-4-.23(1)(a)1. requiring weekly cover. The Permittee shall be required to cover all exposed waste when final fill elevations are reached (See Section III, D.).

Any variance granted by ADEM may be terminated by ADEM whenever ADEM finds, after notice and opportunity for hearing, that the petitioner is in violation of any requirement, condition, schedule, limitation or any other provision of the variance, or that operation under the variance does not meet the minimum requirements established by state and federal laws and regulations or is unreasonably threatening the public health.