



Dash.html

```
<html>

<title>W3.CSS</title>
<title>Font Awesome Icons</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<head>
  <meta charset="utf-8">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css">
  <script src="https://cdn.jsdelivr.net/npm/jquery@3.6.3/dist/jquery.slim.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle.min.js"></script>
  <link rel="stylesheet" href="font.css">
  <link rel="stylesheet"
href="https://www.w3schools.com/howto/tryit.asp?filename=tryhow_js_sidenav_push">
  
  <link rel="stylesheet" href="styl.css">
</head>
<body>
  <marquee style="color:black;">Hello welcome
  </marquee>
  <div class="topnav">
    <a href="#contact">Contact</a>
    <a href="#about">About</a>
    <a href="#news">News</a>
    <a class="active" href="#home">Home</a>
```

```
</div>

<div id="main">

  <span style="font-size:30px;cursor:pointer;color:white;" onclick="openNav()">&#9776; </span>

</div>

<meta name="viewport" content="width=device-width, initial-scale=1">

<div id="mySidenav" class="sidenav">

  <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>

  <a href="#" style="color: red;">Dashboard</a>

  <a class="active"
href="file:///C:/Users/Ghanishtha/OneDrive/Desktop/site%201/dash.html#">Overview</a>

  <a href="#">Product</a>

  <button class="dropdown-btn">Customer</button>

  <div class="dropdown-container">

    <a href="file:///C:/Users/Ghanishtha/OneDrive/Desktop/site%201/website/index.html" style="font-size:
30px;color:red;">Login</a>

    <a href="file:///C:/Users/Ghanishtha/OneDrive/Desktop/site%201/website/contact.html" style="font-
size: 30px;color:red;">Feedback</a>

  </div>

<script>

  var dropdown = document.getElementsByClassName("dropdown-btn");

  var i;

  for (i = 0; i < dropdown.length; i++) {

    dropdown[i].addEventListener("click", function() {

      this.classList.toggle("active");

      var dropdownContent = this.nextElementSibling;
```

```
    if (dropdownContent.style.display === "block") {  
        dropdownContent.style.display = "none";  
    } else {  
        dropdownContent.style.display = "block";  
    }  
    });  
}
```

```
</script>
```

```
<a href="#">Orders</a>
```

```
<a href="#">Checkout</a>
```

```
<a href="#">Settings</a>
```

```
</div>
```

```
<div>
```

```
</form>
```

```
<div class="container">
```

```
<div class="card-columns">
```

```
<div class="card" style="background-color: black;color:white;">
```

```
<div class="card-body text-center">
```

```
<h2>Total Sales</h2>
```

```
<h3>$825,491.73</h3>
```

```
<p>+18.4K this week</p>
```

```
</div>
```

```
</div>
```

```
<div class="card" style="background-color: black;color:white;">
```

```
<div class="card-body text-center">
```

<h2>Total Orders</h2>

<h3>2,625.991</h3>

<p>+5K this week</p>

</div>

</div>

<div class="card" style="background-color: black;color:white;">

<div class="card-body text-center">

<h2>Refunded</h2>

<h3>780,192</h3>

<p>+66 this week</p>

</div>

</div>

</div>

</div>

<div class="container">

<div class="card-group">

<div class="card" style="background-color: black;">

<div class="card-body text-center">

<h2>Sales by Category</h2>

</div>

</div>

<div class="card" style="background-color: black;color:white;">

<div class="card-body text-center">

<h1>Revenue

Orders</h1>

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.5.0/Chart.min.js"></script>
```

```
<canvas id="myChart" style="width:100%;max-width:600px"></canvas>
```

```
<script>
```

```
var xValues = [1,2,3,4,5,6,7,8,9,10,11,12];
```

```
new Chart("myChart", {
```

```
  type: "line",
```

```
  data: {
```

```
    labels: xValues,
```

```
    datasets: [{
```

```
      data: [3000,2000,6000,4900,7000,7500,6000,5000,6000,6800,6900,7000],
```

```
      borderColor: "red",
```

```
      fill: false
```

```
    }, {
```

```
      data: [2000,4000,5000,6000,7000,8000,8900,7000,6000,6700,6000,5000],
```

```
      borderColor: "green",
```

```
      fill: false
```

```
    }, ]
```

```
  },
```

```
  options: {
```

```
    legend: {display: false}
```

```
  }
```

```
});
```

```
</script>
```

```
</div>
```

```
</div>
</div>
</div>
</style>
<script>
function openNav() {
    document.getElementById("mySidenav").style.width = "250px";
    document.getElementById("main").style.marginLeft = "250px";
}
function closeNav() {
    document.getElementById("mySidenav").style.width = "0";
    document.getElementById("main").style.marginLeft= "0";
}
</script>
<script>
function myFunction() {
    document.getElementById("demo").innerHTML = "Log In";
}
</script>
</body>
</html>
```

font.css

```
body {  
    font-family: "Lato", sans-serif;  
    background-image: url('back.jpg');  
}  
  
.sidenav {  
    height: 100%;  
    width: 0;  
    position: fixed;  
    z-index: 1;  
    top: 0;  
    left: 0;  
    background-color: black;  
    overflow-x: hidden;  
    transition: 0.5s;  
    padding-top: 60px;  
}  
  
.sidenav a,.dropdown-btn:hover {  
    padding: 8px 8px 8px 32px;  
    text-decoration: none;  
    font-size: 25px;  
    color: white;  
    display: block;  
    transition: 0.3s; }
```



```
.sidenav a.active {
  background-color:black;
  color:white; }
.dropdown-btn:hover {
  background-color:black;
  color:black; }
.sidenav a:hover, .dropdown-btn:hover {
  color: #f1f1f1;
}
.sidenav .closebtn {
  position: absolute;
  top: 0;
  right: 25px;
  font-size: 36px;
  margin-left: 50px;
}
#main {
  transition: margin-left .5s;
  padding: 16px;
}
@media screen and (max-height: 450px) {
  .sidenav {padding-top: 15px;}
  .sidenav a {font-size: 18px;}
}
h2,h1 {
```

```
    color:white;
}
p {
color: white;
}
.topnav {
overflow: hidden;
background-color: #333 (90deg, #FFC0CB 50%, #00FFFF 50%);
}
.topnav a {
float: right;
color: red;
text-align: center;
padding: 14px 16px;
text-decoration: none;
font-size: 17px;
background-color: orange;
}
.topnav a:hover {
background-color: red;
color: black;
}
.topnav a.active {
background-color: black;
color: white; }
```

← → ↻ File | C:/Users/Ghanishtha/OneDrive/Desktop/site%201/website/contact.html

Feedback Form

First Name
Ghanishtha

Last Name
Rane

Contact
9421101487

E-mail
ghanishtha2002@gmail.com

Choose a product:
laptop

Subject
Thank you for your good services

SUBMIT

← → ↻ File | C:/Users/Ghanishtha/OneDrive/Desktop/site%201/website/display.html

First Name:
Ghanishtha

Last Name:
Rane

Contact:
9421101487

E-mail:
ghanishtha2002@gmail.com

Branch:
laptop

Subject:
Thank you for your good services

Windows taskbar: Type here to search, website, Document1 - Word, contact.html - Vis..., DISPLAY STUDEN..., 27°C, 19:24, 20-03-2023

Contact.html

```
<!DOCTYPE html>

<html>

<head>

<title>USER REGISTRATION FORM</title>

    <meta charset="UTF-8" />

    <meta http-equiv="X-UA-Compatible" content="IE=edge" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <link rel="stylesheet" href="style1.css">

</head>

<body>

<h3>Feedback Form</h3>

<div class="container">

    <form id="studentForm">

        <label for="firstname">First Name</label>

        <input type="text" id="firstname" name="firstname" class="form-control" placeholder="Your name..">

        <label for="lastname">Last Name</label>

        <input type="text" id="lastname" name="lastname" class="form-control" placeholder="Your last name..">

        <label for="contact">Contact</label>

        <input type="text" id="contact" name="contact" class="form-control" placeholder="your mobile number">

        <label for="E-mail">E-mail</label>

        <input type="text" id="Email" name="Email" class="form-control" placeholder="your mobile number">

        <label for="branch">Choose a product:</label>
```

```
<select name="branch" id="branch" class="form-control">
  <option value="select branch" id="branch" placeholder="select branch">
  <option value="laptop">laptop</option>
  <option value="mobile">mobile</option>
  <option value="desktop">desktop</option>
</select>
<label for="subject">Subject</label>
  <textarea id="subject" name="subject" class="form-control" placeholder="Write something.."
style="height:200px"></textarea>
  <button class="btn btn-primary btn-lg" id="btnAddStudent" type="button">
    SUBMIT
  </button>
</form>
</div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
<script src="my.js"></script>
</body>
</html>
```

Style1.css

```
body {
  font-family: Arial, Helvetica, sans-serif;
  margin-top: 100px;
  margin-left: 100px;
  margin-bottom: 100px;
```

```
margin-right: 100px;
background-image:url(contact.jfif);
height: 70%;
background-repeat: no-repeat;
background-size: cover;
}
```

```
* {box-sizing: border-box;}
```

```
input[type=text], select, textarea {
width: 100%;
padding: 12px;
border: 1px solid #ccc;
border-radius: 4px;
box-sizing: border-box;
margin-top: 6px;
margin-bottom: 16px;
resize: vertical;
}
```

```
input[type=submit] {
background-color: #04AA6D;
color: white;
padding: 12px 20px;
border: none;
border-radius: 4px;
cursor: pointer;
}
```

```
input[type=submit]:hover {  
    background-color: #45a049;  
}  
  
.container {  
    border-radius: 5px;  
    background-color: #f2f2f2;  
    padding: 20px;  
}
```

my.js

```
$(document).ready(function () {  
    // getData();  
  
    $("#btnAddStudent").click(function () {  
        //collect student data from student form  
        function getStudentData() {  
            let student = {  
                firstname: $("#firstname").val(),  
                lastname: $("#lastname").val(),  
                contact: $("#contact").val(),  
                Email: $("#Email").val(),  
                branch: $("#branch").val(),  
                subject: $("#subject").val(),  
            };  
            $("#studentForm")[0].reset();  
        }  
    });  
});
```

```
    return student;
}
function storeDataToLocalStorage() {
    if (!localStorage.getItem("student")) {
        localStorage.setItem("student", JSON.stringify(getStudentData()));
    } else {
        localStorage.removeItem("student");
        localStorage.setItem("student", JSON.stringify(getStudentData()));
    }
}
function sendData() {
    let xhr = new XMLHttpRequest();
    let data = JSON.stringify(getStudentData());
    xhr.open("POST", "http://localhost:4000/storedata", true);
    xhr.setRequestHeader("Content-Type", "application/json");
    xhr.send(data);
}
storeDataToLocalStorage();
// sendData();
// window.location.href = "display-data.html";
window.open("display.html");
});
});
```


Display.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta http-equiv="X-UA-Compatible" content="IE=edge" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>DISPLAY STUDENTS DATA</title>

</head>

<style>

  body {

    background-color:bisque;

  }

</style>

<body>

  <h1>First Name:</h1>

  <span id="firstname"></span><br>

  <h1>Last Name:</h1>

  <span id="lastname"></span><br>

  <h1>Contact:</h1>

  <span id="contact"></span><br>

  <h1>E-mail:</h1>

  <span id="Email"></span><br>

  <h1>Branch:</h1>

  <span id="branch"></span><br>
```

```
<h1>Subject:</h1>
<span id="subject"></span><br>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
<script src="display.js"></script>
</body>
</html>
```

display.js

```
$(document).ready(function () {
    getData();
});

function getData() {
    let localStorageData = localStorage.getItem("student");
    let studentObj = JSON.parse(localStorageData);
    console.log(studentObj);

    $("#firstname").text(studentObj.firstname);
    $("#lastname").text(studentObj.lastname);
    $("#contact").text(studentObj.contact);
    $("#Email").text(studentObj.Email);
    $("#branch").text(studentObj.branch);
    $("#subject").text(studentObj.subject);
}
```