Nama: Ghani Prasetia

NIM : L200180185

LATIHAN

1. Tabel nasabah

```
mysql> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah) values (1, 'Sutopo', 'Jl.Jendral Sudirman 12')
-> , (2, 'Maryati', 'Jl.MT.Haryono 31'), (3, 'Suparman', 'Jl.Hasanudin 81'), (4, 'Kartika Padmasari', 'Jl.Manggis 15')
-> , (5, 'Budi Eko Prayogo', 'Jl.Kantil 30'), (6, 'Satria Eka Jaya', 'Jl.Slamet Riyadi 45'), (7, 'Indri Hapsari', 'Jl.Sutoyo 5')
-> , (8, 'Sari Murti', 'Jl.Pangandaran 11'), (9, 'Canka Lokananta', 'Jl.Tidar 86'), (10, 'Budi Murtono', 'Jl.Merak 22');
Query OK, 10 rows affected (0.06 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

id_nasabah	nama_nasabah	alamat_nasabah
1	Sutopo	Jl.Jendral Sudirman 12
2	Maryati	Jl.MT.Haryono 31
	Suparman	Jl.Hasanudin 81
4	Kartika Padmasari	Jl.Manggis 15
5	Budi Eko Prayogo	Jl.Kantil 30
6	Satria Eka Jaya	Jl.Slamet Riyadi 45
	Indri Hapsari	Jl.Sutoyo 5
8	Sari Murti	Jl.Pangandaran 11
	Canka Lokananta	Jl.Tidar 86
10	Budi Murtono	Jl.Merak 22

2. Tabel cabang_bank

```
mysql> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang) values ('BRUS', 'Bank Rut Unit Surakarta', 'Jl.Slamet Riyadi 18'), ('BRUM', 'Bank Rut Unit Magel
ang', 'Jl.P.Tendean 63')
-> , ('BRUB', 'Bank Rut Unit Boyolali', 'Jl.Ahmad Yani 45'), ('BRUK', 'Bank Rut Unit Klaten', 'Jl.Suparman 23'), ('BRUY', 'Bank Rut Unit Yogyakarta', 'Jl.Anggrek 21
'), ('BRUW', 'Bank Rut Unit Wonogiri', 'Jl.Untung Suropati 12');
Query OK, 6 rows affected (0.07 sec)
Records: 6 Duplicates: 0 Warnings: 0
```

kode_cabang	nama_cabang	alamat_cabang
BRUB	Bank Rut Unit Boyolali	Jl.Ahmad Yani 45
BRUK	Bank Rut Unit Klaten	Jl.Suparman 23
BRUM	Bank Rut Unit Magelang	Jl.P.Tendean 63
BRUS	Bank Rut Unit Surakarta	Jl.Slamet Riyadi 18
BRUW	Bank Rut Unit Wonogiri	Jl.Untung Suropati 1
BRUY	Bank Rut Unit Yogyakarta	Jl.Anggrek 21

3. Tabel rekening

```
mysql> insert into rekening(no_rekening, kode_cabangFK, pin, saldo) values (101, 'BRUS', '1111', 500000), (102, 'BRUS', '2222', 350000),
-> (103, 'BRUS', '3333', 750000), (104, 'BRUM', '4444', 900000), (105, 'BRUM', '5555', 2000000), (106, 'BRUS', '6666', 3000000),
-> (107, 'BRUS', '7777', 10000000), (108, 'BRUB', '0000', 50000000), (109, 'BRUB', '9999', 0), (110, 'BRUY', '1234', 550000),
-> (111, 'BRUK', '4321', 150000), (112, 'BRUK', '0123', 300000), (113, 'BRUY', '8888', 255000);
Query OK, 13 rows affected (0.09 sec)
Records: 13 Duplicates: 0 Warnings: 0
```

no_rekening	kode_cabangFK	pin	saldo
101	BRUS	1111	500000
102	BRUS	2222	350000
103	BRUS	3333	750000
104	BRUM	4444	900000
105	BRUM	5555	2000000
106	BRUS	6666	3000000
107	BRUS	7777	1000000
108	BRUB	0000	5000000
109	BRUB	9999	j e
110	BRUY	1234	550000
111	BRUK	4321	150000
112	BRUK	0123	300000
113	BRUY	8888	255000

4. Tabel nasabah_has_rekening

```
mysql> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK) values (1, 104), (2, 103), (3, 105), (3, 106),
-> (4, 101), (4, 107), (5, 102), (5, 107), (6, 109), (7, 109), (8, 111), (9, 110), (10, 113), (8, 112), (10, 108);
Query OK, 15 rows affected (0.07 sec)
Records: 15 Duplicates: 0 Warnings: 0
```

5. Tabel transaksi

```
mysql> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah) values

-> (NULL, 105, 3, 'debit', DEFAULT, 50000), (NULL, 103, 2, 'debit', DEFAULT, 40000), (NULL, 101, 4, 'kredit', DEFAULT, 20000),

-> (NULL, 106, 3, 'debit', DEFAULT, 50000), (NULL, 107, 5, 'kredit', DEFAULT, 30000), (NULL, 104, 1, 'kredit', DEFAULT, 200000),

-> (NULL, 101, 9, 'kredit', DEFAULT, 150000), (NULL, 102, 5, 'debit', DEFAULT, 50000), (NULL, 105, 3, 'kredit', DEFAULT, 50000), (NULL, 103, 2, 'debit', DEFAULT, 50000),

-> (NULL, 101, 4, 'kredit', DEFAULT, 200000), (NULL, 105, 3, 'debit', DEFAULT, 40000), (NULL, 104, 1, 'kredit', DEFAULT, 50000),

-> (NULL, 101, 4, 'kredit', DEFAULT, 120000), (NULL, 105, 3, 'debit', DEFAULT, 40000), (NULL, 102, 5, 'debit', DEFAULT, 50000),

-> (NULL, 103, 10, 'debit', DEFAULT, 100000), (NULL, 106, 3, 'kredit', DEFAULT, 50000), (NULL, 103, 2, 'kredit', DEFAULT, 50000),

-> (NULL, 103, 2, 'debit', DEFAULT, 40000), (NULL, 102, 5, 'debit', DEFAULT, 50000), (NULL, 104, 1, 'debit', DEFAULT, 50000),

-> (NULL, 103, 2, 'debit', DEFAULT, 40000), (NULL, 101, 4, 'debit', DEFAULT, 50000), (NULL, 103, 2, 'kredit', DEFAULT, 50000),

-> (NULL, 103, 2, 'debit', DEFAULT, 40000), (NULL, 104, 4, 'debit', DEFAULT, 50000), (NULL, 103, 2, 'kredit', DEFAULT, 50000),

-> (NULL, 103, 2, 'debit', DEFAULT, 40000), (NULL, 104, 'debit', DEFAULT, 50000), (NULL, 103, 2, 'kredit', DEFAULT, 50000),

-> (NULL, 102, 5, 'kredit', DEFAULT, 40000), (NULL, 104, 'debit', DEFAULT, 50000), (NULL, 104, 9, 'debit', DEFAULT, 20000);

Query OK, 30 rows affected (0.08 sec)

Records: 30 Duplicates: 0 Warnings: 0
```

no_transaksi	id_nasabahFK	no_rekeningFK	jenis_transaksi	+ tanggal :	+ jumlah
1	3	105	debit	2009-11-10 00:00:00	50000
2	2	103	debit	2009-11-10 00:00:00	40000
3	4	101	kredit	2009-11-12 00:00:00	20000
4	3	106	debit	2009-11-13 00:00:00	50000
5	5	107	kredit	2009-11-13 00:00:00	30000
6	1	104	kredit	2009-11-15 00:00:00	200000
7	9	110	kredit	2009-11-15 00:00:00	150000
8	5	102	debit	2009-11-16 00:00:00	20000
9	3	105	kredit	2009-11-18 00:00:00	50000
10	4	107	debit	2009-11-19 00:00:00	100000
11	2	103	debit	2009-11-19 00:00:00	100000
12	1	104	debit	2009-11-19 00:00:00	50000
13	4	107	kredit	2009-11-20 00:00:00	200000
14	3	105	debit	2009-11-21 00:00:00	40000
15	1	104	kredit	2009-11-22 00:00:00	100000
16	4	101	kredit	2009-11-22 00:00:00	20000
17	2	103	debit	2009-11-22 00:00:00	50000
18	5	102	debit	2009-11-25 00:00:00	50000
19	10	108	debit	2009-11-26 00:00:00	100000
20	3	106	kredit	2009-11-27 00:00:00	50000
21	2	103	kredit	2009-11-28 00:00:00	200000
22	3	105	kredit	2009-11-28 00:00:00	100000
23	5	102	debit	2009-11-30 00:00:00	20000
24	1	104	debit	2009-12-01 00:00:00	50000
25	2	103	debit	2009-12-02 00:00:00	40000
26	4	101	debit	2009-12-04 00:00:00	50000
27	2	103	kredit	2009-12-05 00:00:00	100000
28	5	102	kredit	2009-12-05 00:00:00	200000
29	7	109	debit	2009-12-05 00:00:00	100000
30	9	110	debit	2009-12-06 00:00:00	20000
+ 30 rows in set ((0.01 sec)	+		+	++

6. Update

a. Nasabah dengan nama "Indri Hapsari" pindah alamat ke "Jalan Slamet Riyadi No.34"

```
mysql> update nasabah set alamat_nasabah = "Jalan Slamet Riyadi No. 34" where nama_nasabah = "Indri Hapsari";
Query OK, 1 row affected (0.31 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from nasabah;
 id_nasabah | nama_nasabah
                                             | alamat_nasabah
                                               Jl. Jenderal Sudirman 12
                    Sutopo
                                               Jl. MT. Haryono 31
Jl. Hasanudin 81
                    Maryati
                    Suparman
                    Kartika Padmasari
                                                Jl. Manggis 15
                                                Jl. Kantil 30
                    Budi Eko Prayogo
                                                Jl. Slamet Riyadi 45
Jalan Slamet Riyadi No. 34
                    Satria Eka Jaya
                    Indri Hapsari
                    Sari Murti
                                                Jl. Pangandaran 11
                                               Jl. Tidar 86
Jl. Merak 22
                    Canka Lokananta
             10
                    Budi Murtono
10 rows in set (0.00 sec)
mysql> update cabang_bank set alamat_cabang = "Jalan A. Yani No. 23" where kode_cabang = "BRUW";
Query OK, 1 row affected (0.05 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select * from cabang_bank;
  kode_cabang | nama_cabang
                                                          alamat_cabang
                     Bank Rut Unit Boyolali
Bank Rut Unit Klaten
                                                           Jl. Ahmad Yani 45
  BRUB
                                                          Jl. Suparman 23
Jl. P. Tendean 63
Jl. Slamet Riyadi 18
Jalan A. Yani No. 23
  BRUK
                      Bank Rut Unit Magelang
  BRUM
                     Bank Rut Unit Surakarta
Bank Rut Unit Wonogiri
  BRUS
  BRUW
                                                          Jl. Anggrek 21
  BRUY
                      Bank Rut Unit Yogyakarta
  rows in set (0.00 sec)
```

7.Delete

a. Nasabah dengan id "7" menutup rekeningnya

```
mysql> delete from nasabah
-> where id_nasabah = 7;
Query OK, 1 row affected (0.08 sec)

mysql> select * from nasabah;

| id_nasabah | nama_nasabah | alamat_nasabah |

| 1 | Sutopo | Jl.Jendral Sudirman 12 |
2 | Maryati | Jl.MT.Haryono 31 |
3 | Suparman | Jl.Hasanudin 81 |
4 | Kartika Padmasari | Jl.Manggis 15 |
5 | Budi Eko Prayogo | Jl.Kantil 30 |
6 | Satria Eka Jaya | Jl.Slamet Riyadi 45 |
8 | Sari Murti | Jl.Pangandaran 11 |
9 | Canka Lokananta | Jl.Tidar 86 |
10 | Budi Murtono | Jl.Merak 22 |
```

b. Cabang dengan nama_cabang "Bank Rut Unit Magelang" menutup kantornya

```
mysql> delete from cabang_bank
-> where nama_cabang = 'Bank Rut Unit Magelang';
Query OK, 1 row affected (0.12 sec)

mysql> select * from cabang_bank;

| kode_cabang | nama_cabang | alamat_cabang |

| BRUB | Bank Rut Unit Boyolali | Jl.Ahmad Yani 45 |

| BRUK | Bank Rut Unit Klaten | Jl.Suparman 23 |

| BRUS | Bank Rut Unit Surakarta | Jl.Slamet Riyadi 18 |

| BRUW | Bank Rut Unit Wonogiri | Jalan A.Yani No.23 |

| BRUY | Bank Rut Unit Yogyakarta | Jl.Anggrek 21 |

5 rows in set (0.00 sec)
```