

Notarized<T> · Anatomy of a Signed Receipt

ED25519 + BLAKE3 + RFC 8785 JCS

NOTARIZED HEADER · signed under ed25519

image_sha256	"e6365e44...a956a9"	SHA-256 of the source evidence image
tool_name	"parse_evtx"	typed forensic wrapper invoked
tool_version	"EvtxECmd 2026.5.0"	pinned upstream binary version
args_canonical	"{...}"	RFC 8785 JCS – sorted, UTF-8, no whitespace
stdout_blake3	"3b78732f...e9b1"	BLAKE3 of raw tool output – replay anchor
data_blake3	"c4a8e91d...0f72"	BLAKE3 of canonical data – tamper detector
offsets	[[0,12288],[12288,24576]]	image byte spans backing typed records
ts	1780430134.118	monotonic mint timestamp
prev	"7a9c10f6...8a3b"	BLAKE3 of previous signed header – chain link
run_id	"4f6d31e0..."	UUID for the current agent run
model_id	"gemini-3-flash-preview" null	DAUBERT BINDING – which model
prompt_hash	"8b30f...c712" null	DAUBERT BINDING – from what prompt

DATA & SIGNATURE

data	List[T] · typed Pydantic records	
sig	ed25519(canonicalize(header))	base64url Ed25519 over canonical header

envelope_id = BLAKE3(canonical_header_bytes)

Content-addressed — cited by claims, never collides with mutable row indices