



EX: 1

INPUT:




```
<html>
<head>
<title>html5
</title>
</head>
<body bgcolor="blue" text="red">
Hello I am Ghayathri
</body>
</html>
```

OUTPUT:




EX: 2

INPUT:




```
<html>
<head>
<title>h1 to h6</title>
</head>
<body bgcolor="black" text="white">
<h1>Word</h1>
<h2 align="right">excel</h2>
<h3 align="center">PPT</h3>
<h4>HTML5 </h4>
<h5 align="center">CSS3</h5>
<h6 align="right">Mysql</h6>
</body>
</html> |
```

OUTPUT:




EX: 3

INPUT:



```
<!DOCTYPE html>
<html>
<head>
<title>HTML 5</title>
<style>
h1 {
font-size:50px;
}
</style>
</head>
<body>
<h1>CSC PALLAVARAM </h1>
</body>
</html>
```


OUTPUT:



CSC PALLAVARAM

EX:4


INPUT:

A screenshot of a Notepad window titled "4 - Notepad". The window has a menu bar with "File", "Edit", "Format", "View", and "Help". The text area contains the following HTML code:

```
<!DOC TYPE HTML>
<html>
<head>
<title> HTML5EG2</title>
<style.
RMP{
font-size:40px;
font-weight:Bold;
colour:Blue;
}
body{
text-align:center;
}
</style>
</head>
<body>
<div class="RMP">CSC PALLAVARAM</div>
<aside>
<div>COMPUTER SOFTWARE COLLEGE</div>
</aside>
</body>
</html>
```

A "Window Snip" button is visible in the center of the text area. The status bar at the bottom shows a tab labeled "4 - Notepad".

OUTPUT:



EX: 5

INPUT:


```
b289 - Notepad
File Edit Format View Help

<html>
<body>
<image src="C:\Users\SERVER\Pictures\D.jpg" align="left" border=15 alt ="sorry">









</body>
</html>
```

OUTPUT:



EX:6

INPUT:

A screenshot of a Notepad window titled "6A8CD - Notepad". The window contains the following HTML code:

```
<html>


<head>
<title>
Orderd list
</title>
</head>

<body bgcolor = "black" text = "red">
Courses

<ol type="A" start="4">
<li>HDCA</li>
<li type="a" >DCA</li>
<li>ADJP</li>
</ol>

<ul type="square">
<li> C </li>
<li> C++ </li>
<li type="disc"> JAVA </li>
<li type="circle"> PYTHON </li>
<li> HTML </li>
<li> TALLY </li>
</ul>
```

OUTPUT:




EX:7

INPUT:

```
<html>
<head><title>LINKS!!!!!!!!!!</title></head>
<body link="red" alink="blue" vlink="green" bgcolor="yellow">
<h1>Links</h1>
<a name=T href=#B>Click me to Move Bottom</a><br>
<a href="6.HTML">First</a><br>
<a href="10.html" target="sub">Second</a><br>
<a href="pic1.bmp"></a><br>

<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<a name=B href=#T>Click me to Move Top</a>
</body>
</html>
```

OUTPUT:



EX:8

INPUT:


```
File Edit Format View Help
<html>
<!--
<Table border=5 align=center height=300 width=300 background="flow.jpg">
-->
<Table border=10 bordercolor="pink"align=center height=400 width=400
bgcolor="red">

<tr>
<th>Eno</th>
<th>Name</th>
<th>Course</th>
</tr>

<tr align=center valign=center>
<td valign=Top><font size=7><b>101</b></font></td>
<td><font size=7>Raja</font></td>
<td><font size=7>HDCA</font></td>
</tr>

<tr>
<td>102</td>
<td></td>
<td>DCA</td>
</tr>
```

OUTPUT:



Eno	Name	Course
101	Raja	HDCA
102		DCA

EX:9

INPUT:

```
File Edit Format View Help
9ABC0 - Notepad

<html>
<head><title>Bio Data</title></head>
<h1 align="center">Bio Data </h1>
<center>
<Body bgcolor="cyan">
<form action="14.html" method="get">
Name:<input type="text"><br>

Password:<input type="password"><br>

Father's Name:<input type="text"><br>

Sex:<input type="radio" name="s">Male

<input type="radio" name="s" checked>Female<br>

Qualification:
<select>
<option>Graduate
<option>Post Graduate
<option>Diploma
<option selected>Engineering
</select><br>
Address:<br>
<Textarea rows="5" cols="30"></Textarea><br>
```

OUTPUT:

Bio Data

Name:

Password:

Father's Name:

Sex: ☐ Male ☒ Female

Qualification:

Address:

HOBBIES:

☐ Painting

☐ Reading

☐ Singing


☐ Chatting

☒ Watching TV

Select a Pic: No file chosen

EX:10


INPUT:

A screenshot of a Notepad window titled "1048CD - Notepad". The window has a menu bar with "File", "Edit", "Format", "View", and "Help". The text area contains the following HTML code:

```
<audio controls>
  <source src="mp3\ASTRONOMIA.mp3" type="audio/mpeg">
</audio>
```

The code is written in a monospaced font. The window has a standard Windows-style title bar with minimize, maximize, and close buttons.

OUTPUT:



EX:11


INPUT:

A screenshot of a Notepad window titled "11ABCD - Notepad". The window has a menu bar with "File", "Edit", "Format", "View", and "Help". The main text area contains the following HTML code:

```
<video width="320" height="240" controls>  
  <source src="SPIDEY.mp4" type="video/mp4">  
</video>
```


The cursor is positioned at the end of the third line. A "Window Snip" button is visible in the center of the text area. The status bar at the bottom shows "Line 3, Column 25".

OUTPUT:



EX:12

INPUT:

A screenshot of a Notepad window titled "12ABCD - Notepad". The window has a menu bar with "File", "Edit", "Format", "View", and "Help". The text area contains the following HTML code:

```
<!DOCTYPE html>
<html>
<body>
<h3>quotation</h3>
<p><q>1.quotes,</q></p>
<p><blockquote>2.blockqoutes</blockquote></p>
<Address>
<p>3.Address:<br>
4/19,RC Chruch Road,<br>
pallavaram,chennai-73</p>
</Address>
<p>4.abbr<abbr title="csc pallavaram">csc</abbr></p>
<p>5.bdo<bdo dir="rt1">Diploma In Full Stack Python Developer</bdo></p>
<p>6.cite <br>The<cite>csc pallavaram</cite>is the best place to<br>to leave IT
Software Skills.</p>
</body>
</html>
```

A "Window Snip" button is visible in the middle of the text area.


OUTPUT:

INPUT:

```
File Edit Format View Help
13ABCH - Notepad

<!DOCTYPE html>
<html>
<body>
<h3>Example Of Enabling Spellcheck</h3>
<form>
<p>
<input type="text" spellcheck="true">
</p>
<textarea spellcheck="true"></truearea>
</p>
<button type="reset">Reset</button>
</form>
<h3> Example Of Disabling spellcheck</h3>
<form>
<p>
<input type="text" spellcheck="false">
</p>
<p>
<textarea spellcheck="false"></textarea>
</p>
<p>
<button type="reset">reset</button>
</form>
</body>
</html>
```

OUTPUT:



Example Of Enabling Spellcheck


```
</truearea>  
</p>
```

Window Snip

reset

EX: 14


INPUT:



The image shows a Notepad++ window with the following HTML code:

```
color:rgb(255,0,0);
}
</style>
</head>
<body>
<h1>Diploma In PHP Full Stack Developer</h1>
<style>
h1{
color:rgba(255,0,0.3);
}
</style>
<!DOCTYPE html>
<html>
<head>
<title>csc pallavaram</title>
<style>
h1{color:hs1a(9,100%,64%,0.8%);|
h2{color:hs1(0,100%,50%);
</style>
</head>
<body>
<h1>Diploma In PHP Full Stack Developer</h1>
<h2>Diploma In JAVA Full Stack Developer</h2>
</body>
</html>
```

OUTPUT:



Diploma In Full Stack Developer

Diploma In PHP Full Stack Developer

Diploma In PHP Full Stack Developer

Diploma In JAVA Full Stack Developer

EX:15

INPUT:

```
15 - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<body>
<p> Displaying location using latitude and longitude</p>
<button onclick="get location()">
click me
</button>
<p id="demo1"></p>
<script>
var variable=document.get element by id("demo1");
function getlocation()
{
navigator.getlocation.getcurrent position(show loc);
}
function showloc(pos)
{
variable1.inner HTML="Latitude:"+ pos.coords.latitude+"<br>Longitude:"+ pos.coords.longitude;
}
</script>
</body>
</html>
```

Activate Windows
Go to Settings to activate Windows.

EX:17

INPUT:

```
17 - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<title>page Layout</title>
<style>
head1{
font size:40px;
color:#000099;
font-weight:bold;
}
head2{
font size:17px;
margin-left:10px;
margin-right:15px;
}
body{
margin:0 auto;
background-position:center;
background-size:contain;
}
menu{
position:sticky;
top:0;
background-color:#000099;
```

Activate Windows
Go to Settings to activate Windows.

```
17 - Notepad
File Edit Format View Help
background-size:contain;
}
menu{
position:sticky;
top:0;
background-color:#000099;
padding:10px 0px 10px 0px;
color:white;
margin:0 auto;
overflow:hidden;
}
menu a{
float:left;
color:white;
text-align:center;
padding:14px 16px;
text-decoration:none;
font-size:20px;
}
menu-log{
right:auto;
float:right;
}
footer{
```

Activate Windows
Go to Settings to activate Windows.

```
17 - Notepad
File Edit Format View Help

float:right;
}
footer{
width:100%;
bottom:0px;
background-color:#000;
color:#fff;
position-top:20px;
position-bottom:50px;
text align:center;
font size:30px;
font-weight:bold;
}
body-sec{
margin-left:20px;
}
</style>
</head>
<body>
<!--header section-->
<header>
<div class="head1">CSC Pallavaram</div>
<div class="head2">Computer Software College</div>
</header>
```

Activate Windows
Go to Settings to activate Windows.

```
17 - Notepad
File Edit Format View Help

<header>
<div class="head1">CSC Pallavaram</div>
<div class="head2">Computer Software College</div>
</header>
<!--Menu Navigation Bar-->
<nav class="menu">
<a href="#home">HOME </a>
<a href="#news">NEWS</a>
<a href="#notification">NOTIFICATION</a>
<div class="menu-log">
<a href="#login">LOGIN</a>
</div>
</nav>
<!--Body section-->
<main class="body-sec">
<section id="content">
<h3>Content section</h3>
</section>
</main>
<!--Footer section-->
<footer>Footer section</footer>
</body>
</html>
```

Activate Windows
Go to Settings to activate Windows.

OUTPUT:



CSC Pallavaram
Computer Software College
[HOME NEWS NOTIFICATION](#)
[LOGIN](#)

Content section

Footer section

Activate Windows
Go to Settings to activate Windows.

EX:18

INPUT:


```
18ABCD - Notepad
File Edit Format View Help
<html>
<body>
<canvas id="csc"
width="350 px"
height="100px"
style="border:1px solid#d3d3d3;">
</canvas>
<script>
var g=document.get element by id("csc");
var pvm=g.get context("2d");
var gradient=pvm.create linear gradient(1,4,g.width,2);
gradient.addcolor stop("0","green");
gradient.addcolor stop("0.4","yellow");
gradient.addcolor stop("1.0","aqua");
pvm.font="40px sans-serif";
pvm.font="red";
pvm.strokeStyle="gradient";
pvm.strokeText("csc pallavaram",10,60);
</script>
</body>
</html>
```

OUTPUT:

OUTPUT:

EX:19.1

INPUT:

A screenshot of a Notepad window titled "19-1 - Notepad". The window contains the following code:

```
<!DOCTYPE html>
<html>
<body>
<canvas id="pvm"
      width="500"
      height="250">
</canvas>
<script>
var g=document.get element by id("pvm");
var csc=g.get context("2d");
csc.shadow blur=20;
csc.shadow color="yellow";
csc.fillstyle="red";
csc.fillRect(30,20,100,80);
</script>
</body>
</html>
```

OUTPUT:

EX:19.2

INPUT:

```
19-2 - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<body>
<canvas id="CSC"
width="300"
height="150;">
</canvas>
<script>
var g=document.getElementById("CSC");
var PVM=g.getContext("2d");
PVM.rotate(20*Math.PI/180);
PVM.fillRect(100,20,120,50);
</script>
</body>
</html>
```

Window Snip

Activate Windows
Go to Settings to activate Windows.

EX:20

INPUT:

```
20 - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<head>
<title>
HTML | canvas draw image()Method
</title>
</head>
<body>
<p>Image:</p>

<p>canvas:</p>
<canvas id="My CSC Canvas"width="520"height="300"
style="border:1px solid#d3d3d3;">
Your browser is not supported for HTML 5 canvas tag.
</canvas>
<script>
window.onload=function()
{
var c=document.getElementById("My CSC Canvas");
var ctx=c.getContext("2d");
var img=document.getElementById("CSC");
ctx.drawImage(img,20,20);
};
</script>
</body>
```

Activate Windows
Go to Settings to activate Windows.

