



Over

Zone

- ☐ Zone A
- ☐ Zone B
- ☐ Zone C
- ☐ Zone D
- ☐ Apparel
- ☐ Automotive
- ☐ Electronics
- ☐ Groceries
- ☐ Pharma

```
1 Corr Stockouts vs ROP =
2 VAR AvgX = AVERAGE(Fact_Inventory[stockout_count_last_month])
3 VAR AvgY = AVERAGE(Fact_Inventory[reorder_point])
4 VAR SumXY = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) * (Fact_Inventory[reorder_point] - AvgY))
5 VAR SumX2 = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) ^ 2)
6 VAR SumY2 = SUMX(Fact_Inventory, (Fact_Inventory[reorder_point] - AvgY) ^ 2)
7 RETURN DIVIDE(SumXY, SQRT(SumX2 * SumY2))
```



Quick measure

3K

Total SKUs

90.82%

% SKUs With Stockout

£881.55K

Total Daily Holding Cost

95.61

Avg Pick Time


Stockouts: The percentage SKUs With Stockout is currently at 90.82%

Holding Costs: Daily holding costs total sits at £881.55k

Picking Efficiency: Average pick time at 95.61s



```
1 Corr Stockouts vs ROP =  
2 VAR AvgX = AVERAGE(Fact_Inventory[stockout_count_last_month])  
3 VAR AvgY = AVERAGE(Fact_Inventory[reorder_point])  
4 VAR SumXY = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) * (Fact_Inventory[reorder_point] - AvgY))  
5 VAR SumX2 = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) ^ 2)  
6 VAR SumY2 = SUMX(Fact_Inventory, (Fact_Inventory[reorder_point] - AvgY) ^ 2)  
7 RETURN DIVIDE(SumXY, SQRT(SumX2 * SumY2))
```



97.03%

% SKUs Below Recommended ROP

-0.01

Corr ROP vs Daily Demand

-0.01

Corr Stockouts vs Lead Time

0.03

Corr Stockouts vs ROP

0.01

Corr Popularity vs Pick Time

item_id	CategoryName	daily_demand	reorder_point	Recommended_ROP	stockout_count_last_month	ROP_Deficit
ITM11488	Automotive	47.84	43.00	1,158.86	1	1,115.86
ITM10852	Pharma	47.50	16.00	1,130.76	1	1,114.76
ITM10654	Automotive	48.49	31.00	1,130.65	8	1,099.65
ITM10489	Apparel	49.98	29.00	1,107.78	2	1,078.78
ITM10398	Pharma	47.58	44.00	1,099.38	6	1,055.38



Z


```
1 Corr Stockouts vs ROP =
2 VAR AvgX = AVERAGE(Fact_Inventory[stockout_count_last_month])
3 VAR AvgY = AVERAGE(Fact_Inventory[reorder_point])
4 VAR SumXY = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) * (Fact_Inventory[reorder_point] - AvgY))
5 VAR SumX2 = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) ^ 2)
6 VAR SumY2 = SUMX(Fact_Inventory, (Fact_Inventory[reorder_point] - AvgY) ^ 2)
7 RETURN DIVIDE(SumXY, SQRT(SumX2 * SumY2))
```

Electronics

Groceries

Automotive

Apparel



Total Excess Daily Cost

31.02%

% Holding Cost In Excess

37.56K

Safe To Cut Daily Savings

13.71M

Safe To Cut Annualised

item_id	CategoryName	stock_level	Target_Stock	Excess_Units	turnover_ratio	Excess_Daily_Cost
ITM11471	Apparel	498.00	92.12	405.88	14.68	803.64
ITM11671	Pharma	434.00	40.73	393.27	14.04	770.81
ITM11281	Apparel	476.00	50.08	425.92	14.44	762.40
ITM13180	Electronics	449.00	48.10	400.90	4.51	761.71





Z


```
1 Corr Stockouts vs ROP =  
2 VAR AvgX = AVERAGE(Fact_Inventory[stockout_count_last_month])  
3 VAR AvgY = AVERAGE(Fact_Inventory[reorder_point])  
4 VAR SumXY = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) * (Fact_Inventory[reorder_point] - AvgY))  
5 VAR SumX2 = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) ^ 2)  
6 VAR SumY2 = SUMX(Fact_Inventory, (Fact_Inventory[reorder_point] - AvgY) ^ 2)  
7 RETURN DIVIDE(SumXY, SQRT(SumX2 * SumY2))
```



Quick measure




Picking Time vs Item Popularity





```
1 Corr Stockouts vs ROP =  
2 VAR AvgX = AVERAGE(Fact_Inventory[stockout_count_last_month])  
3 VAR AvgY = AVERAGE(Fact_Inventory[reorder_point])  
4 VAR SumXY = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) * (Fact_Inventory[reorder_point] - AvgY))  
5 VAR SumX2 = SUMX(Fact_Inventory, (Fact_Inventory[stockout_count_last_month] - AvgX) ^ 2)  
6 VAR SumY2 = SUMX(Fact_Inventory, (Fact_Inventory[reorder_point] - AvgY) ^ 2)  
7 RETURN DIVIDE(SumXY, SQRT(SumX2 * SumY2))
```



Fact_Inventory / Inventory Table: The grain is **one unique Item ID per Zone**. It tracks stock levels, demand metrics, and daily costs for individual SKUs localized to specific physical locations.

Dim_Category: The grain is **one unique Category ID**. This is a master lookup table containing high-level product classifications (`CategoryName`).

Dim_Zone: The grain is **one unique Zone ID**. This is a master lookup table defining warehouse physical sectors (`ZoneName`).