```
\min \sum_{i \in \underline{A}LL} \sum_{j \in \underline{A}LL} \sum_{a \in A} x_{i,j,a} * distance_{i,j} \ + \ \sum_{i \in C} \sum_{a \in A} w_{i,a} \ + \ \sum_{i \in RBLE} \sum_{a \in A} s_{i,a}
                       \sum_{i \in ALL} \sum_{a \in A} x_{i,j,a} = 1,
\sum_{i \in ALL} \sum_{a \in A} x_{i,j,a} \le 1,
                                                                                                         j \in C
  2)
                                                                                                        j \in FO
                       \sum_{j \in REAL} x_{start,j,a} = 1 ,
  3)
                                                                                                     a \in A
                     x_{start,j,a}=0\ , \qquad j\in FO,\ a\in A
  4)
                      \sum_{i \in RBLE} x_{i,s,a} = 1, \quad a \in A
\sum_{i \in ALL} x_{i,h,a} - \sum_{j \in ALL} x_{h,j,a} = 0,
  5)
  6)
                                                                                                                                           h \in ALL, a \in A
   7)
                     x_{i,i,a} = 0, i \in ALL, a \in A
  8)
                     c_{j,a} = service_j * \sum_{i \in ALL} x_{i,j,a},
                                                                                                                         i \in C, a \in A
                      \sum_{i \in ALL} \sum_{j \in o+FO} c_{j,a} * x_{i,j,a} = service_o , \qquad a \in A
  9)
                                                                     i \in ALL, \ j \in RBLE, \ a \in A
  10)
                        c_{\underline{j},a} \ge x_{i,\underline{j},a},
                         \sum_{i \in ALL} \sum_{i \in o + FO} x_{i,j,a} \ge 1 ,
  11)
                        \overline{x_{i,j,a}} = 0, \quad i \in o + FO, \ j \in o + FO, \ a \in A
x_{i,o,a} = 0, \quad i \in C, \ a \in A
  12)
  13)
                        x_{i,o,a} = 0 ,
                        x_{j,j+clients,a} \leq \sum_{i \in ALL} x_{i,j,a},
  14)
                                                                                                                       j \in C, a \in A
                        \{x_{i,j,a} = 0 \mid if \mid i \neq j - clients\},
                                                                                                                        i \in REAL, j \in FO, a \in A
  15)
                        window\_start_i * \sum_{h \in ALL} x_{h,i,a} \le s_{i,a} , \quad i \in C, \ a \in A
  16)
  17)
                        window\_end_i * \sum_{h \in ALL} x_{h,i,a} \ge s_{i,a}, i \in C, a \in A
  18)
                        l_{i,j,a} * (s_{i,a} + c_{i,a} + distance_{i,j} + w_{j,a}) \ge l_{i,j,a} * lunch\_start,
                           i \in RBLE, j \in RBLE, a \in A
  19)
                        l_{i,j,a} * (s_{i,a} + c_{i,a} + distance_{i,j} + w_{j,a}) \le l_{i,j,a} * lunch\_end,
                           i \in RBLE, \ j \in RBLE, \ a \in A
  20)
                        l_{i,j,a} \leq x_{i,j,a} * lunch\_end,
                                                                                                      i \in RBLE, j \in RBLE, a \in A
  21)
                         t_a = max(s_{i,a}, i \in RBLE), \quad a \in A
                        \begin{array}{l} work\_end * \sum_{i \in RBLE} \sum_{j \in RBLE} l_{i,j,a} \geq t_a - lunch\_start \;, \qquad a \in A \\ work\_end * \sum_{i \in RBLE} \sum_{j \in RBLE} (1 - l_{i,j,a}) \geq lunch\_start - t_a, \quad a \in A \end{array}
  22)
  23)
  24)
                         s_{j,a} = \sum_{i \in RBLE, i!=j} x_{i,j,a} * (s_{i,a} + c_{i,a} + c_{i,a})
                           distance_{i,j} + l_{i,j,a} * lunch\_len) + w_{j,a},
                                                                                                                                                   j \in RBLE, \ a \in A
                          \sum_{i \in RBLE} \sum_{j \in RBLE} x_{i,j,a} * distance_{i,j} +
  25)
                             \sum_{i \in ALL} \sum_{j \in RBLE} x_{i,j,a} * service_j + \sum_{i \in RBLE} w_{i,a} + \sum_{i \in RBLE} \sum_{j \in RBLE} l_{i,j,a} * lunch_len + \sum_{i \in RBLE} \sum_{j \in RBLE} l_{i,j,a} * lunch_len + \sum_{i \in RBLE} \sum_{j \in RBLE} l_{i,j,a} * lunch_len + \sum_{i \in RBLE} l_{i,j,a} * lunch_len + lunc
                            work\_start \leq work\_end,
                            x_{i,j,a} \in \{0,1\}, i \in ALL, j \in ALL, a \in A
                            y_{i,a} \in N , i \in ALL, a \in A
                            c_{i,a} \in N , i \in ALL, a \in A
                            w_{i,a} \in N , i \in ALL, a \in A
                            l_{i,j,a} \in \{0,1\}, i \in ALL, j \in ALL, a \in A
                            t_a \in N , a \in A
                            start = clients + 1
                            o = 0
                            C = \{1, ..., clients\}
                            ALL = \{0, ... 2 clients + 1\}
                            REAL = \{0, ..., clients\}
                            RBLE = ALL - \{s\}
                            FO = \{P+2, ..., 2clients + 1\}
```