



## Steps for Creating Package Using MSIX Packaging Tool


**Step 1: Download the MSIX Packaging Tool from Microsoft Store then Select Create your app package**




**Step 2: Select Create package on this computer -> Next**



**Step 3: In Prepare Computer:** It will take some time for checking the driver status once its installed then **click on check box** -> Next



**Step 4: In Select Installer -> Browse the .msi file and in Signing Preference select Do not sign package -> Next**



**Step 5: In Package information-> in Publisher name\* textbox give CN= at the start and then click on the checkbox after that select Windows 10 2016 LTSB from the dropdown-> Next**

The screenshot shows the 'MSIX Packaging Tool' window with the 'Create new package' title. The left sidebar lists steps: Select environment, Prepare computer, Select installer, Package information (selected), Accelerator, Installation, First launch tasks, Package report, and Create package. The main area is titled 'Package information' and contains the following fields and options:

- Package name \***: MozillaFirefox139.0.1x64en-US
- Package display name \***: Mozilla Firefox 139.0.1 x64 en-US
- Publisher name \***: CN=Mozilla
- Publisher display name \***: Mozilla
- Version \***: 139 . 0 . 1 . 0
- Package Description**: Mozilla Firefox 139.0.1 x64 en-US
- Installation location**: C:\Users\ghash\Downloads\FireFox\_msi (with a 'Browse...' button)
- ☒ Add support for MSIX Core to this package. See <https://aka.ms/MSIXCore> to learn more.
- Windows Version for MSIX Core support**: Windows 10 2016 LTSB (1607) (10.0.14393.0) (dropdown menu)
- Once you continue to the next page, installation will begin and you will not be able to return.

At the bottom right are buttons for 'Previous', 'Next', and 'Cancel'.


**Step 6: In Acceleration -> DO Nothing -> Next**

The screenshot shows the 'MSIX Packaging Tool' window with the 'Create new package' title. The left sidebar lists steps: Select environment, Prepare computer, Select installer, Package information, Accelerator (selected), Installation, First launch tasks, Package report, and Create package. The main area is titled 'Choose the Accelerator for applying to the package' and contains the following elements:


- Choose the Accelerator for applying to the package
- If you don't have an Accelerator, click Next to proceed with conversion.
- A text input field for the accelerator path, followed by a 'Browse...' button.
- Sample Conversion Accelerators [here](#).

At the bottom right are buttons for 'Previous', 'Next', and 'Cancel'.


## Step 7: In **Installation**-> Next




## Step 8: In **First Launch tasks**, click next a Dialog box will appear -> select **Yes,move on**




**Step 9: In Package report-> Next (Do Nothing)**



**Step 10: In Create Package->Browse where we want to save the MSIX package->Click Create**



**Step 11: After Creating, a Dialog box will appear **Package is successfully created**-> click on close and check in the save location**



**Step 12: The **MSIX file** and **xml file** will be present**

Today			
 firefox	30-05-2025 12:30	MSIX File	1,09,093 KB
 firefox_template.xml	30-05-2025 12:30	xmlfile	19 KB