


Pull-Ups



Sheet: /
File: NX-ISP.kicad_sch

Title:


Size: A5
KiCad E.D.A. 10.0.5

Date:

Rev:


Id: 1/5

CONNECTORS




+1V8 LDO

(USED FOR HRM)




+2V8 LDO


(USED FOR DISPLAY)



+3V3 LDO




LIPO CHARGER



Formula R_{ISET}: 300 / I_{OUT}(in Amperes)

Charge Current	Calculated R _{ISET}
50 mA	6000 Ω
100 mA	3000 Ω
150 mA	2000 Ω
200 mA	1500 Ω
300 mA	1000 Ω
400 mA	750 Ω
500 mA	600 Ω
600 mA	500 Ω
800 mA	375 Ω

NPM POWER CONTROL



IF NOT SPECIFID IN [0x0x] THEN ALL PASSIVE PARTS ARE IN: [0402]

Sheet: /Power section/
File: power_section.kicad_sch

Title:

Size: A4


Date:

KiCad E.D.A. 10.0.5


Rev:

Id: 2/5


Battery Fuel Gauge




9-DOF




Temp/Humidity/Pressure




BPM/SpO2



RTC



Ambient Light Sensor



SDA_1 SDA_1
SCL_1 SCL_1

IF NOT SPECIFD IN [0x0x] THEN ALL PASSIVE PARTS ARE IN: [0402]

Sheet: /Sensor section/
File: sensor_section.kicad_sch

Title:

Size: A4


Date:

KiCad E.D.A. 10.0.5

Rev:

Id: 3/5


ESP32-S3 N16R8




ESP32-S3 chip strapping pins:

GPIO 0.
GPIO 3.
GPIO 45.
GPIO 46.

EN DISPLAY



NAND-SD



IF NOT SPECIFID IN [0x0x] THEN ALL PASSIVE PARTS ARE IN: [0402]

Sheet: /Logic section/
File: logic_section.kicad_sch

Title:


Size: A5
KiCad E.D.A. 10.0.5

Date:


Rev:

Id: 4/5


NeoPixel Matrix



BUZZER



BUTTONS



Sheet: /Peripherie/
File: peripherie.kicad_sch

Title:

Size: A4 Date:

KiCad E.D.A. 10.0.5

Rev:
Id: 5/5