


DMZ



PORT MAPPING

The screenshot displays the web interface of a Claro HG8245H device. The top navigation bar includes links for Status, WAN, LAN, IPv6, WLAN, Security, Forward Rules (highlighted), Network Application, and System Tools. A 'Logout' link is located in the top right corner. The left sidebar contains a tree view with 'DMZ Configuration' expanded, showing 'Port Mapping Configuration' and 'Port Trigger Configuration'. The main content area is titled 'Forward Rules > Port Mapping Configuration' and contains a yellow informational box with instructions on setting port mapping parameters. Below this is a table with columns for Mapping Name, WAN Name, Internal Host, External Host, and Enable. The table currently has one row with dashes in all columns. 'New' and 'Delete' buttons are positioned above the table. The Windows taskbar at the bottom shows the Start button, a search bar, and several application icons. The system clock indicates 5:24 p.m. on 19/10/2025.

claro HG8245H Logout

Status WAN LAN IPv6 WLAN Security **Forward Rules** Network Application System Tools

DMZ Configuration Forward Rules > Port Mapping Configuration

Port Mapping Configuration

Port Trigger Configuration

On this page, you can set port mapping parameters to set up virtual servers on the LAN network and allow these servers to be accessed from the Internet.
Note: The well-known ports for voice services cannot be in the range of the mapping ports.

New Delete

Mapping Name	WAN Name	Internal Host	External Host	Enable
--	--	--	--	--

5:24 p.m.
19/10/2025

PORT TRIGGER

The screenshot displays the web management interface for a Claro HG8245H device. The top navigation bar includes links for Status, WAN, LAN, IPv6, WLAN, Security, Forward Rules (highlighted), Network Application, and System Tools. A 'Logout' link is located in the top right corner. The left sidebar contains a tree view with 'DMZ Configuration', 'Port Mapping Configuration', and 'Port Trigger Configuration' (selected). The main content area is titled 'Forward Rules > Port Trigger Configuration'. It features a yellow informational box stating: 'On this page, you can configure the range of the ports that are used by LAN-side applications to access the Internet. You can also enable the port automatically. Note: The well-known ports for voice services cannot be in the range of open ports.' Below this, there are 'New' and 'Delete' buttons. A table with the following columns is shown: WAN Name, Enable Port Trigger, Trigger Port, Open Port, Trigger Protocol, and Open Protocol. The table currently contains one row with dashes in all cells. The Windows taskbar at the bottom shows the search bar with 'Buscar', several application icons, and the system clock indicating 5:24 p.m. on 19/10/2025.

claro HG8245H Logout

Status WAN LAN IPv6 WLAN Security **Forward Rules** Network Application System Tools

DMZ Configuration

Port Mapping Configuration

Port Trigger Configuration

Forward Rules > Port Trigger Configuration

On this page, you can configure the range of the ports that are used by LAN-side applications to access the Internet. You can also enable the port automatically.
Note: The well-known ports for voice services cannot be in the range of open ports.

New Delete

	WAN Name	Enable Port Trigger	Trigger Port	Open Port	Trigger Protocol	Open Protocol
--	--	--	--	--	--	--

5:24 p.m.
19/10/2025

MAC FILTER

The screenshot shows the web interface of a Claro HG8245H router. The top navigation bar includes links for Status, WAN, LAN, IPv6, WLAN, Security (highlighted), Forward Rules, Network Application, and System Tools. A left sidebar lists configuration options: Firewall Level Configuration, IP Filter Configuration, MAC Filter Configuration (highlighted), WLAN MAC Filter Configuration, URL Filter Configuration, DoS Configuration, and Device Access Control. The main content area is titled 'Security > MAC Filter Configuration' and contains a yellow informational box stating: 'On this page, you can configure MAC filter to prohibit some PCs from accessing the Internet.' Below this, there are two settings: 'Enable MAC Filter:' with an unchecked checkbox, and 'Filter Mode:' with a dropdown menu set to 'Blacklist'. To the right of these settings are 'New' and 'Delete' buttons. A table with the header 'Source MAC Address' is shown, containing a single row with two dashes '--'. The bottom of the image shows a Windows taskbar with the Start button, a search bar labeled 'Buscar', and several application icons. The system clock in the bottom right corner displays '5:26 p.m. 19/10/2025'.

claro HG8245H Logout

Status WAN LAN IPv6 WLAN **Security** Forward Rules Network Application System Tools

Firewall Level Configuration
IP Filter Configuration
MAC Filter Configuration
WLAN MAC Filter Configuration
URL Filter Configuration
DoS Configuration
Device Access Control

Security > MAC Filter Configuration

On this page, you can configure MAC filter to prohibit some PCs from accessing the Internet.

Enable MAC Filter: ☐
Filter Mode: Blacklist ▼

New Delete

Source MAC Address	
--	--

Buscar

ENG 5:26 p.m. 19/10/2025

URL FILTER

The screenshot displays the web management interface for a Claro HG8245H device. The top navigation bar includes links for Status, WAN, LAN, IPv6, WLAN, Security (highlighted), Forward Rules, Network Application, and System Tools. A left sidebar lists various configuration sections: Firewall Level Configuration, IP Filter Configuration, MAC Filter Configuration, WLAN MAC Filter Configuration, URL Filter Configuration (highlighted in red), DoS Configuration, and Device Access Control. The main content area is titled 'Security > URL Filter Configuration' and contains a yellow informational box stating, 'On this page, you can set URL filter parameters.' Below this, there are two configuration fields: 'Enable URL Filter:' with an unchecked checkbox, and 'Filter Mode:' with a dropdown menu set to 'Blacklist'. To the right of these fields are 'New' and 'Delete' buttons. A table with the header 'URL Address' is shown below, containing a single row with a hyphen '--'. The bottom of the image shows a Windows taskbar with the Start button, a search bar labeled 'Buscar', and several application icons. The system clock in the bottom right corner indicates the time is 5:29 p.m. on 19/10/2025.

Claro HG8245H Logout

Status WAN LAN IPv6 WLAN **Security** Forward Rules Network Application System Tools

Firewall Level Configuration
IP Filter Configuration
MAC Filter Configuration
WLAN MAC Filter Configuration
URL Filter Configuration
DoS Configuration
Device Access Control

Security > URL Filter Configuration

On this page, you can set URL filter parameters.

Enable URL Filter: ☐

Filter Mode: Blacklist


New Delete

URL Address
--

Buscar

ENG 5:29 p.m. 19/10/2025

DDNS



HG8245H

[Status](#)
[WAN](#)
[LAN](#)
[IPv6](#)
[WLAN](#)
[Security](#)
[Forward Rules](#)
[Network Application](#)
[System Tools](#)

[Logout](#)

USB Application

ALG Configuration

UPnP Configuration

ARP Configuration

DDNS Configuration

IGMP Configuration

DNS Configuration

Network Application > DDNS Configuration

To obtain the dynamic DNS service, you must apply for a domain name from the dynamic DNS service provider to obtain the configuration information, including the host, user name, and password.

New

Delete

	WAN Name	Status	Service Provider	Domain Name
--	--	--	--	--

DDNS Service State:

WAN Name	Domain Name	Run State	Last Update Time	Last Error
--	--	--	--	--