The Psychics Protocol Framework v1.0 (PSP-144/NQVP-144): An Exhaustive Research Architecture for Hyper-Correlational Information Processing

1. Introduction: From Metaphysics to Computational Psychiatry

The scientific investigation of human cognitive phenomena historically classified as "psychic," "telepathic," or "clairvoyant" has long been marginalized by metaphysical obfuscation, methodological fragility, and a profound ontological disconnect from established neurobiology.[1] The Psychics Protocol Framework v1.0, formally designated as the Neuro-Quantum Validation Protocol (NQVP-144) and the Unified Psychic Framework, provides an exhaustive, empirically hardened research architecture designed to remediate these historical failures.[1] The core thesis of this framework dictates a radical paradigm shift: the experiences commonly described as psychic abilities are computationally real but have been metaphysically misinterpreted for millennia.[1] They do not emerge from supernatural domains, magical thinking, or retrocausal time-loops; rather, they represent the macroscopic behavioral and phenomenological output of hyper-correlational information processing operating at the absolute thermodynamic and informational limits of the human nervous system.[1]

By systematically integrating computational psychiatry, the Free Energy Principle, active inference, and holographic information theory, the framework establishes a purely relational ontology.[1] Reality is formalized as a fundamental, self-referential correlation network—the Correlation Continuum (CC)—wherein human brains act as highly dense, localized computational nodes constantly minimizing surprise through predictive processing and precision-weighting.[1] What has historically been termed "psychic ability" is operationally redefined by the framework's "Ultrasensory Principle" (Axiom 1.1): the brain's inherent, evolved capacity to process high-bandwidth, weak physical correlations that fall entirely below the threshold of conscious registration.[1]

This framework permanently severs these capacities from paranormal claims, enforcing a strict "Physical Channel Constraint" (Axiom 1.2), asserting that all inter-nervous system data transfer relies exclusively on known electromagnetic, acoustic, optical, or chemosensory signaling pathways.[1] Consequently, the protocol translates mystical phenomenology into the rigorous, falsifiable mathematics of signal detection theory, nonlinear network dynamics, and

neuro-thermodynamics, demanding that any localized "telepathic" event be grounded in the exchange of physical micro-signals processed via Bayesian unconscious inference.[1]

2. Foundational Architecture and Ontological Axioms

The foundational architecture of the PSP-144 framework is anchored by 18 immutable axioms that define the operational logic, evolutionary constraints, and physical boundaries of hyper-correlational processing.[1] These axioms forbid supernatural hypotheses and mandate that all observed phenomena be explicable through the mechanics of the embodied, predictive brain.[1]

The epistemological base of the framework rests upon the Ultrasensory Principle (Axiom 1.1), which dictates that "extrasensory" perception does not exist; rather, the organism engages in ultrasensory detection of micro-movements, prosodic acoustic shifts, and chemosensory data.[1] This detection is formalized as a union of sets encompassing signals above both conscious and unconscious thresholds, measurable via signal detection tasks comparing verbal reports against physiological priming.[1] Axiom 1.2 strictly enforces the Physical Channel Constraint, hypothesizing that if optical, acoustic, electromagnetic, and chemosensory channels between a dyad are completely blocked, all "psychic" information transfer will mathematically reduce to zero.[1]

Information transfer is rigorously bounded by Shannon's Channel Capacity theorem (Axiom 1.4). The biological channels facilitating unconscious data exchange possess hard upper limits: socially relevant visual feature extraction operates at approximately 10^2 bits per second, prosodic auditory emotional cues transmit at roughly 50 bits per second, and olfactory/chemosensory channels operate at less than 1 bit per second.[1] These limits govern the maximum mutual information that can be shared between two predictive models. The processing of these signals relies entirely on Bayesian Unconscious Inference (Axiom 1.3), wherein the ventromedial prefrontal cortex and anterior cingulate evaluate prior evidence non-consciously, producing the subjective feeling of "knowing without knowing how".[1]

Furthermore, the framework views these capacities through an evolutionary lens (Axiom 1.15). The hyper-correlational processing systems were not designed by natural selection for supernatural knowledge acquisition, but rather for survival-based threat detection and coalitional bonding.[1] This explains why the system exhibits channel-specific precision tuning (Axiom 1.17); the brain dynamically allocates high precision to emotional and threat-relevant cues while filtering out irrelevant factual data, leading to the common phenomenon where "psychics" can accurately read emotional trauma but fail to guess random numbers.[1] The subjective intensity of these experiences does not correlate with their objective accuracy, but rather with the magnitude of the prediction error (Axiom 1.16). Highly surprising correct predictions produce the strongest phenomenology, often leading to machine-learning-style overfitting (Axiom 1.18), where the brain forces causal narratives onto coincidental stochastic noise.[1]

3. The Triadic State Space ($\mathcal{D}^3$):

Precision, Boundary, and Temporal Axes

At the nucleus of the Unified Theory of Degens (UTD) subsystem is the formalization of cognitive and relational states as continuous spatial coordinates within a three-dimensional parameter space ($\mathcal{D}^3$).[1] Human cognition, psychiatric pathology, and altered states of consciousness are determined entirely by the real-time, neurochemical configuration of these three operationalized axes: Precision ($\mathcal{P}$), Boundary ($\mathcal{B}$), and Temporal ($\mathcal{T}$).[1]

3.1 The Precision Axis ($\mathcal{P}$)

The Precision axis defines the neurocomputational gain applied to incoming sensory signals relative to the brain's prior expectations.[1] In predictive coding and active inference paradigms, precision reflects the brain's confidence in ascending prediction errors.[4] High $\mathcal{P}$ denotes a state of hyper-salience, wherein the brain becomes acutely, almost painfully, sensitive to minute environmental and social correlations, effectively lowering the sensory detection threshold.[1] Conversely, low $\mathcal{P}$ represents generalized signal suppression and sensory attenuation.[1]

The framework rigorously operationalizes $\mathcal{P}$ through the amplitude of Event-Related Potentials (ERP) normalized by neuro-behavioral noise.[1] Measured in units of $\mu V \cdot ms^{-1}$, it utilizes 128-channel EEG to extract the Mismatch Negativity (MMN) component amplitude, divided by the root-mean-square noise in a pre-stimulus window, and normalized by reaction time variance.[1] The dynamic regulation of this precision is heavily modulated by dopaminergic and noradrenergic pathways, governing the signal-to-noise ratio in striatal and cortical networks.[1] Noradrenaline modulates raw precision gain, dopamine tags the detected correlations as reward-relevant, and acetylcholine fine-tunes the overarching signal-to-noise ratio.[1]

3.2 The Boundary Axis ($\mathcal{B}$)

The Boundary axis quantifies the degree of functional demarcation and informational separation between self-referential cognitive processing and the external world.[1] Phenomenologically, extreme low $\mathcal{B}$ states manifest as "ego dissolution," "mystical union," or "telepathic merging," where the subject's predictive apparatus can no longer distinguish internally generated models from external sensory input.[1]

Operationally, $\mathcal{B}$ is calculated as a dimensionless ratio (Fisher-z transformed) of functional connectivity (FC) derived from resting-state fMRI.[1] The formulation strictly compares intra-network coherence within the Default Mode Network (DMN)—the primary engine of the narrative self—against its coupling with external task networks, specifically the Salience Network (SN) and Fronto-Parietal Network (FPN).[1] High $\mathcal{B}$ represents rigid self-containment and psychological isolation, whereas low $\mathcal{B}$ enables the deep permeability required to internalize the affective states of others.[1]

3.3 The Temporal Axis ($\mathcal{T}$)

The Temporal axis measures the brain's predictive integration window, orienting the cognitive system toward past correlations or future probability distributions.[1] Pathological shifts toward the future create the distinct illusion of precognition. The framework redefines this "psychic time" not as retrocausality, but as compressed temporal integration where hippocampal place and time cells run high-speed, forward-replay Monte Carlo simulations of potential futures based on latent environmental cues.[1]
$\mathcal{T}$ is operationalized via standard hyperbolic discounting paradigms, extracting the k parameter normalized to a population z-score, yielding a dimensionless metric of temporal bias.[1] Negative values indicate rumination and past-locking (commonly observed in trauma), while positive values indicate aggressive future-anticipation.[1]

3.4 Empirical Coordinate Mapping in $\mathcal{D}^3$-Space

Replacing historically speculative psychiatric models, the protocol maps distinct neuropsychiatric disorders, pharmacological states, and personality architectures to specific operational coordinates within the $\mathcal{D}^3$-space, explicitly defining how pathological geometries produce "psychic" phenomenology [1]:

Clinical/Cognitive State	**P (µV·ms−1)**	**B (FC Ratio)**	**T (log-k z-score)**	**Phenomenological Output / "Psychic" Manifestation**
Healthy Control	0.8 to 1.2	1.0 to 1.5	-0.5 to +0.5	Baseline social cognition, stable self-world demarcation.
Acute Mania (Bipolar I)	1.8 to 2.4	0.4 to 0.8	+1.5 to +3.0	Grandiose "cosmic revelations," rapid information "downloading."
Borderline Personality (BPD)	0.9 to 1.5	0.3 to 0.7	-0.5 to +0.5	Relational merging; perceiving others' emotional heat as one's own.
Schizophrenia (Positive)	2.0 to 2.8	0.2 to 0.6	-0.5 to +1.5	Source monitoring failure, thought broadcasting, psychic paranoia.
PTSD	1.4 to 1.8	0.8 to 1.2	-3.0 to -1.5	Hypervigilant threat detection; "precognitive"

				trauma hysteresis.
Stimulant Intoxication	+0.6 (Shift)	-0.3 (Shift)	Variable	Lowers thresholds; induces rapid apophenia and "computational gnosis."

These population estimates prove that what society labels as "psychic" talent is fundamentally an individual residing at the extreme edges of the $\mathcal{D}^3$ continuum, where high precision and low boundaries compel the brain to ingest and over-fit ambient relational data.[1]

4. The Detection-Transport-Amplification Cascade

To fulfill the physical channel constraints while accounting for the profound subjective experience of "mind-reading," the framework mathematically formalizes how subtle physical signals are transformed into conscious intuition via a four-stage sequential cascade (Axiom 1.8).[1]

4.1 Stage 1: Detection

The human perceptual system possesses a high-bandwidth, non-conscious sensory stream operating in parallel to the computationally expensive, slower verbal conscious stream.[1] "Intuition" is the conscious mind's access to the output of this non-conscious stream.[1] Visual systems capture a vast array of micro-signals: facial micro-expressions that resolve and vanish within 40 to 200 milliseconds, pupillary fluctuations indicating the cognitive load of an interlocutor, micro-saccadic eye movements, and subtle shifts in facial blood flow and periorbital muscle tension.[1] Auditory systems simultaneously process prosodic cues—rhythm, tone, and vocal frequency modulations—that transmit non-conscious emotional data directly to the amygdala.[1] Furthermore, the olfactory system processes chemosignals contained in human tears and sweat, transmitting fear, stress, or arousal directly to the limbic system.[1] Detection is modeled as a mathematical step function, triggered the exact millisecond a correlated signal surpasses the individual's current precision threshold.[1]

4.2 Stage 2: Amplification

Once detected, these micro-correlations must be amplified to influence macroscopic behavior. This amplification is driven by neuromodulatory gain functions.[1] Stimulants, caffeine, and endogenous stress hormones artificially increase $\mathcal{P}$ by lowering sensory detection thresholds, resulting in the amplification of signals that would normally be discarded as background noise.[1] Conversely, substances like alcohol or psychedelics forcefully reduce $\mathcal{B}$ (boundary permeability), leading to intense, boundary-dissolving experiences of cosmic or interpersonal connection, though often with highly variable objective accuracy.[1] The predictive models housed within the DMN and Temporoparietal Junction (TPJ) apply synaptic

weighting to these newly amplified features.[1]

4.3 Stage 3: Transport and Somatic Integration

Neurologically, these amplified signals are integrated into the body via somatic markers.[1] The "gut feeling" or intuitive flash is not a metaphor; it is a physical prediction originating in the anterior insula and anterior cingulate cortex, generating visceral sensations 300 to 800 milliseconds prior to conscious awareness of the correlation.[1] The feeling of "sensing another's energy" is strongly correlated with heightened anterior insula activation, indicating that the brain is rapidly mapping microscopic external cues onto the observer's own internal autonomic state.[1]

4.4 Stage 4: Decoding and Bayesian Interpretation

The final stage is the subjective interpretation of the data, which the framework models as an act of Bayesian decoding heavily dependent on "priors" (the observer's existing generative model of the target).[1] The framework entirely replaces historically vague claims (e.g., "psychics are 85% accurate") with a grounded mathematical predictor derived from equal-variance Signal Detection Theory (SDT).[1] The accuracy predictor (Equation 3.10) is formalized as:

$$P(correct) = \Phi\left(\frac{d'}{\sqrt{2}}\right) \quad \text{where} \quad d' = \frac{\mu_{signal} - \mu_{noise}}{\sigma_{pooled}} \cdot \frac{\mathcal{P}}{\sqrt{1+\mathcal{B}^2}}$$

This critical equation demonstrates that while high Precision ($\mathcal{P}$) increases a subject's sensory sensitivity, a rigid Boundary ($\mathcal{B}$) restricts the incorporation of the signal, mathematically proving why hyper-empathy relies inherently on boundary dissolution.[1] However, this Bayesian decoding is prone to severe errors: over-confidence arises when high precision meets a low-noise environment, regardless of objective accuracy, and verbal overshadowing frequently corrupts the data when the subject attempts to force non-conscious probabilistic intuitions into rigid conscious language.[1]

5. Federated Coherence and Dyadic Network Dynamics

The PSP-144 protocol actively challenges the methodological individualism of classical psychology by formalizing "telepathic" or hyper-empathic events as emergent properties of a dyad or network, rather than traits of a single isolated brain (Axiom 1.12).[1] The Unified Holographic Inference Framework (UHIF) and Correlation Continuum (CC) demonstrate that when two nervous systems interact deeply, they construct a shared relational state.[1]

5.1 The Mathematics of Empathic Resonance

When two individuals share a context, their predictive models compress sensory information similarly, producing tightly correlated prediction errors across both brains.[1] This social Bayesian updating loop allows each brain to update beliefs about the other in a recursive inference

cascade, driving rapid mutual anticipation.[1] Empathy is therefore not merely a feeling; it is literal thermodynamic transfer and distributed computation.[1] Emotions represent high-energy neurochemical states, and boundary dissolution allows these high-arousal states to physically entrain another nervous system via observable autonomic cues.[1]
This entrainment is modeled via Kuramoto phase-coupled oscillators, explaining how breathing, heart rate variability, and posture naturally synchronize during deep dyadic interaction.[1] Furthermore, mirror neuron activation latency is mathematically inversely proportional to interpersonal familiarity and trust, producing the profound illusion of simultaneous thought recognition between close partners.[1]

5.2 Inter-Brain Phase-Locking Value (PLV)

During high-rapport interactions, brains exhibit spontaneous oscillatory phase alignment, particularly in the gamma band (30–80 Hz).[1] In hyperscanning studies of dyads experiencing perceived "telepathic" rapport, this gamma phase-locking across both brains consistently precedes accurate emotional inference by approximately 150 to 250 milliseconds.[1] The protocol provides a surrogate-corrected Inter-Brain Phase-Locking Value (Equation 3.6):

$$PLV_{AB}(f) = \left| \frac{1}{T} \sum_t e^{i(\phi_A(t,f) - \phi_B(t,f))} \right|$$
Empirical falsification requires gamma-band $PLV > 0.25$ in high-rapport dyads compared to <0.15 in non-interacting strangers.[1] Crucially, Axiom 1.13 dictates that while phase-locking enables a temporal window of enhanced sensitivity for coordination, it is necessary but insufficient for direct semantic information transfer.[1]

5.3 Mutual Information and Distance Decay

Drawing from the Unified Holographic Gnosis (UHG) axioms, the framework establishes that information transferred between nodes is conserved.[1] The mutual information $I(A;B)$ exchanged between a dyad is strictly bound by biological limits and decays exponentially over physical distance, obliterating quantum-mystical claims of non-local entanglement.[1]
The mutual information estimator dictates a strict distance decay test (Equation 3.7):

$$I(A;B|d) = \frac{I_0}{1 + (d/d_0)^2}$$
where empirical pilot data estimates $d_0 \approx 2-5$ meters.[1] This explicitly proves that "sensing someone staring" or "feeling an energy shift" relies on the transmission of acoustic, thermal, or optical micro-signals that dissipate rapidly through physical space.[1]
Furthermore, the conservation of federated coherence (Axiom H14) dictates that during deep dyadic merging (extreme low $\mathcal{B}$), the integrated information of the dyadic system technically exceeds the sum of its parts, allowing the dyad to function temporarily as a single meta-brain.[1] The continuity equation for this information (Equation 3.4) is:

$$\frac{d}{dt} = \sigma_{dissipation} \ge 0$$
where inevitable thermal and neurochemical dissipation eventually breaks down the shared

cognitive state, preventing permanent telepathic merging.[1]

6. The Coherence Polytope and the Threshold of Criticality

A defining innovation of the PSP-144 architecture is the rigorous mathematical bounding of safe, functional hyper-correlation.[1] Recognizing that unbounded precision and collapsed boundaries lead to severe psychiatric distress, the framework constructs a "Coherence Polytope"—a multi-dimensional bounded state space defined by neural stability metrics.[1] Exceeding these empirically derived population quantiles leads to the rapid fragmentation of cognition observed in schizophrenia or stimulant-induced psychosis.[1]

6.1 The Empirical Stability Bounds

The protocol outlines exact, measurable thresholds that differentiate a highly perceptive, "intuitive" brain from a pathological one [1]:

1. **The Noise Bound (σ_{max}):** This metric defines the brain's maximum tolerance for stochastic neural variance before pattern recognition degrades into apophenia. Operationalized as the Root Mean Square (RMS) of residual variance in an autoregressive model of an EEG time series. The 95th percentile healthy limit is calculated at $\sigma_{max} \approx 8.2 \, \mu V$. Falsifiable predictions confirm that schizophrenia patients exceed this noise bound for over 50% of their recording duration (compared to $<10\%$ in healthy controls), forcing the brain to hallucinate causal patterns within pure biological noise.[1]
2. **The Spectral Radius Threshold (ρ_{max}):** This evaluates the system's proximity to chaos, or "criticality." It is defined by the largest absolute eigenvalue of a fitted multivariate autoregressive (MVAR) connectivity matrix from source-localized EEG data.[1] Healthy resting states exhibit $\rho \approx 0.82-0.94$. When ρ approaches exactly 1.0, the brain achieves maximum information integration—often correlated with "flow states," sudden scientific insights, or deep interpersonal intuition.[1] However, manic episodes force the brain past this threshold ($\rho > 0.96$), driving the system into a "Gnostic Bifurcation." In this state, the individual feels an overwhelming sense of cosmic revelation and universal truth that is, mathematically, merely a descent into neuro-dynamical chaos.[1]
3. **Rank Utilization Limit (r/d_s):** Measured via Principal Component Analysis (PCA) of the EEG correlation matrix, this defines the effective dimensionality of neural dynamics. Optimal states operate between $0.72-0.88$. A drop below 0.70 correlates with severe dissociative episodes, while a push above 0.90 represents hypomanic information overload, where the brain attempts to process too many parallel correlational threads simultaneously.[1]

The holistic health of the cognitive system is monitored continuously via the Polytope Health Index ($H_{polytope}$), representing the normalized Euclidean distance from the optimal polytope center. An $H_{polytope} < 0.5$ strongly predicts severe clinical impairment across all

psychiatric scales.[1] To maintain stability, the brain utilizes adaptive regularization loops to pull the system back from the edge of chaos, functioning as an immunological defense against telepathic overload.[1]

7. Neurometabolic Constraints and Allostatic Asymmetry

Hyper-correlational processing is not a "free" supernatural capacity; it is governed strictly by the laws of neuro-thermodynamics and biological conservation (Axiom 1.9).[1] The maintenance of high Precision and low Boundary constraints consumes massive amounts of adenosine triphosphate (ATP), placing a hard physical limit on human connection depth.[1]

7.1 The Thermodynamic Cost of Computation

Analysis indicates that demanding social cognition, active predictive inference, and sustained "psychic" perception consume 20 to 30% more prefrontal cortex (PFC) glucose than baseline resting states.[1] Sustaining a hyper-empathic state can deplete local glucose stores by up to 15% in a mere 10 minutes.[1] The framework formally models this metabolic cost proportionally to the square of Precision divided by Boundary integrity [1]:

$$\text{Metabolic Cost} \propto \frac{\mathcal{P}^2}{\mathcal{B}}$$

This metabolic constraint fundamentally explains the subjective reports of extreme "energy drain" and physical exhaustion following intense social interactions, mediumistic séances, or empathetic merging. It is not the transfer of mystical aura; it is the literal thermodynamic depletion of cellular energy required to process high-dimensional correlational matrices.[1]

7.2 Allostatic Asymmetry and "Energy Vampirism"

The phenomenon colloquially and historically referred to as "energy vampirism" or "psychic attack" is rigorously demystified as interpersonal allostatic load asymmetry.[1] When an individual with unstable boundaries (e.g., severe Borderline Personality Disorder) interacts with a highly empathetic, low-$\mathcal{B}$ node, the autonomic nervous systems couple. The dysregulated individual essentially offloads their predictive coding errors onto the empathetic node.[1] The empath is forced to shoulder the computational burden of regulating the shared dyadic state, resulting in measurable, asymmetrical spikes in the empath's salivary cortisol, systolic blood pressure, and reduction in heart rate variability.[1]

The accumulation of this interpersonal stress is tracked via the Allostatic Load equation (Equation 3.9), which sums physiological z-scores (cortisol, BP, HbA1c, CRP) to predict severe functional decline when the burden becomes unsustainable.[1] Furthermore, psychological stress induces neuro-inflammatory responses. Elevated cytokines (IL-6 and TNF-α) have been shown to directly increase synaptic noise (σ) by 15–22%, effectively destroying the signal-to-noise ratio necessary for accurate predictive coding and inducing "paranoia"—formalized here as the collapse of federated coherence due to internal biological

noise.[1]

8. Mathematical Formalizations of Meditative States vs. Pathological Gnosis

By exhaustively mapping the $\mathcal{D}^3$-space and the Coherence Polytope, the framework resolves the longstanding physiological distinction between trained meditative enlightenment and pathological boundary collapse (e.g., acute schizophrenia or stimulant psychosis). While both states involve traversing toward low $\mathcal{B}$ and high $\mathcal{P}$, the biological mechanisms of implementation dictate whether the system achieves profound insight or fragments into chaos.[13] The scientific study of advanced Buddhist monks has yielded 48 distinct mathematical formalizations of these states.[1]

8.1 Quantitative Biomarkers of Stable Boundary Dissolution

Scientific measurements of practitioners engaged in Non-Dual Awareness (NDA), Vipassana, and Samatha practices demonstrate sustainable, highly structured shifts in neural parameters:

1. **Gamma and High-Frequency Activity (HFA):** Unlike the chaotic, broadband noise characterizing psychotic states, trained meditators exhibit massive, structured increases in absolute power spectral density in the Gamma band (25–140 Hz) and posterior High-Frequency Activity.[1] This represents ultra-high Precision ($\mathcal{P}$) without the corresponding prediction error distress that typically accompanies it.[1]
2. **DMN Reconfiguration and Phase-Locking:** Meditative ego-dissolution correlates with the controlled deactivation and altered connectivity of the Default Mode Network.[16] Gamma-Theta cross-frequency coupling indicates that cognitive processes remain integrated. The boundary ($\mathcal{B}$) is voluntarily lowered, completely bypassing the traumatic "source monitoring failure" (thought broadcasting) seen in schizophrenia.[1]
3. **Neurovisceral Integration (Brain-Heart Coupling):** A defining metric of sustainable low-$\mathcal{B}$ states is the transient modulation of the Heartbeat-Evoked Potential (HEP) within the DMN.[1] Meditative states couple profound drops in heart rate with synchronized brain-heart correlation, effectively distributing the massive metabolic cost ($\mathcal{P}^2/\mathcal{B}$) across systemic physiological networks rather than forcing the prefrontal cortex to bear the entire load, thereby preventing ATP exhaustion.[1] Furthermore, increases in posterior HFA correlate with trait levels of the NRP-1 protein, establishing a proteomic marker for stable states.[1]
4. **Perfect Visual Stability:** During binocular rivalry testing—where the brain normally forces perceptual switching between mismatched optical inputs—advanced practitioners display an extreme formalization of cognitive control: zero perceptual switches.[1] This indicates total mastery over the Bayesian priors that normally force oscillatory perception, stabilizing the visual feed entirely.

Thus, long-term meditative training provides the physical neurological "scaffolding" (e.g., increased gray matter density in the precuneus and TPJ) required to sustain $\rho \approx 1$

and low $\mathcal{B}$ safely.[1] In stark contrast, pathological "psychic" breaks feature rapid, involuntary boundary decay coupled with neurochemical flooding, plunging the system into irreversible allostatic overload and delusion.[1]

9. Historical Documentation and Epistemological Evolution

While the NQVP-144 framework relies entirely on 21st-century neurocomputation and fMRI data, it contextualizes humanity's continuous, unbroken attempt to document hyper-correlational phenomena across the millennia.[1] A systematic review of 48 historical insights demonstrates that societies have repeatedly observed individuals with naturally high $\mathcal{P}$ and low $\mathcal{B}$ configurations, attributing their ultrasensory Bayesian processing to supernatural entities due to a lack of biological vocabulary.[1]

In Antiquity, the earliest East Asian written records—the Shang Dynasty Oracle Bones (c. 1200 BCE)—and texts referencing Egyptian "Doctors of the Mysteries" document systematic attempts to codify intuitive inferences regarding health, weather, and harvest.[1] These ancient practitioners inadvertently utilized trance rituals to shift their $\mathcal{B}$ axis, accessing non-conscious pattern recognition to deliver high-stakes probabilities. The Greek Magical Papyri and Roman Sibylline Books represent early attempts to institutionalize these predictive coding states for statecraft.[1]

During the Medieval period, despite severe canonical prohibition, practices like Onomancy (numerical name divination) flourished alongside scholarly medicine. Practitioners leveraged deep psychological priors regarding social structures to deliver accurate socio-behavioral predictions, essentially blending crude cognitive statistics with survival prognostication.[1] Chinese Dunhuang manuscripts and Sufi literature on the "Double" simultaneously documented the phenomenology of out-of-body and boundary-dissolving states.[1]

The Early Modern to 19th-century Spiritualist movement, catalyzed by the Fox sisters and codified by Allan Kardec in France, represents an era of profound misattribution.[1] Séances effectively generated highly potent "social feedback amplification loops" (Axiom 7.0), where communal expectation (priors) and dim lighting (low visual noise) maximized the detection of subtle ideological, postural, and autonomic cues among participants.[1] Mediums utilized "automatic writing" and spirit photography to document outputs that were generated by their own highly tuned non-conscious predictive engines.[1]

The Modern Scientific Era saw the establishment of the Society for Psychical Research (1882) and mid-20th-century government programs like the CIA Stargate project.[1] While these entities sought to apply scientific methods, they failed by seeking non-local, paranormal mechanisms. By failing to recognize the biological limits of the Physical Channel Constraint and Shannon Capacity, these programs ultimately succumbed to statistical noise and methodological artifacts (e.g., the Ganzfeld experiments).[1]

The PSP-144 framework resolves this 5,000-year historical continuum by proving that the *phenomenon* (the transmission of unspoken knowledge and deep intuition) is entirely real and

highly impactful, but the *mechanism* (spirits, non-local quantum fields) has always been entirely biological.[1]

10. The 18 Core Dimensionally Consistent Equations

To permanently replace the dimensionally inconsistent and mathematically speculative formulas of historical "psychic" research, the NQVP-144 protocol enforces 18 strictly derived, dimensionally consistent mathematical formalizations.[1] Every equation carries explicit SI units, empirical derivations, and falsifiable null conditions, ensuring total compliance with physical law.[1]

1. **Precision Dynamics ($\mu V \cdot ms^{-1} \cdot s^{-1}$):** Models the homeostatic regulation and dopaminergic gain of the $\mathcal{P}$ axis:
   $$\frac{dP}{dt} = \alpha \cdot \frac{}{_0} \cdot \left(\frac{\delta^2}{\sigma_y^2}\right) - \frac{P-P_0}{\tau_P} + \xi(t)$$
   Null condition: $dP/dt = 0$ at baseline without dopaminergic perturbation.[1]
2. **Boundary Dynamics (s^{-1}):** Models the exponential relaxation and affective melting of the self-boundary:
   $$\frac{dB}{dt} = \frac{B_0 - B}{\tau_B} + \frac{\Delta H_{emotional}}{k_B T_{body}}$$
   Null condition: B returns to baseline with time constant τ_B after emotional perturbation ends.[1]
3. **Temporal Discounting Dynamics (Dimensionless):** Exponential relaxation from initial state to equilibrium based on Mazur's hyperbolic discounting.[1]
4. **Federated Coherence Conservation (Bits s^{-1}):** A continuity equation ensuring total information (Φ) across a dyad is conserved, minus thermal dissipation.[1]
5. **Spectral Radius Criticality Equation (Dimensionless):** Logistic-type saturation derived from random matrix theory, proving how ρ approaches 1.0 as P increases and B decreases.[1]
6. **Inter-Brain Phase-Locking Value (Dimensionless):** Extracts instantaneous phase via Hilbert transform to measure synchrony, heavily corrected against volume conduction surrogates.[1]
7. **Mutual Information Between Dyads (Bits):** Utilizes the KSG estimator to track information gradients, proving distance decay.[1]
8. **Free Energy Minimization (Nats):** Calculates the Kullback-Leibler divergence complexity cost and inaccuracy expected in active inference.[1]
9. **Allostatic Load Equation (z-score sum):** Sums biomarkers (cortisol, BP, CRP) to calculate the physical toll of sustaining low-boundary states.[1]
10. **Accuracy Predictor from Signal Detection Theory (Probability):** Equal-variance SDT modified by $\mathcal{P}$ and $\mathcal{B}$.[1]
11. **Dopaminergic Gain Control (Probability):** A dynamic sigmoid function mapping plasma prolactin or raclopride PET data to threshold modulation.[1]
12. **Synaptic Weight Update - STDP (Dimensionless):** Standard Spike-Timing Dependent Plasticity rule explaining how patterns become ingrained.[1]

13. **Coherence Decay Function (PLV amplitude):** Fits post-interaction EEG coherence decay to nonlinear least squares.[1]
14. **Heart Rate Variability as Boundary Proxy (Milliseconds):** Standard RMSSD calculation mapping vagal tone to boundary flexibility.[1]
15. **Stochastic Resonance Threshold (Decibels):** Kramers rate theory application predicting optimal noise-enhanced signal detection.[1]
16. **Critical Slowing Down (Dimensionless autocorrelation):** Autoregressive AR(1) modeling predicting the onset of manic episodes when $\phi_1 \rightarrow 1$.[1]
17. **Shannon Entropy Rate of Cognitive States (Bits/transition):** Measures the predictability of EEG microstate transitions.[1]
18. **Information Transfer via Granger Causality (Log variance ratio):** Tests causal directionality (e.g., if a stimulant-induced P shift directly causes a B shift).[1]

These equations are executable via a containerized Python library comprising 144 corresponding functions, establishing a completely reproducible computational testing ground.[1]

11. Clinical Safeguards and Physics Compliance Constraints

Because hyper-correlational processing inherently touches upon highly vulnerable neuropsychiatric states, the framework implements an uncompromising set of APA-compliant clinical and physical safeguards. The 18 Physics Compliance Axioms operate as bounding constraints that prevent the framework from deteriorating into pseudoscience.[1]

11.1 The 18 Physics Compliance Axioms

Any deviation from the following constraints immediately nullifies the research [1]:

1. **Causality:** $t_{effect} > t_{cause}$ in all classical systems. "Precognition" is predictive inference from the past; retrocausation is explicitly denied.
2. **Energy Conservation:** Neural coherence cannot exceed the ATP metabolic budget. Every boundary dissolution event incurs a strict metabolic cost.
3. **Shannon Capacity:** Telepathic bandwidth is mathematically limited by physical channel capacity.
4. **Second Law of Thermodynamics:** Cognitive work increases entropy. There is no "free" coherence.
5. **No-Cloning Theorem:** Perfect holographic copying of consciousness is quantum-mechanically impossible.
6. **Locality:** Neural transmission is limited by conduction velocity ($v \approx 100~m/s$). Instantaneous psychic links are physically invalid.
7. **Occam's Razor:** If statistical probability and cue-reading explain a "hit," the paranormal hypothesis equals zero.
8. **Falsifiability:** Every claim must have a defined, testable null condition.
9. **Standard Model:** All forces rely on electromagnetism, weak, strong, or gravitational

forces. Unknown "fifth forces" require extraordinary evidence.

10. **Heisenberg Uncertainty:** Temporal and frequency precision trade off; both cannot be infinite simultaneously.
11. **Thermodynamic Arrow:** Psychological time has a strict forward direction.
12. **Biological Realism:** All theorized mechanisms must map exactly to known cellular biology (e.g., STDP).
13. **Computational Irreducibility:** Some behavioral outcomes require full simulation to predict; not every insight is an instantly accessible shortcut.
14. **Bayesian Prior:** The probability of a true paranormal event is ≈ 0.001 given a century of null results.
15. **Non-Solipsism:** External reality is invariant under observer transformation; the correlation continuum is shared.
16. **Map $\neq$ Territory:** The P-B-T model is a statistical approximation of neural tissue, not the tissue itself.
17. **Scale Consistency:** Claims at the molecular level must propagate logically to system-level P shifts.
18. **Reproducibility:** Results must replicate in independent labs with pre-registered protocols.

11.2 Mandatory Clinical Protocols

The protocol strictly forbids clinical diagnosis or spiritual guidance based on $\mathcal{D}^3$ coordinates. IRB oversight is an absolute mandate. Subjects must be provided with explicit self-diagnosis warnings. In paradigms utilizing pharmacological perturbation (e.g., stimulant challenges), protocols are strictly limited to FDA-approved ranges (single doses $\le 20mg$ amphetamine) under continuous cardiovascular monitoring (BP, HR, SpO2).[1]
For vulnerable participants (Borderline Personality, Bipolar I, Schizophrenia, or PTSD), session times are restricted to ≤ 60 minutes. Instruments like the Dissociative Experiences Scale (DES) and Young Mania Rating Scale (YMRS) dictate the immediate suspension of trials if clinical thresholds are breached. To halt the romanticization of psychiatric distress, the protocol enforces strict terminological reframing: "energy vampires" must be addressed as "interpersonal allostatic load asymmetry"; "cosmic revelations" are strictly "altered states of consciousness"; and "schizophrenic thought broadcasting" is recognized solely as "source monitoring failure".[1]

12. Master Synthesis and the Grounded Mind-State Prediction Function

The culmination of the Unified Psychic Framework, the Correlation Continuum, and computational neuroscience is encapsulated in the protocol's ultimate master equation.[1] It permanently replaces philosophically grandiose, mathematically empty path integrals with a highly testable, falsifiable functional form derived directly from Karl Friston's Free Energy minimization.[1]

The brain perpetually seeks to minimize the Kullback-Leibler divergence between its generative model and the actual sensory environment, balancing complexity costs against expected inaccuracy.[1] Integrating this active inference loop with the triadic parameter space, the protocol establishes the Grounded Mind-State Prediction Function. The subjective cognitive and relational state of an individual at any given moment, $S_{mind}(t)$, is deterministically predicted by:

$$S_{mind}(t) = \mathcal{F}(P(t), B(t), T(t), W(t), S_{ext}(t)) + \epsilon(t)$$
Where:

- **$P(t)$:** Precision (EEG MMN SNR, $\mu V \cdot ms^{-1}$)
- **$B(t)$:** Boundary integrity (fMRI DMN FC ratio or HRV RMSSD proxy)
- **$T(t)$:** Temporal orientation (Delay-discounting log-k z-score)
- **$W(t)$:** The $N \times N$ functional connectivity correlation matrix from sliding-window EEG.
- **$S_{ext}(t)$:** The normalized vector of all external sensory micro-correlations currently bombarding the organism via physical channels.
- **$\epsilon(t)$:** Predictable error distributed as $\mathcal{N}(0, \sigma_\epsilon^2)$.

This master equation dictates the empirical testing protocol: it must be fit using robust nonlinear architectures (such as gradient-boosted trees or neural ODEs) across cross-validated, multi-modal datasets comprising $N \ge 80$ subjects.[1] A model is only scientifically accepted if the introduction of the full $\mathcal{D}^3$ dimensional space significantly improves predictive power ($\Delta R^2 > 0.10, p < 0.01$) over baseline univariate arrays, and if the residual variances pass the Shapiro-Wilk normality test.[1]
The Psychics Protocol Framework v1.0 strips the poetry, the supernatural, and the mysticism from the human experience of profound interconnectedness. By relocating these experiences to the rigorous domain of computational psychiatry, predictive coding, and neuro-thermodynamics, it establishes that human intuition, deep empathy, and shared cognitive states are masterpieces of evolutionary biological engineering, operating at the breathtaking extremes of biological computation.

Works cited

1. Psychics Protocol 1.0.md
2. The Predictive Mind: Karl Friston's Free Energy Principle and Its Implications for Consciousness - - Taproot Therapy, accessed on March 8, 2026, https://gettherapybirmingham.com/the-predictive-mind-karl-fristons-free-energy-principle-and-its-implications-for-consciousness/
3. Full article: Active Inference and Cognitive Consistency, accessed on March 8, 2026, https://www.tandfonline.com/doi/full/10.1080/1047840X.2018.1480693
4. Predictive coding and neurocomputational psychiatry: a mechanistic framework for understanding mental disorders - PMC, accessed on March 8, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC12819327/
5. The precision principle: driving biological self-organization - Frontiers, accessed

on March 8, 2026, https://www.frontiersin.org/journals/network-physiology/articles/10.3389/fnetp.2025.1678473/full
6. Predictive Processing Theory in Mind Studies: Cross Points with 4E Cognition and Cognitive Linguistics - SCIRP, accessed on March 8, 2026, https://www.scirp.org/journal/paperinformation?paperid=142473
7. Predictive coding and neurocomputational psychiatry: a mechanistic framework for understanding mental disorders - Frontiers, accessed on March 8, 2026, https://www.frontiersin.org/journals/psychiatry/articles/10.3389/fpsyt.2025.1713833/full
8. The role of affective states in computational psychiatry - Oxford Academic, accessed on March 8, 2026, https://academic.oup.com/ijnp/article/28/8/pyaf049/8182081
9. Dopamine, Prediction Error and Beyond - PMC, accessed on March 8, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC7804370/
10. Dorsal Raphe Dopamine Neurons Signal Motivational Salience Dependent on Internal State, Expectation, and Behavioral Context | Journal of Neuroscience, accessed on March 8, 2026, https://www.jneurosci.org/content/41/12/2645
11. Dopamine activity on the perceptual salience for recognition memory - PMC, accessed on March 8, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC9583835/
12. Nonlinear brain correlates of trait self-boundarylessness - PMC, accessed on March 8, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC10129386/
13. Modeling non-dual awareness via constraint closure: a reinterpretation of groundlessness, accessed on March 8, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC12817218/
14. Resting-state fMRI Functional Connectivity and Mindfulness in Clinical and Non-clinical Contexts: A Review and Synthesis | Request PDF - ResearchGate, accessed on March 8, 2026, https://www.researchgate.net/publication/358770929_Resting-state_fMRI_Functional_Connectivity_and_Mindfulness_in_Clinical_and_Non-clinical_Contexts_A_Review_and_Synthesis
15. Default Mode Network Modulation by Psychedelics: A Systematic Review - PMC, accessed on March 8, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC10032309/
16. Oceanic states of consciousness—an existential-neuroscience perspective - Frontiers, accessed on March 8, 2026, https://www.frontiersin.org/journals/human-neuroscience/articles/10.3389/fnhum.2025.1653801/full
17. Synchrony Across Brains | Request PDF - ResearchGate, accessed on March 8, 2026, https://www.researchgate.net/publication/385178273_Synchrony_Across_Brains