A Unified Systems Architecture for Cognitive Dominance and Altered Social Cognition

Introduction to the Cognitive Domain

The nature of contemporary strategic competition has fundamentally evolved, transitioning from purely kinetic engagements across the physical domains of land, sea, air, and space, to complex, multi-domain operations wherein the human mind itself is the primary theater of conflict.[1] Adversaries, notably the People's Republic of China and the Russian Federation, have formally integrated the cognitive domain into their strategic warfighting doctrines, seeking not only biological dominance but "mental/cognitive dominance".[4] In this environment, operations are designed to exploit vulnerabilities in human neurobiology, utilizing weaponized narratives, algorithmic micro-targeting, and massive environmental noise to degrade decision-making, disrupt societal cohesion, and paralyze the military Observe, Orient, Decide, Act (OODA) loop.[3]
Historically, military and civilian efforts to optimize human performance and harden cognitive resilience have been hampered by the "tyranny of averages"—an experimental and doctrinal paradigm that relies on between-subject outcomes and group means.[7] This approach erroneously characterizes individual cognitive variance as statistical noise or residual error.[7] Consequently, interventions ranging from physical training regimens to brain stimulation and psychological conditioning are rendered suboptimal, failing to account for the highly individualized, dynamic nature of the human cognitive state.[7]
To achieve true cognitive dominance, it is necessary to construct a comprehensive, mathematically grounded framework that unifies advanced theoretical neuroscience, computational psychiatry, and military-grade systems engineering.[8] By translating the phenomenology of altered social cognition, extreme psychological states, and elite human performance into quantifiable parameters, we can establish a unified state-space model of the human mind.[8] This report details the Precision-Boundary-Temporal (P-B-T) framework, its integration with the Department of Defense Architecture Framework (DoDAF) and NASA systems engineering principles, and its profound implications for inter-agent coherence, environmental modulation, and defensive cognitive warfare.[3]

The Computational Architecture of the Human Mind

The foundation of this unified architecture is the premise that the brain operates as an advanced predictive engine, continuously generating internal models of the world and updating them based on sensory prediction errors.[8] This is formalized within the Free Energy Principle and active inference frameworks, which posit that all cognitive and behavioral

processes strive to minimize the discrepancy between expected and actual sensory inputs.[12] Within this paradigm, the P-B-T model isolates three continuously varying axes—Precision, Boundary, and Temporal orientation—alongside a systemic measure of neural criticality, to plot the exact coordinates of any cognitive state.[8]

The Precision Axis: Bayesian Gain and Hyper-Salience

Precision (P) represents the mathematical weighting, or gain, applied to incoming sensory evidence relative to the brain's internally generated prior expectations.[8] In hierarchical Bayesian inference, the updating of beliefs at any cognitive level is strictly proportional to this precision-weighted prediction error.[12] The dynamics of the Precision axis are formalized as follows:

$dP/dt = \alpha \cdot (/_o) \cdot (\delta^2 / \sigma_y^2) - (P - P_o) / \tau_P + \xi(t)$

In this equation, P is the precision index, operationalized empirically via the mismatch negativity (MMN) peak amplitude in an electroencephalogram (EEG) during an auditory oddball paradigm.[8] The term $ /_o$ represents the dopaminergic gain relative to baseline, indicating that fluctuations in dopamine directly amplify the precision weighting of prediction errors.[8] The parameter δ is the raw prediction error, σ_y^2 is the behavioral variance, τ_P represents the relaxation time constant required for the system to return to baseline, and $\xi(t)$ introduces stochastic environmental noise.[8]

When P is pathologically elevated, the system experiences hyper-salience.[8] The brain begins attributing profound, often cosmic significance to weak, ambiguous, or purely internal signals, refusing to dismiss environmental noise as random.[8] This hyper-weighting drives phenomena such as paranoia, where the subject constructs elaborate hidden-agent narratives to explain away minor prediction errors, and grandiose ideation, where internal thoughts are granted infinite epistemological weight regardless of external contradicting evidence.[8] Conversely, a collapse in P attenuates the propagation of reward signals and prediction errors, resulting in the profound anhedonia and cognitive flattening characteristic of severe depressive states.[8]

The Boundary Axis: The Default Mode Network Firewall

The Boundary axis (B) quantifies the functional separation between self-referential cognitive processing and externally directed sensory processing.[8] Neurologically, this is defined by the interaction between the Default Mode Network (DMN)—which maintains the autobiographical "self-model"—and task-positive networks such as the salience and frontoparietal networks.[8] The B axis is empirically measured as a dimensionless ratio of DMN-internal to DMN-external functional connectivity, utilizing resting-state functional magnetic resonance imaging (fMRI).[8]

The temporal evolution of the Boundary axis is hypothesized as:

$dB/dt = -(B - B_o) / \tau_B + \Delta H_{arousal} / (k_B T_{body})$

Here, B is the boundary index, τ_B is the relaxation time, $\Delta H_{arousal}$ represents a physiological or emotional arousal perturbation, and the denominator $k_B T_{body}$ normalizes the term to render it dimensionless.[8]

A high B state maintains a rigid cognitive firewall, clearly demarcating the self from the

environment and others. A low B state results in boundary dissolution.[8] In this condition, the DMN fails to suppress the predictive models of other agents. The subjective experience is one of profound emotional contagion, merger, or forced empathy, wherein the individual processes another person's affective state utilizing their own neurological hardware.[8] When extreme trauma or arousal forces a "boundary crash," the B variable inverts, temporarily ejecting the self-model entirely to function as a protective psychological circuit-breaker, leading to severe dissociation.[8]

The Temporal Axis: Reward Prediction and Event Horizons

The Temporal axis (T) measures the brain's orientation along a past-to-future temporal horizon.[8] It dictates how the cognitive cost function calculates risk and reward over time. It is operationalized via delay-discounting behavior, utilizing the hyperbolic discounting parameter (k) derived from standardized choice tasks.[8]

An expansive, positive T state indicates a profound future-orientation, where distant goals act as stable attractors shaping present behavior.[8] However, if the T axis expands pathologically without a grounding mechanism, the individual feels as though they are already living in the distant future, a hallmark of manic detachment.[8] Conversely, a collapse of T toward absolute zero removes the future term from the brain's cost function.[8] Without the ability to simulate future consequences, risk calculation fails, driving impulsive urgency and reckless behavior.[8] A negative T drift indicates a system locked into historical data; the predictive model simulates all future states based entirely on past trauma, maintaining zero variance for potential reward, which mathematically defines clinical hopelessness.[8]

Neural Criticality and the Spectral Radius

Underpinning the P-B-T axes is the systemic metric of neural criticality, which posits that optimal brain function occurs near a phase transition between ordered and disordered dynamics.[8] This is measured via the spectral radius (ρ) of the multivariate autoregressive (MVAR) coefficient matrix derived from continuous EEG data:

$\rho(W) = \max_i |x_i(W)|$

In a healthy cognitive baseline, the spectral radius approaches, but does not exceed, 1.0 (typically ranging from 0.82 to 0.94).[8] When a system becomes supercritical ($\rho > 1.0$), neural activity propagates without sufficient inhibition, creating "neural avalanches".[8] Subjectively, this results in racing thoughts and the chaotic "flight of ideas" seen in acute mania and stimulant intoxication, where a single stimulus ignites an uncontrolled cascade of associations.[8] A subcritical state ($\rho < 0.9$) represents systemic rigidity; information flow is stifled, and the cognitive engine becomes trapped in deep, inescapable basins of attraction, severely limiting behavioral flexibility.[8]

Computational Parameter	**Neural Correlate**	**Empirical Measurement**	**Subjective / Behavioral Manifestation**
Precision (P)	Dopaminergic gain;	MMN peak amplitude	Hyper-salience,

	weighting of prediction error	(EEG) in oddball paradigm	paranoia, rigid prior expectations, meaning-making
Boundary (B)	DMN internal/external functional connectivity	fMRI correlation ratio	Egoic firewall, emotional contagion, dissociation, mind-reading
Temporal (T)	Reward prediction horizon; cost function horizon	Hyperbolic discounting parameter (k)	Impulsivity, rumination, strategic vision, risk tolerance
Criticality (ρ)	Phase transition of neural propagation	MVAR spectral radius from resting EEG	Racing thoughts, neural avalanches, cognitive rigidity, flow states

Mapping Cognitive Topologies: From Pathology to Optimization

By plotting specific conditions within the three-dimensional P-B-T state space, supplemented by the spectral radius, we can mechanistically explain both debilitating psychiatric conditions and elite, optimized cognitive states. This framework moves beyond descriptive diagnostic criteria (such as the DSM-5) to offer a generative, computational understanding of human logic and emotion.[8]

The Pathological Topologies

Borderline Personality Disorder (BPD) exemplifies the logic of "Emotional Gravity".[8] It is computationally defined by a chronically low B axis and highly variable, hyper-reactive P.[8] Because the boundary between the self-model and the external world is porous, the individual suffers from identity diffusion; their self-concept acts as a hologram projected by the immediate environment and requires constant external mirroring to stabilize.[8] The low B state prevents the brain from holding contradictory evidence simultaneously, forcing a binary, dichotomous reasoning style (splitting) that abandons Bayesian integration.[8] When high precision (P) is applied to internal interoceptive signals, visceral gut feelings are mathematically processed as objective environmental truths—a phenomenon termed "Emotional Proof".[8] Furthermore, high P applied to social micro-cues results in causal over-personalization, where random environmental noise (e.g., a delayed message) is instantly interpreted as relational punishment.[8]

Bipolar Disorder represents an architecture of "Oscillatory Expansiveness".[8] It is defined by massive swings in P, T, and ρ.[8] During a manic phase, the system becomes supercritical ($\rho > 1.0$), and the brain applies infinite precision to its internal generative predictions while actively filtering out external counter-evidence.[8] The temporal axis (T)

collapses toward zero, deleting future consequences from risk calculations, making highly dangerous actions appear perfectly logical.[8] This extreme gain causes incomplete thoughts to be registered as urgent prediction errors that must be resolved immediately, driving compulsive pattern completion and pressured speech.[8] In the depressive phase, the system crashes into subcriticality ($\rho < 0.9$), and P drops precipitously, flattening the gradient between behavioral options and inducing profound analysis paralysis.[8]

Schizophrenia demonstrates the logic of "Over-Fitted Noise".[8] It is anchored by a chronically high P applied indiscriminately to background environmental noise, coupled with severe boundary (B) dissolution.[8] The system suffers from sensory gating failure, unable to suppress redundant information.[8] The hyper-precision forces the predictive model to find causality and intentionality in pure randomness, leading to severe apophenia and hyper-causality.[8] Because the B axis is compromised, the brain loses the ability to monitor the source of its own computations; internally generated verbal thoughts are therefore misattributed to external sources, producing the experience of auditory hallucinations and thought broadcasting.[8] Additionally, the boundaries between conceptual categories dissolve, resulting in semantic dissolution and hyper-literal thinking.[8]

The Optimized Topology: The Mystic and Volitional Control

In stark contrast to the pathological archetypes—where the subject is trapped by their state-space coordinates—the optimized human operator (conceptually termed the "Mystic" or the 145th Insight within the framework) possesses volitional control over the P-B-T parameters.[8] This represents the pinnacle of human dimension optimization.[8]

The optimized operator possesses a specialized cognitive toolkit:

1. **Volitional Precision Control (dP/dt):** The ability to consciously dial P up or down. Through techniques like focused attention training or gamma-band neurofeedback, the operator can spike P to achieve laser-like focus on a specific target, suppressing all other inputs. Conversely, they can intentionally lower P to enter a state of open monitoring, allowing for wide-field situational awareness without premature cognitive closure or over-reaction to noise.[8]
2. **Volitional Boundary Modulation (dB/dt):** The capacity to temporarily lower B to achieve deep empathic resonance, crucial for human intelligence (HUMINT) gathering, negotiation, and threat assessment. Crucially, the optimized operator possesses a rapid "Boundary Reset" mechanism. The relaxation time (τ_{reset}) is exceptionally short, allowing the operator to quickly re-establish a high B state (a functional ego-firewall) to prevent the debilitating emotional contagion and secondary trauma that degrades standard operators.[8]
3. **Temporal Anchoring (dT/dt):** The operator can project a massive positive future vision (high T) to guide long-term strategy, but utilizes contemplative anchoring techniques to tie that future tightly to the present moment. This ensures that grand strategic visions do not detach from immediate tactical realities, avoiding manic abstraction.[8]

Mathematically, this optimized state represents a system hovering perfectly at criticality, potentially aligning with theoretical equilibria in information geometry, sometimes analogized to the "Sophia Point" or a mathematical constant of $1/\phi$, where a system achieves perfect structural integrity with maximal information throughput and minimal free-energy expenditure.[19] In a social context, the optimized operator acts as a "Stabilizing Field." When paired with a dysregulated individual (e.g., a squad member suffering a low-B panic state), the operator's stable, high-B self-model acts as a localized attractor, mathematically loaning coherence to the distressed individual and accelerating their return to baseline.[8]

Inter-Agent Coherence and Social Inferential Dynamics

The computational framework extends beyond the isolated mind to rigorously define the interaction between multiple cognitive systems. During social interaction, brains do not merely exchange data; they attempt to mutually predict one another, leading to emergent network phenomena.[8]

The Mathematics of Hyperscanning

Inter-agent coherence is quantitatively measured through electroencephalography (EEG) and functional near-infrared spectroscopy (fNIRS) hyperscanning paradigms, which record the brain activity of multiple individuals simultaneously.[23] The synchronization between brains is calculated using the surrogate-corrected Phase-Locking Value (PLV) and the Information-theoretic Mutual Information ($I(A;B)$) [8]:

$$PLV_{AB}(f) = |1/T \cdot \Sigma_t \exp(i \cdot (\phi_A(t,f) - \phi_B(t,f)))|$$

$$I(A;B) = H(A) + H(B) - H(A,B)$$

Where ϕ represents the instantaneous phase of the neural signal isolated via Hilbert transform, and H denotes Shannon entropy.[8] High inter-brain synchrony (IBS) indicates that two individuals share aligned attention, emotional attunement, and a coupled predictive model.[23] For example, parent-child dyads exhibit massive PLV coupling in the prefrontal cortex during successful joint attention and verbal turn-taking.[25] Conversely, individuals with Autism Spectrum Disorder (ASD), severe anxiety, or depression exhibit markedly reduced IBS, indicating a failure to phase-lock with social partners due to rigid or miscalibrated precision weighting on social cues.[23]

The "Witch Spiral" and Misfit WiFi

When individuals with specific, extreme P-B-T profiles interact, they can generate aggressive coherence attractors, a state colloquially described in the conceptual literature as "Misfit WiFi" or the "Witch Spiral".[8] This occurs when two individuals—often possessing borderline (low B) and bipolar/schizotypal (high P) traits—achieve a synchronized supercriticality.[8]

In this state, the phase-locking value exceeds standard thresholds ($PLV_{AB} > 0.4$), creating a closed cognitive loop.[8] Because both individuals have low boundaries, their self/other filters

dissolve. The individual with the highest precision (P)—meaning the one with the most absolute, unyielding internal predictions—projects a "high-definition reality" that easily overwrites the more malleable priors of the low-boundary partner.[8] Their prediction errors align, their autonomic nervous systems entrain, and their dopaminergic release cycles synchronize.[8]

Subjectively, this creates a consensual hallucination, an experience of absolute relational merger, telepathy, or accessing a "spirit realm".[8] Mechanistically, however, this is entirely classical physics: it is rapid, unconscious, hyper-salient active inference operating without the normal friction of cognitive boundaries, amplified by synchronized dopamine spikes.[8]

Understanding this dynamic is critical for military intelligence and interrogation operations, as an interrogator trained in volitional P-B-T modulation could theoretically establish an aggressive coherence attractor to safely overwrite the priors of a hostile subject.

Environmental and Geophysical Forcing Functions

The stochastic noise term, $\xi(t)$, in the precision dynamic equation is not entirely random; it is significantly modulated by the Earth's geophysical and atmospheric environment.[8] These environmental modulators act as systemic forcing functions, shifting the baseline P-B-T coordinates of entire populations and increasing the statistical likelihood of cognitive dysregulation.[8]

Environmental Modulator	Physical Mechanism	Impact on P-B-T Framework
Lunar Cycles	Gravitational fluid dynamics and nocturnal illumination causing melatonin suppression.[8]	Decreases Boundary (B) due to thalamic gating failure; Increases Precision (P) via dopaminergic emulation of sleep deprivation. Lowers the threshold for mania.[8]
Schumann Resonance	Earth-ionosphere cavity resonance at ~7.83 Hz, mirroring human EEG theta waves.[8]	Acts as a global external oscillator. Can "nudge" a brain hovering near criticality ($\rho \approx 1$) into chaotic supercriticality ($\rho > 1$), triggering neural avalanches.[8]
Geomagnetic Storms	Severe solar emissions (Kp Index spikes) altering the Earth's magnetic field.[8]	Induces neuro-electrical micro-currents. Injects massive noise into the system, causing high-P individuals to over-fit data, triggering widespread paranoia and physiological stress.[8]
Barometric Pressure	Rapid atmospheric pressure	Destabilizes the physical

	drops altering intracranial pressure and blood oxygenation.[8]	anchor of the self-model, causing boundary (B) perturbations. Subjectively experienced as feeling ungrounded or scattered.[8]
Atmospheric Ionization	High positive-to-negative ion ratios (e.g., pre-storm winds) depleting serotonin.[8]	Induces oxidative stress. Collapses the Temporal axis (T), locking populations into high-arousal, highly impulsive states characterized by short-term reactivity.[8]

Historically relegated to fringe science, the biological effects of extremely low-frequency magnetic fields (ELF-EMF) and severe space weather are now well-documented in peer-reviewed literature.[32] Severe geomagnetic storms are correlated with altered EEG spectral characteristics (increased slow-wave theta rhythms and decreased high-frequency rhythms), localized indistinct headaches, and statistically significant increases in myocardial infarctions and allostatic load.[30] For military commanders, monitoring the Kp index and atmospheric ionization is as vital as monitoring physical weather; anticipating a severe geomagnetic storm allows commanders to pre-emptively reduce cognitive loads on intelligence analysts and radar operators, knowing their Precision axes are under severe environmental perturbation.[8]

Systems Engineering Integration: DoDAF and NASA Architectures

To mature the P-B-T framework from computational philosophy into a military-grade, deployable capability, it must be integrated into established enterprise architecture frameworks. The Department of Defense Architecture Framework (DoDAF V2.02) and NASA's systems engineering guidelines provide the rigorous scaffolding necessary to translate abstract psychological variables into managed, interoperable data systems.[9]

Integration with DoDAF Viewpoints

DoDAF utilizes a data-centric, "Fit-for-Purpose" approach, organizing complex enterprise systems into discrete, manageable viewpoints.[9] Integrating cognitive telemetry (e.g., real-time EEG ρ values, fMRI B-ratio baselines) into DoDAF ensures that the human dimension is treated with the same engineering rigor as an advanced weapons platform.[18]

- **All Viewpoint (AV):** The AV-1 (Overview and Summary Information) formally defines "Cognitive Dominance" and "Inter-Agent Coherence" as strategic objectives for the enterprise.[9] The AV-2 (Integrated Dictionary) is crucial; it standardizes the definitions of P, B, T, and ρ across all military branches, preventing semantic drift and ensuring that a Navy medical officer and an Army intelligence analyst mean the exact

same mathematical construct when discussing "boundary dissolution".[9]

- **Capability Viewpoint (CV):** Models CV-1 through CV-7 manage the taxonomy and evolution of cognitive capabilities.[9] For example, CV-3 (Capability Phasing) outlines the timeline for deploying advanced neurofeedback training (to grant operators volitional control over P) across different echelons, synchronizing capability delivery with the broader modernization strategy.[9]
- **Data and Information Viewpoint (DIV):** The DIV models manage the data structures of the cognitive framework.[9] DIV-1 establishes the conceptual relationship between prediction error and dopamine. DIV-2 establishes the logical data rules, detailing exactly how behavioral variance (σ_y^2) is calculated. DIV-3 defines the physical schemas—how the terabytes of raw EEG and biometric telemetry generated by Intelligent Psychological Monitoring Systems [39] are compressed, encrypted, and stored in military databases using XML or JSON.[9]
- **Operational Viewpoint (OV):** The OV models dictate how cognitive states affect mission execution.[9] OV-1 provides the high-level concept graphic of a squad operating under cognitive dominance. OV-5b (Operational Activity Model) and OV-6a (Operational Rules Model) define specific protocols; for instance, a business rule dictating that if a drone operator's spectral radius (ρ) drops below 0.85 (subcritical fatigue), the system automatically hands off targeting authority to a secondary operator.[9]
- **Project Viewpoint (PV):** Models PV-1 through PV-3 track the dependencies and funding of cognitive research initiatives.[9] This maps Defense Advanced Research Projects Agency (DARPA) programs (like TAILOR and RESTORE) directly to capability requirements, ensuring research transitions smoothly through the Planning, Programming, Budgeting, and Execution (PPBE) process.[9]
- **Services Viewpoint (SvcV) and Standards Viewpoint (StdV):** SvcV models design the specific software APIs required to ingest physiological data and output real-time estimates of dP/dt and dB/dt.[9] StdV models enforce the technical standards, ensuring that all biometric sensors comply with the DoD Information Technology Standards Registry (DISR).[9]

NASA Systems Engineering Safeguards

NASA's systems engineering handbook mandates strict controls for technical risk management, exit criteria, and the establishment of a Product Breakdown Structure (PBS).[10] When applied to the cognitive framework, this requires the rigorous enforcement of the CSRVA Version 5.1 validation architecture.[8] Every equation must specify a falsifying null condition. For example, the hypothesis that intranasal oxytocin decreases the Boundary (B) index must be tested via a pre-registered, double-blind crossover RCT, with the null condition stating that $|B_{oxytocin} - B_{placebo}| < 0.10$.[8] Furthermore, NASA's focus on system integrating physics demands that all cognitive phenomena remain bounded by known thermodynamics and Shannon channel capacities; hypotheses invoking non-local quantum mechanisms for macroscopic brain function are strictly prohibited.[8]

Military Applications: Boyd's OODA Loop, Active Inference, and DARPA HPO

The ultimate objective of unifying computational psychiatry with systems engineering is the generation of tangible military superiority. This requires a re-evaluation of legacy concepts, such as human performance optimization (HPO) and decision-making cycles, through the lens of the P-B-T architecture.[43]

The OODA Loop as Predictive Processing

Colonel John Boyd's OODA loop (Observe, Orient, Decide, Act) is the foundational paradigm of military decision-making.[45] Historically, it has been oversimplified as a circular checklist. However, when viewed through the Free Energy Principle, Boyd's OODA loop is a perfect description of active inference.[5]

- **Observation/Orientation:** This phase corresponds directly to the updating of the brain's generative model via precision-weighted prediction errors.[45] The "Orientation" phase—which Boyd identified as the *Schwerpunkt* (center of gravity)—is heavily dependent on an individual's P and B parameters.[5] If an adversary can manipulate the environment to inject massive uncertainty, they force the target's P axis to dysregulate. The target becomes overwhelmed by prediction errors, their orientation shatters, and they are unable to construct a coherent model of reality.[8]
- **Decision/Action:** This corresponds to policy selection aimed at minimizing expected free energy.[12] An optimized operator rapidly generates novelty, executing actions that the enemy's predictive model cannot account for. This induces an intolerable prediction error in the adversary, pushing their cognitive engine into a subcritical crash ($\rho < 0.9$) characterized by paralysis and systemic collapse.[5]

Recent U.S. Army TRADOC research corroborates this, demonstrating that at the infantry squad level, cognitive dominance is frequently achieved when squad leaders possess the cognitive flexibility to temporarily disobey rigid mission orders in favor of immediate, contextual problem-solving.[48] This disobedience is a prime example of an operator fluidly navigating the P-B-T space: lowering B to absorb the reality of the battlefield, spiking P to identify a novel vulnerability, and executing an action outside of doctrine to shatter the enemy's OODA loop.[48]

DARPA HPO: Defeating the Tyranny of Averages

The U.S. military is actively pursuing technologies to quantify and enhance these parameters. The DARPA TAILOR program specifically targets the "tyranny of averages" in human performance optimization.[7] Legacy HPO models assumed a standardized response to interventions (e.g., assuming a specific stimulant dose equally enhances all personnel). TAILOR utilizes third-wave artificial intelligence to reason over contextual counterfactuals, recognizing that individual biological and psychological variances are not residual errors, but critical data points.[7] The P-B-T framework provides the exact multidimensional taxonomy TAILOR requires

to individualize interventions, ensuring that a soldier with a naturally high baseline P is not prescribed a neuro-stimulant that would push them into a detrimental supercritical state.[7] Concurrently, the DARPA RESTORE program aims to map the precise biomarkers of sleep architecture to mitigate the severe cognitive degradation caused by sleep deprivation.[49] Sleep deprivation artificially suppresses the Boundary (B) axis and dysregulates dopaminergic systems, emulating the coordinates of borderline and manic pathologies.[8] By utilizing neuro-imaging and performance metrics like the Psychomotor Vigilance Task (PVT), RESTORE seeks to develop targeted neurophysiological interventions to artificially sustain healthy P-B-T coordinates during extended operations.[49]

Offensive and Defensive Cognitive Warfare

The most urgent application of the P-B-T framework lies in the realm of Cognitive Warfare. NATO explicitly defines Cognitive Warfare as the weaponization of propaganda, deception, mass data, and neurotechnologies to alter the perceptions, sense-making, and behaviors of entire populations.[3]

The Mechanics of Cognitive Assault

Adversaries approach the cognitive domain symmetrically to physical domains. China's People's Liberation Army (PLA) writes extensively about the necessity of achieving "mental/cognitive dominance" (制脑权) and "intelligence dominance" (制智权) as precursors to conventional military victory.[4] The Russian Federation utilizes sophisticated information operations to overwhelm target audiences, a tactic that successfully facilitated the eviction of U.S. forces from Niger by systematically drowning out U.S. narratives and inducing localized hostility.[6]

A cognitive assault is mathematically designed to exploit the P-B-T parameters of a target population. By unleashing highly emotive, contradictory, and algorithmically micro-targeted disinformation, adversaries artificially induce a state of high allostatic load and widespread prediction error.[3] This systemic stress causes a collective drop in the Boundary (B) axis and erratic spikes in the Precision (P) axis.[8] The targeted population is forced into the computational coordinates of Borderline Personality Disorder: societal boundaries dissolve, emotional contagion runs rampant, and the capacity for nuanced, Bayesian reasoning is replaced by rigid, dichotomous splitting (us vs. them).[8] The adversary achieves strategic victory without kinetic force because the target society's OODA loop has been structurally shattered from within.[3]

Establishing Cognitive Defense and Resilience

Defending against Cognitive Warfare requires moving beyond simple media literacy campaigns. The NATO Chief Scientist report and contemporary strategic literature demand the establishment of robust, structural cognitive defenses.[3]

1. **Cognitive Indicators and Warnings:** The military must establish enduring fusion cells that integrate neurocognitive science, data analytics, and operational intelligence to

monitor the cognitive domain.[52] By continuously tracking population-level sentiment, physiological stress markers, and information velocity, commanders can identify the early warning signs of an induced high-P / low-B societal shift, treating it with the same urgency as a massing of armored divisions on a border.[52]

2. **Neuro-AI Readiness Programs:** Cognitive readiness must be instantiated as a mission-critical substrate.[52] Personnel must be trained in the volitional control of their P-B-T parameters, utilizing advanced neurofeedback and simulated high-noise environments to build structural resilience against precision hijacking.[8]
3. **Ethical Safeguards:** The exploration and application of the cognitive state space must be governed by strict ethical frameworks, such as the American Psychological Association (APA) guidelines and the CSRVA protocols.[8] Research involving the manipulation of precision boundaries or stimulant challenges must involve rigorous clinical oversight, informed consent, and an absolute prohibition against non-scientific, paranormal claims regarding the phenomena of inter-brain synchrony and hyper-inference.[8]

Conclusion

The pursuit of cognitive dominance necessitates the abandonment of outdated, averaged models of human psychology in favor of a rigorous, mathematical architecture. The unification of the Precision-Boundary-Temporal framework with the enterprise systems engineering of DoDAF and NASA provides a comprehensive blueprint for understanding, measuring, and optimizing the human mind.

By defining the extremes of human experience—from the severe vulnerabilities of psychiatric pathology to the peak synchronization of elite tactical teams—as specific coordinates within a multi-dimensional state space, the military can directly address the realities of modern Cognitive Warfare. Subjective phenomena such as social inference, interpersonal coherence, and decision-making under stress are reduced to their physical, computational mechanisms. As strategic competitors increasingly target the cognitive domain to achieve political objectives without kinetic conflict, the operationalization of this unified framework is not merely an academic exercise; it is an urgent strategic imperative. Through the ethical, scientifically grounded application of these principles, allied forces can harden societal resilience, optimize operator performance, and secure absolute dominance in the human domain.

Works cited

1. TRADOC Pamphlet 525-92, accessed on March 7, 2026, https://adminpubs.tradoc.army.mil/pamphlets/TP525-92.pdf
2. FM 3-0, Operations - Cyberwar.nl, accessed on March 7, 2026, https://cyberwar.nl/d/20171005_US-Army-Field-Manual-FM-3-0-Operations.pdf
3. Cognitive Warfare - NATO Science and Technology Organization, accessed on March 7, 2026,

https://www.sto.nato.int/wp-content/uploads/chief-scientist-report-cognitive-warfare-final.pdf
4. Assessing “Cognitive Warfare”, accessed on March 7, 2026, https://irregularwarfare.org/articles/assessing-cognitive-warfare/
5. Top Gun Day Special: The Four Ps of OODA - No Way Out, accessed on March 7, 2026, https://nowayout.buzzsprout.com/2109174/episodes/17151640-top-gun-day-special-the-four-ps-of-ooda
6. How the United States Can Fight and Win in the Cognitive Domain - AHS, accessed on March 7, 2026, https://alexanderhamiltonsociety.org/security-strategy/issue-five/how-the-united-states-can-fight-and-win-in-the-cognitive-domain/
7. TAILOR: Teaching AI to Leverage Overlooked Residuals - DARPA, accessed on March 7, 2026, https://www.darpa.mil/research/programs/teaching-ai-to-leverage-overlooked-residuals
8. Psychology Insights 144x.md
9. DODAF Viewpoints and Models - Chief Information Officer, accessed on March 7, 2026, https://dodcio.defense.gov/Library/DoD-Architecture-Framework/dodaf20_viewpoints/
10. NASA Systems Engineering Handbook Rev 2 i, accessed on March 7, 2026, https://essp.larc.nasa.gov/EVI-6/pdf_files/NASA_SystemsEngineeringHandbookRev2.pdf
11. Predictive Coding and Neurocomputational Psychiatry: A Mechanistic Framework for Understanding Mental Disorders - ResearchGate, accessed on March 7, 2026, https://www.researchgate.net/publication/391874827_Predictive_Coding_and_Neurocomputational_Psychiatry_A_Mechanistic_Framework_for_Understanding_Mental_Disorders
12. The role of affective states in computational psychiatry - Oxford Academic, accessed on March 7, 2026, https://academic.oup.com/ijnp/article/28/8/pyaf049/8182081
13. Predictive coding and neurocomputational psychiatry: a mechanistic framework for understanding mental disorders - PMC, accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC12819327/
14. Pupil dilation offers a time-window on prediction error | eLife, accessed on March 7, 2026, https://elifesciences.org/articles/105287
15. Task-positive Functional Connectivity of the Default Mode Network Transcends Task Domain - PubMed, accessed on March 7, 2026, https://pubmed.ncbi.nlm.nih.gov/26244722/
16. The architecture of the human default mode network explored through cytoarchitecture, wiring and signal flow - PMC, accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC11893468/
17. EEG Frequency Bands in Psychiatric Disorders: A Review of Resting State Studies - PMC, accessed on March 7, 2026,

https://pmc.ncbi.nlm.nih.gov/articles/PMC6333694/
18. The U.S. Army Study of the Human Dimension in the Future 2015-2024 - DTIC, accessed on March 7, 2026, https://apps.dtic.mil/sti/citations/ADA489116
19. Misanthropy: The Critique Of Humanity 1474293174, 9781474293174 - DOKUMEN.PUB, accessed on March 7, 2026, https://dokumen.pub/misanthropy-the-critique-of-humanity-1474293174-9781474293174.html
20. r/GhostMesh48 - Reddit, accessed on March 7, 2026, https://www.reddit.com/r/GhostMesh48/
21. System Practice: Coherence Game. Created by myself using the principles... | by Larry Nicholas Olsen | Medium, accessed on March 7, 2026, https://medium.com/@nicktheym/system-practice-coherence-game-1ad368366c54
22. Fixpoint - Edge.org, accessed on March 7, 2026, https://www.edge.org/response-detail/27200
23. A Systematic Review of Inter-Brain Synchrony and Psychological Conditions: Stress, Anxiety, Depression, Autism and Other Disorders - PMC, accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC12564765/
24. Inter-brain synchrony to delineate the social impairment in autism spectrum disorder: a systematic review on hyperscanning studies - PMC, accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC12586996/
25. The impact of language context on inter-brain synchrony in bilingual families - Frontiers, accessed on March 7, 2026, https://www.frontiersin.org/journals/cognition/articles/10.3389/fcogn.2025.1695132/full
26. Longitudinal intergenerational hyperscanning reveals indices of relationship formation and loneliness - bioRxiv.org, accessed on March 7, 2026, https://www.biorxiv.org/content/10.1101/2025.10.14.682029v1.full.pdf
27. GEOMAGNETIC DISTURBANCES and PSYCHOPHYSIOLOGICAL CHARACTERISTICS OF ADULT FEMALE - UNOOSA, accessed on March 7, 2026, https://www.unoosa.org/documents/pdf/psa/activities/2022/ISWI2022/s8_10.pdf
28. Brain Waves and the Schumann Resonance: Exploring the Electromagnetic Connection Between the Earth and Human Consciousness - ResearchGate, accessed on March 7, 2026, https://www.researchgate.net/publication/384040884_Brain_Waves_and_the_Schumann_Resonance_Exploring_the_Electromagnetic_Connection_Between_the_Earth_and_Human_Consciousness
29. Geomagnetic Storms and their Influence on the Human Brain Functional State, accessed on March 7, 2026, https://www.researchgate.net/publication/228762769_Geomagnetic_Storms_and_their_Influence_on_the_Human_Brain_Functional_State
30. GEOMAGNETIC STORMS AND THEIR INFLUENCE ON THE HUMAN BRAIN FUNCTIONAL STATE - Images of Hope, accessed on March 7, 2026, http://imagesofhopeeldorado.com/wp-content/uploads/2024/06/0624-GeomagStormstheirInfluenceonHumans.pdf

31. The Influence of Geomagnetic Storms on the Risks of Developing Myocardial Infarction, Acute Coronary Syndrome, and Stroke: Systematic Review and Meta-analysis - PMC, accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC12005662/
32. Biological Effects of Magnetic Storms and ELF Magnetic Fields - PMC - NIH, accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC10740910/
33. accessed on March 7, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC10590107/#:~:text=ELF%2DEMF's%20effects%20on%20the%20cardiovascular%20system.&text=No%20effect%20was%20observed.&text=In%20short%2Dterm%20exposure%2C%20the,suppression%20in%20heart%20rate%20elevation.
34. Biological Effects of Magnetic Storms and ELF Magnetic Fields - MDPI, accessed on March 7, 2026, https://www.mdpi.com/2079-7737/12/12/1506
35. DoDAF Architecture Framework Version 2.02 - Chief Information Officer, accessed on March 7, 2026, https://dodcio.defense.gov/portals/0/documents/dodaf/dodaf_v2-02_web.pdf
36. DODAF Models - Model List, accessed on March 7, 2026, https://dodcio.defense.gov/Library/DoD-Architecture-Framework/dodaf20_models/
37. Reframing the Human Dimension - Army University Press, accessed on March 7, 2026, https://www.armyupress.army.mil/Journals/Journal-of-Military-Learning/Journal-of-Military-Learning-Archives/April-2017-Edition/Reframing-the-Human-Dimension/
38. Department of Defense Architecture Framework - Wikipedia, accessed on March 7, 2026, https://en.wikipedia.org/wiki/Department_of_Defense_Architecture_Framework
39. Cognitive Warfare - NATO's ACT, accessed on March 7, 2026, https://www.act.nato.int/activities/cognitive-warfare/
40. DoD Architecture Framework Version 2.0 - Chief Information Officer, accessed on March 7, 2026, https://dodcio.defense.gov/Portals/0/Documents/DODAF/DoDAF%20V2%20-%20Volume%202.pdf
41. Expanded Guidance for NASA Systems Engineering, accessed on March 7, 2026, https://ntrs.nasa.gov/api/citations/20170007239/downloads/20170007239.pdf
42. Engineering Elegant Systems: Theory of Systems Engineering - NASA, accessed on March 7, 2026, https://www.nasa.gov/wp-content/uploads/2018/09/nasa_tp_20205003644_interactive2.pdf
43. Human Performance Optimization Metrics: Consensus Findings, Gaps, and Recommendations for Future Research - PubMed, accessed on March 7, 2026, https://pubmed.ncbi.nlm.nih.gov/26506192/
44. Human Performance Optimization: An Evolving Charge to the Department of Defense - DTIC, accessed on March 7, 2026, https://apps.dtic.mil/sti/tr/pdf/ADA503348.pdf

45. Unlocking Reality: OODA Loops, Emergence, and the Mind's Hidden Boundaries - YouTube, accessed on March 7, 2026, https://www.youtube.com/watch?v=RIZeH25zmr8
46. OODA Loop: A Blueprint for the Evolution of Military Decisions - RTI, accessed on March 7, 2026, https://www.rti.com/blog/ooda-loop-a-blueprint-for-the-evolution-of-military-decisions
47. Full article: Automating the OODA loop in the age of intelligent machines: reaffirming the role of humans in command-and-control decision-making in the digital age - Taylor & Francis, accessed on March 7, 2026, https://www.tandfonline.com/doi/full/10.1080/14702436.2022.2102486
48. COGNITIVE DOMINANCE THROUGH THE ENGAGEMENT DECISION MATRIX - Army.mil, accessed on March 7, 2026, https://www.benning.army.mil/infantry/magazine/issues/2017/APR-JUN/pdf/12)Larsen-EDM_txt.pdf
49. DARPA Overview, accessed on March 7, 2026, https://www.darpa.mil/sites/default/files/attachment/2025-03/darpa-program-restore-proposer-day-presentation.pdf
50. cognitive warfare - NATO's ACT, accessed on March 7, 2026, https://www.act.nato.int/wp-content/uploads/2025/10/20251001_CogWar-Newsletter-October.pdf
51. Full article: The Emergence of Cognitive Intelligence (COGINT) as a New Military Intelligence Collection Discipline - Taylor & Francis, accessed on March 7, 2026, https://www.tandfonline.com/doi/full/10.1080/08850607.2025.2571497
52. Cognitive Warfare 2026: NATO's Chief Scientist Report as Sentinel Call for Operational Readiness > Institute for National Strategic Studies > View Publications, accessed on March 7, 2026, https://inss.ndu.edu/Research-and-Commentary/View-Publications/Article/4371195/cognitive-warfare-2026-natos-chief-scientist-report-as-sentinel-call-for-operat/
53. Cognitive Warfare: An Allied Blueprint and a Pentagon Opportunity - Small Wars Journal, accessed on March 7, 2026, https://smallwarsjournal.com/2026/01/16/cognitive-warfare/