


24 March 2022 11:07

Refunilation of Geaple with Matrices :

1) Adjacency Maline









of Incidence Malsia


$$v_1$$
 v_2 e_6 v_3


			Cole	11.00
		1	L	
Ro28	→ →	\[\frac{1}{7}	5 8	3 7 6 9 3 x

	1	//	. /	1	1			
(o o	6	C	d	e			
100	0	1	1	0,	L	1=3	3	
16	1	0	0	0	0	7	ſ	
16	1	0	0	1	1	-	3	
d	0	0	1	0	ヹ	-9	2	
Je	0 1	O	1	1	0	->	3	









	e,	e2	e_3	ey	45	T6	_
21	L	1	0	Ō	0	0	
U2	0	1 0	1	1	D	1	
V13	0	0	O	0	1	1	
ry	1	0	1	0	0	0	
215		L	0	L	1	0	


e_1 e_2 e_3	v_2 e_4 v_3	
v_4 e_8	v_5	


	1 e,	2	e_3	ey	e5	Co	e1	es_
20,	f	1	1	Ŏ	O	0	D	0
2/2	0	L	1	1	D	1	1	0
2/2	0	0	D	1	1	Ŏ	0	0
ry	0	0	0	0	0	0	L	1
V5	0	0	0	D	0 0 1 0	I	0	0

Sloglash :-

A subgraph q a graph $G = G(Y_1 E)$ is a graph $H = H(V'_1 E')$ where $V' \subseteq V$ and $E' \subseteq E$

A selgraph 499 is a proper sitgraph if H & G.





The total no. 9 Sugarha