Students & Companies

A platform for Seamless Internship Coordination

Acquadro Patrizio, Colosio Giacomo, Drugman Tito Nicola Academic Year 2024-2025








RASD

Requirement Analysis and Specification Document







Goals ®

- O1 Students would like to find and be matched with internships that align with their skills, experiences and professional interest.
- Company tutors would like to reach and attract students who have the right profile and are interested in their internship offering.
- Company tutors would like to manage their selection process and track the status of applications and selections.
- University tutors would like to monitor their students' internships and to address complaints or issues that might arise.





Lorenzo (University Student) David (Company Tutor) Claudio (University Tutor)







student	A-4	The Student Credential Recovery
Sindent	A-5	The Student and the Chatbot Interaction
Student	A-6	Student Language Change
Student	A-7	The Student Enters the S&C Homepage
Student	A-8	The Student Searches for an Internship
Student	A8-1	Recommendation List in Matchmaking
Student	A8-2	Custom Search in Matchmaking
Student	A-9	The Student Navigates the Monitoring Page
Student	A-10	The Student Monitors the Progress of his Applications
Student	A-11	The Student Monitors the Status of Requests Sent to Him
Student	A-12	A Contact is Established - Selection Process (Student Overview)
Student	A-13	Lorenzo Monitors Active Stages
Student	A-14	The Student Completes the Final Evaluation Form
Student	A-15	The Student Navigates the Calendar Page
Student	A-16	The Student Interacts with the Messaging System
Student	A16-1	The Student Files a Complaint via Messaging
Company Tutor	B-1	The Company Tutor Opens the S&C Application
Company Tutor	B-2	Company Tutor Registration
Company Tutor	B2-1	Mandatory fields incomplete
Sanstone Total	D2.2	All Galde commisted demain registered

Total scenarios = 63

Students -> 23

Company Tutors -> 23

University Tutors -> 17





Scenario [A-2]: Student Registration



Students create their resumes with information about experiences, skills and attitudes.










Scenario [A-8]: The Student Searches for an Internship

SP20

The student browses internship offers without filters.











Class & State Diagrams



The Hearth of Analysis

Domain Class Diagrams = What State Diagrams = How

UML Code for Design





Class Diagrams

What They Are

Panoramic the entities and relations in the system.

How We Built Them

- 1) From the scenarios we identified entities and relations.
- 2) Program in UML.

Enumerations

Enum, not subclasses

- Roles.
- Status.


TARGET ACHIEVED







Class Diagrams - Result








Class Diagrams - Results

Authentication

Match&Monitor

Chat&Calendar







State Diagrams

What They Are

Analyzing critical and complex **processes** with multiple **states**.

Usage

Easy understanding of their implementation.

- How We Built Them
- 1) From the **scenarios** we identified *states*.
- 2) Program in **UML**.


TARGET ACHIEVED








Domain Association







Stage Lifecycle









Selection Process







Active Stage







Úse Cases & Sequence Diagrams

Combing what we have seen so far:



We have Obtain:

USE CASES

SEQUENCE DIAGRAMS





Use Cases & Sequence Diagrams

Name	CV Upload
Actors	• User • System
Entry Condition	The user has clicked the "Create Your Profile" button on the pre- vious interface and reached the CV upload page.
Event flow	 (a) The system displays the CV upload page. (b) The user performs one of the following actions: Uploads a CV, by clicking on the "Browse Files" button or drags and drops a file into the upload area. Continues without uploading a CV, so the user clicks the "Centinue without CV" button. Changes the system language using the "Change Language" option. Opens the assistant interface for guidance through the "Assistant" button. Returns to the previous screen by clicking "Go Back". (c) Based on the user's action, the system: Skips the upload process and redirects the user to the next screen. Redirects the user to the appropriate interface (for language change, assistant support, or the previous screen) Validates and processes the uploaded CV, so it checks if the file meets the format and size requirements (PDF, DOC, DOCX with max size 5MB). (d) According to the result of the validation: If the CV is valid, the system uploads the file, displays a confirmation message and automatically redirects the user to the next screen. If invalid, the system displays an error message prompting the user to upload a valid file.
Exit Condition	The user uploads a CV or continues without it, proceeding to the next screen, or navigates to a different screen using additional func- tionalities.

Table 3.3: Use Case: CV Upload

If the uploaded file fails validation (incorrect format or exceeds size

limit), the system displays an error message, prompting the user to

Name	Matchmaking
Actors	• Student • Company Tutor • System
Entry Condition	The user (student or company tutor) has accessed the matchmaking screen via the navigation bar.
Event flow	 (a) The system displays personalized recommendations based on the user's profile. For students, the system shows internships while for company tutors it suggests student profiles. (b) The user interacts with the displayed recommendations are navigates the interface; Filters results by criteria like skills, languages, or match percentage. Sorts results by match percentage, suggestion date, or category. Uses the advanced search feature or resets the criteria to return to default recommendations. Selects a recommendation to access the detailed profile page. Provides feedback (positive or negative) to improve the accuracy of future recommendations. Selects an icon in the navigation bar for quick access to key sections. (c) The system processes the user's input by: Updating the displayed recommendations based on the applied filters, sorting options, or search criteria. Redirecting the user to the selected detailed profile when chosen. Recording feedback provided by the user to adjust future recommendations. Displaying the page related to the selected navigation bar icon.
Exit Condition	The user selects or interacts with an internship or student profile refines the displayed results, or navigates to another screen via the navigation bar.
Exception	If the recommended internships or profiles fail to load due to a system error, an error message is displayed and the user remain on the current screen.

Table 3.13: Use Case: Matchmaking

1	LIC26	Interne	hip Creat	ion and	Manag	normont
-1	U	1 THE CLUS	mp crea	tion and	TARGETTER.	Co. III I C. III C.

Name	Internship Creation and Management		
Actors	Company Tutor System		
Entry Condition	The interface is accessed from the selection process screen.		
Event flow	(a) The system displays the interface, which includes: A menu with predefined or previously saved templates. Editable fields for required details. (b) The company tutor interacts with the interface by: Selecting a predefined or custom template to automatically populate fields. Filling or modifying required fields manually. Using "Improve" to optimize via an LLM. Saving the current details as a draft for later editing by clicking the "Save as Draft" button. Clicking "Save Template" to store the current configuration as a reusable template. Navigating back to the previous screen without saving changes using the "Back" button. Publishing the position to make it visible to students. Delete the position, by clicking the bin button. (c) The system populates fields when a template is selected. (d) The system enhance the content of the internship. (e) The company tutor modifies the different fields. (f) The system validates and saves data when the "Publish Position" button is clicked. (g) The system publish the internship position. (h) The system sends notifications to students about the new position if published. (i) The system in alternative processes the tutor's actions by: Saving the new template for reuse. Redirecting the tutor back to the previous interface when the "Back" button is clicked. Redirecting the tutor to the select page. Redirecting the internship as a draft, for later modifications		
Exit Condition	The company tutor completes the internship creation, saves it as draft, publishes it, or navigates away from the screen.		
Exception	If required fields are incomplete or invalid, the system displays as error message, preventing the draft or publication from proceeding		

Table 3.26: Use Case: Internship Creation and Management

upload a valid file.


Exception





Use Cases & Sequence Diagrams

Name	Matchinaking
Actors	Student Company Tutor System
Entry Condition	The user (student or company tutor) has accessed the matchmaking screen via the navigation bar.
Event flow	 (a) The system displays personalized recommendations based on the user's profile. For students, the system shows internships, while for company tutors it suggests student profiles. (b) The user interacts with the displayed recommendations and navigates the interface: - Filters results by criteria like skills, languages, or match percentage. - Sorts results by match percentage, suggestion date, or category. - Uses the advanced search feature or resets the criteria to return to default recommendations. - Selects a recommendation to access the detailed profile page. - Provides feedback (positive or negative) to improve the accuracy of future recommendations. - Selects an icon in the navigation bar for quick access to key sections. (c) The system processes the user's input by: - Updating the displayed recommendations based on the applied filters, sorting options, or search criteria. - Redirecting the user to the selected detailed profile when chosen. - Recording feedback provided by the user to adjust future recommendations. - Displaying the page related to the selected navigation bar icon.
Exit Condition	The user selects or interacts with an internship or student profile, refines the displayed results, or navigates to another screen via the navigation bar.
Exception	If the recommended internships or profiles fail to load due to a system error, an error message is displayed and the user remains on the current screen.













Domain Assumptions 👸

- O4 Company tutors are assumed to provide genuine internship opportunities.
- University tutors are assumed to offer academic support and oversight for students during their internships.
- Each user belongs to only one category at a time; for example, a student cannot simultaneously be a professor or a company tutor.







Alloy

Simulates specifications, checks their validity, determines their satisfiability and identifies possible consequences.

Two students can not finalize the same internship => if a student finalizes all the applications for that internship must be rejected (there can be only one positive evaluation).

If a student is enrolled in a university and he/she applies for an internship he/she must pick a professor of the university, but at first we did not consider as mandatory that each university had at least one professor.




```
// STUDENT
sig Student extends User {  // a student is an user
   belongsTo: one University,  // must be enrolled in exactly one university
   haveStudentInformation: one StudentInformation_CV,  // must have exactly one studentInformation (that contains also the cv)
   universityMail: one Email,  // must have exactly one university mail
   visualize: set Internship,  // can visualize the internships
   applies: set Internship,  // can apply to internships
   seeCompanyProblem: set ProblemOfCompany // can see the companyProblem
}
```

Negative

```
// COMPANYTUTOR
sig CompanyTutor extends User {  // a companyTutor is a user
  workFor: one Company,  // must work for exactly one company
  manages: some Internship,  // manage some internships
  read: set StudentInformation_CV,  // can read students' StudentInformation_CV
  evaluations: set InternshipStatus,  // can evaluate students
  see: set ProblemOfStudent,  // can see reported problems of students
  seeCompanyProblem: set ProblemOfCompany,  // can see reported problems of companies
  manageProblemOfCompany: set ProblemOfCompany // can also manage problems of companies
}
```

```
// PROFESSOR
sig Professor extends User {
   worksFor: one University, // must work for exactly one university
   see: set ProblemOfStudent, // each professor has a set of problemsOfStudents they can see
   seeCompanyProblem: set ProblemOfCompany, // each professor has a set of problemsOfSComapny they can see
   manageProblemOfStudent: set ProblemOfStudent // professors manage problems
}
```






Design Document









Components

Create several components to manage the platform's core functionalities and logic. Each component focus on a specific task. (Login Manager, Profile Manager, Internship Manager,...).

Dashboard Manager


Orchestrates all communications
between users and the S&C
platform, direct all the requests of
the users to the appropriate
components.

Model

Represents the data on the server and acts as an interface to the database server. Every component needs to interface with Model to access data from the DBMS.







Components

Create several components to manage the platform's core functionalities and logic. Each component focus on a specific task. (Login Manager, Profile Manager, Internship Manager,...)


Dashboard Manager

Orchestrates all communications between users and the S&C platform, direct all the requests of the users to the appropriate components.


Model


Represents the data on the server and acts as an interface to the database server. Every component needs to interface with Model to access data from the DBMS.





Internship Manager








Three-Tier Architecture

Client-Server

REST API








Three-Tier Architecture

Client-Server

REST API







Three-Tier Architecture

Client-Server

REST API

- Facilitates communication between Client and Server.
- Based on the Representational State Transfer principles.
- Each transaction is independent and does not rely on prior interactions.
- No session information is stored; every request contains all necessary data.






Three-Tier Architecture

Client-Server

REST API







Implementation Strategy

Thread-Based

Realization of **features**, implementing each of its parts (end-to-end).

Bottom-Up

Incremental implementation (layer by layer).

Advantages

- Parallelization.
- Less Risks.
- Transparency.

TARGET ACHIEVED





Final Evaluation Results

Development Intern

Company Tutor

John Smith

e Johnson J

Jan 15, 2024 - Apr 15, 2024

w would you rate the support received from your company tutor ing the internship?

- Very Good

re your objectives and responsibilities clearly defined?

Excellent

the internship contributed to your professional growth?

Very Good

ich aspects of the internship did you enjoy the most?

he hands-on experience with modern web development technologies was valuable. The team was very welcoming and I had the opportunity to work in real projects. The regular feedback sessions with my tutor were particularly elpful in understanding my progress and areas for improvement.

you have any suggestions for improving the internship?

would be beneficial to have more structured documentation about the initial etup process. Perhaps a welcome package for new interns with all the ecessary information would streamline the onboarding process.

mpany Tutor Review



John has been an exceptional mentor throughout my internship. His expertise and patience in guiding me through complex technical challenges nelped me grow significantly as a developer. He consistently provided constructive fuedback as, I was always available when I needed support. His approach 1 (166-15-year fost, red.)

POLITECNICO MILANO 1863

Features Identification

9 Features:

- 1. Authentication
- Compose
- 3. Visualize
- 4. Matchmaking
- Calendar
- Messaging
- 7. Questionnaires
- 8. Finalization
- 9. Notification

Motivation

<u>Feature</u> = block of Req/Use cases. <u>Order</u> = Logical dependencies for some cases.

Parallelization

Develop <u>subcomponents</u>.







DRIVER/STUBS & MODEL

Model=foundation of the system

Driver=simulate other modules to
test model in isolation



SYSTEM TESTING

- 1) Evaluate the entire system:
- Functional (Use cases?)
- Performance (heavy tasks?)
- Load (many users?)
- <u>Usability/UI</u> (user interaction?)
- Stress (extreme condition?)
- 2) Alpha/Beta Testing




DBMS & HOST

Since these are the core infrastructures (lowest level)



ADDING COMPONENTS

- · following features order
- 1) Test in isolation (drivers/stubs)
- 2) Integration
- 3) Test with the rest of the system











DRIVER/STUBS & MODEL

Model=foundation of the system

Driver=simulate other modules to
test model in isolation



SYSTEM TESTING

- 1) Evaluate the entire system:
- Functional (Use cases?)
- Performance (heavy tasks?)
- Load (many users?)
- <u>Usability/UI</u> (user interaction?)
- Stress (extreme condition?)
- 2) Alpha/Beta Testing




DBMS & HOST

Since these are the **core infrastructures** (lowest level)



ADDING COMPONENTS

- · following features order
- 1) Test in isolation (drivers/stubs
- 2) Integration
- 3) Test with the rest of the system











DRIVER/STUBS & MODEL

Model=foundation of the system

Driver=simulate other modules to
test model in isolation



SYSTEM TESTING

- 1) Evaluate the entire system:
- Functional (Use cases?)
- Performance (heavy tasks?)
- Load (many users?)
- Usability/UI (user interaction?)
- Stress (extreme condition?)
- 2) Alpha/Beta Testing




DBMS & HOST

Since these are the core infrastructures (lowest level)



ADDING COMPONENTS

- · following features order
- 1) Test in isolation (drivers/stubs)
- 2) Integration
- 3) Test with the rest of the system











DRIVER/STUBS & MODEL

Model=foundation of the system
Driver/stubs=simulate other
modules to test model in isolation



SYSTEM TESTING

- 1) Evaluate the entire system:
 - Functional (Use cases?)
 - Performance (heavy tasks?)
 - Load (many users?)
 - <u>Usability/UI</u> (user interaction?)
 - Stress (extreme condition?)
- 2) Alpha/Beta Testing




DBMS & HOST

Since these are the core infrastructures (lowest level)



ADDING COMPONENTS

- · following features order
- 1) Test in isolation (drivers/stubs)
- 2) Integration
- 3) Test with the rest of the system







Thank You Questions?





🔀 studentipolimi1@gmail.com 😲 Milano, Piazza Leonardo da Vinci