```
-- phpMyAdmin SQL Dump
-- version 4.9.5
-- https://www.phpmyadmin.net/
-- Host: localhost:8889
-- Generation Time: Jan 12, 2022 at 02:16 PM
-- Server version: 5.7.24
-- PHP Version: 7.4.1
SET SQL MODE = "NO AUTO VALUE ON ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `db_university`
  ______
-- Table structure for table `teachers`
CREATE TABLE `teachers` (
  `id` bigint(20) UNSIGNED NOT NULL,
  `name` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `surname` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `phone` varchar(255) COLLATE utf8mb4 unicode ci DEFAULT NULL,
  `email` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `office_address` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `office number` varchar(255) COLLATE utf8mb4 unicode ci NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 unicode ci;
-- Dumping data for table `teachers`
INSERT INTO `teachers` (`phone`) VALUES
(NULL),
(NULL),
(NULL),
(NULL),
(NULL),
(NULL),
(NULL),
(NULL),
(NULL),
```

```
(NULL),
(NULL);
-- Indexes for dumped tables
-- Indexes for table `teachers`
ALTER TABLE `teachers`
  ADD PRIMARY KEY ('id'),
  ADD UNIQUE KEY `teachers_email_unique` (`email`);
- -
```

```
-- AUTO_INCREMENT for dumped tables
-- -- AUTO_INCREMENT for table `teachers`
-- ALTER TABLE `teachers`
    MODIFY `id` bigint(20) UNSIGNED NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=101;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```