

Step A: Styling approach

My approach: CSS Modules / plain CSS

PokéBinder will use React with Vite for the front end. CSS Modules/plain CSS will be used to style the React components and keep the colours, typography, spacing, and component styles consistent.

Step B: Colour tokens

Token	Role	Hex
--color-primary	Links, buttons, active states	#3B82F6
--color-accent	Highlights and main call-to-action	#FBBF24
--color-bg	Page background	#F7F9FC
--color-surface	Cards and panels	FFFFFF
--color-text	Body text	#1F2937

Step C: Type scale

Style	Size	Weight	Used for
Heading	32px	Bold	Screen and section titles
Body	16px	Regular	Card information and normal text
Small	14px	Regular	Captions, labels, and footer text

Step D: Spacing rule

The base spacing unit is 8px.

All padding, margins, and gaps should use multiples of 8px.

Spacing token	Value	Use
--space-1	8px	Tight spacing between related items
--space-2	16px	Small gaps and component padding
--space-3	24px	Spacing between content groups
--space-4	32px	Standard section spacing
--space-6	48px	Screen edge / large spacing

Step E: Reusable components

Component	Level	Appears on	Props / data
Button	Atom	Home, Add Card, Card Details	variant, onClick, children
Input	Atom	Add Card, Search	value, onChange, placeholder
CardImage	Atom	Home, Collection, Details	image, alt
Tag	Atom	Collection, Card Details	text, type
SearchBar	Molecule	Collection	value, onChange
CardItem	Molecule	Home, Collection	card, onClick
SummaryBox	Molecule	Home	title, value
FormField	Molecule	Add Card	label, value, onChange
Navigation	Organism	All screens	currentPage, onNavigate
CardGrid	Organism	Home, Collection	cards, onSelect

Step F: Responsive plan

Breakpoint	Layout change
Below 640px (phone)	Navigation collapses; card grids reduce to fewer columns; forms stack into one column; padding and text sizes become smaller.
640px and above (desktop)	Full navigation is shown; cards can use a 2–3 column grid; form fields can use multiple columns where appropriate.