






2

1

B



UNDERBODY SEAM-WELDED
TO SHELL ALONG ALL POINTS
OF CONTACT



WELD ALONG
BOOSTER CIRCUMFERENCE

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	PD	04/26/2022
EXCEPT WHERE STATED OTHERWISE TOLERANCES ON DIMENSIONS: ± 0.010	CHECKED	GMP	04/26/2022
ANGULAR TOLERANCE: 0.1°	ENG APPR.	GMP	04/26/2022
	MFG APPR.	PD	04/26/2022
	Q.A.	PD	04/26/2022
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5	COMMENTS:		
MATERIAL SEE PARTS	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PG13 INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PG13 INDUSTRIES IS PROHIBITED.		
FINISH			
DO NOT SCALE DRAWING			



TITLE: **FULL BATMOBILE
ASSEMBLY**

SIZE	DWG. NO.	REV
A	FULL	1
SCALE: 1:100		SHEET 1 OF 3

B

A


2

1


2

1

TOP VIEW WITHOUT CAR SHELL



FILLET WELD BOTH THE INTERIOR AND
EXTERIOR BOTTOM PERIPHERAL EDGE OF
CHASSIS TO UNDERBODY



SCALE 1 : 50

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	PD	04/26/2022
EXCEPT WHERE STATED OTHERWISE TOLERANCES ON DIMENSIONS: ± 0.010	CHECKED	GMP	04/26/2022
ANGULAR TOLERANCE: 0.1°	ENG APPR.	GMP	04/26/2022
	MFG APPR.	PD	04/26/2022
	Q.A.	PD	04/26/2022
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5	COMMENTS:		
MATERIAL SEE PARTS			
FINISH			
DO NOT SCALE DRAWING	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PG13 INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PG13 INDUSTRIES IS PROHIBITED.		




TITLE:

**FULL BATMOBILE
ASSEMBLY**

SIZE	DWG. NO.	REV
A	FULL	1
SCALE: 1:100		SHEET 2 OF 3

B

B



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	PN 1245	Underbody	1
2	Chassis	Chassis	1
3	PN 1121	Booster	1
4	PN 1247	Booster Bracket	1
5	PN 1246	Rear Plate	1
6	PN 1122	Exhaust Ornamentation	4
7	Body	Body	1

Notes:


Chassis welded to bottom plate first.

Next, booster bracket welded to bottom plate.

Next, rear plate welded to bottom plate.

Finally, booster welded to bracket and ornamentation to rear plate.

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	PD	04/26/2022
EXCEPT WHERE STATED OTHERWISE TOLERANCES ON DIMENSIONS: ± 0.010	CHECKED	GMP	04/26/2022
ANGULAR TOLERANCE: 0.1°	ENG APPR.	GMP	04/26/2022
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5	MFG APPR.	PD	04/26/2022
MATERIAL SEE PARTS	Q.A.	PD	04/26/2022
FINISH	COMMENTS:		
DO NOT SCALE DRAWING	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PG13 INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PG13 INDUSTRIES IS PROHIBITED.		

PARENTS STRONGLY CAUTIONED			
PG-13			
INDUSTRIES AT NYU TANDON		G	
TITLE: FULL BATMOBILE ASSEMBLY			
SIZE A	DWG. NO. FULL		REV 1
SCALE: 1:100		SHEET 3 OF 3	

A