





B

B

## SECTION C-C

120 DEGREE SPACING  
CENTRAL SPOKES45 DEGREE SPACING  
PERIPHERAL RIBS

## SECTION A-A



## SECTION B-B

UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	PD	03/04/2022
EXCEPT WHERE STATED OTHERWISE TOLERANCES ON DIMENSIONS: $\pm 0.010$	CHECKED	GMP	03/04/2022
ANGULAR TOLERANCE: $0.1^\circ$	ENG APPR.	GMP	03/04/2022
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5	MFG APPR.	PD	03/04/2022
MATERIAL 2014 ALUMINUM ALLOY	Q.A.	GMP	03/04/2022
FINISH FINE POLISH	COMMENTS: MATTE BLACK POWDER PAINT AFTER POLISH		
DO NOT SCALE DRAWING	<b>PROPRIETARY AND CONFIDENTIAL</b> THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PG13 INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PG13 INDUSTRIES IS PROHIBITED.		



TITLE:  
**REAR  
SPOKED VALVE**

SIZE <b>A</b>	DWG. NO. <b>PN 1122</b>	REV 1
------------------	----------------------------	----------

SCALE: 2:3	SHEET 1 OF 1
------------	--------------

A