

ALL STRUCTURES, FACILITIES, WELLS AND PIPELINES/FLOWLINES OCCURRING IN OPEN WATER AREAS, OR IN OILFIELD CANALS, OR SLIPS SHALL BE REMOVED WITHIN 120 DAYS OF ABANDONMENT OF THE FACILITIES FOR THE HEREIN PERMITTED USE, UNLESS PRIOR WRITTEN APPROVAL TO LEAVE SUCH STRUCTURES IN PLACE IS RECEIVED FROM THE COASTAL MANAGEMENT DIVISION. THIS CONDITION DOES NOT PRECLUDE THE NECESSITY FOR REVISING THE CURRENT PERMIT OR OBTAINING A SEPARATE COASTAL USE PERMIT, SHOULD ONE BE REQUIRED FOR SUCH ACTIVITIES.


AS-BUILT DRAWINGS SHALL BE SUBMITTED WITHIN 30 DAYS OF COMPLETION OF THIS PROJECT TO THE LOUISIANA DEPARTMENT OF NATURAL RESOURCES, COASTAL MANAGEMENT DIVISION AND OFFICE OF CONSERVATION, PIPELINE SAFETY DIVISION, POST OFFICE BOX 44487, BATON ROUGE, LA 70804-4487 AND TO THE LOUISIANA LAND AND EXPLORATION COMPANY, P.O. BOX 7097, HOUMA, LA 70361-7097.

IN ORDER TO ENSURE THE SAFETY OF ALL PARTIES, THE PERMITEE SHALL CONTACT LOUISIANA ONE CALL (1-800-272-3020) A MINIMUM OF 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION (DIGGING, DREDGING, JETTING, ETC.) OR DEMOLITION ACTIVITY.

A RIGHT OF WAY GRANT WILL BE OBTAINED FROM THE LA STATE LAND OFFICE SHOULD ONE BE REQUIRED PRIOR TO ANY CONSTRUCTION ACTIVITIES.

STRUCTURES WILL BE MARKED/LIGHTED IN ACCORDANCE WITH U.S. COAST GUARD REGULATIONS.

## VICINITY MAP 1:250,000



### GENERAL NOTES:

PROJECT IS LOCATED APPROXIMATELY 1.0 MILES SOUTHWESTERLY FROM GOLDEN MEADOW, LA.

DATUM - NAD 1927 FEET

PURPOSE - OIL AND GAS EXPLORATION FOR APACHE CORPORATION - NGM 4, NGM 8, NGM 9 & NGM 10 PROSPECTS.

EXCAVATION - APPROXIMATELY 53,518 CU. YDS. OF EXCAVATION REQUIRED.

EQUIPMENT DRAFTS - 7' OR LESS FOR ALL VESSELS.

**PROPOSED EXCAVATION, WELLS (4) AND TIMBER KEYWAY STRUCTURES WITHIN SECTION 78, T19S-R21E, GOLDEN MEADOW FIELD, LAFOURCHE PARISH, LOUISIANA**

DRAWN BY:

F FIELDS

DATE:

NOVEMBER 8, 2012

SHEET No.:

1 OF 4

APPROVED BY:

T ALLEN

# APACHE CORPORATION



POST OFFICE BOX 206

HOUMA, LOUISIANA 70361-0206

TEL (985) 879-3528 FAX (985) 876-5267

CAD FILE No.:

2012-71A.DWG



**NOTE:**  
ALL SPOIL TO BE PLACED IN  
WATER ADJACENT TO CANAL  
BANKS.

HORIZONTAL  
0 30 60 120  
SCALE IN FEET

VERTICAL  
0 10 20 40  
SCALE IN FEET

**DRAWN BY:** F FIELDS

**DATE:** NOVEMBER 8, 2012

**SHEET No.:** 2 OF 4




**APPROVED BY:** T ALLEN

**APACHE CORPORATION**

POST OFFICE BOX 206  
HOUMA, LOUISIANA 70361-0206  
TEL (985) 879-3528 FAX (985) 876-5267

*Apache*

CAD FILE No.: 2012-71B.DWG



NOTE:  
ALL SPOIL TO BE PLACED IN  
WATER ADJACENT TO CANAL  
BANKS.

HORIZONTAL  
0 30 60 120  
SCALE IN FEET

VERTICAL  
0 10 20 40  
SCALE IN FEET


DRAWN BY: F FIELDS  
DATE: NOVEMBER 8, 2012  
SHEET No.: 3 OF 4  
APPROVED BY: T ALLEN

**APACHE CORPORATION**

POST OFFICE BOX 206  
HOUMA, LOUISIANA 70361-0206  
TEL (985) 879-3528 FAX (985) 876-5267



*Apache*

CAD FILE No.: 2012-71C.DWG



## TYPICAL KEYWAY LOCATION

No Scale





## TYPICAL DRILL BARGE

No Scale

8 TEMPORARY 3-PILE CLUSTER TO BE DRIVEN TO ASSIST IN REMOVING DRILL BARGE FROM LOCATION. TEMPORARY CLUSTERS TO BE PULLED WHEN PERMANENT WELL GUARD IS INSTALLED.


## DETAIL SHEET



ALL TIMBER MATERIAL TO BE 22 LB TREATED  
ALL METAL HARDWARE TO BE GALVANIZED  
ALL SIDE BOLTS AND NUTS TO BE COUNTERSUNK  
PILING TO BE MINIMUM 40' LONG - CLASS B  
LIGHT (IF REQUIRED) TO BE AUTOMATIC POWER  
MODEL FA244-155mm.  
LIGHT HEIGHT SHALL BE A MINIMUM OF +3.0'  
ABOVE EXISTING WELL HEAD (VARIES)

## TYPICAL KEYWAY DETAIL

No Scale



## TYPICAL 3-PILE CLUSTER

No Scale

NOTE:  
TEMPORARY 3-PILE CLUSTER TO BE USED TO MOOR BARGES DURING DRILLING OPERATIONS AND REMOVED UPON COMPLETION.

DRAWN BY: F FIELDS

DATE: NOVEMBER 8, 2012

SHEET No.: 4 OF 4

APPROVED BY: T ALLEN

## APACHE CORPORATION

POST OFFICE BOX 206  
HOUMA, LOUISIANA 70361-0206  
TEL (985) 879-3528 FAX (985) 876-5267

*Apache*

CAD FILE No.: 2012-71D.DWG