

Namespace MakesCentsBackend.Controllers

Classes

[AccountController](#)

API controller for accounts

[BankAccountController](#)

API controller for bank accounts

[BudgetController](#)

API controller for budgets

[DebtAccountController](#)

[EnvelopeCategoryController](#)

API controller for envelope categories

[EnvelopeController](#)

API controller for envelopes

[InvestmentAccountController](#)

[PaycheckController](#)

API controller for paychecks

[PaymentTransactionController](#)

[PlannedExpenseController](#)

API controller for planned expenses

[TransactionController](#)

API controller for transactions

[TransferTransactionController](#)

[UserController](#)

API controller for users

Class AccountController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for accounts

```
[Route("api/accounts")]  
[ApiController]  
public class AccountController : ControllerBase
```

Inheritance

[object](#)  ← [ControllerBase](#)  ← AccountController

Inherited Members

[ControllerBase.StatusCode\(int\)](#)  , [ControllerBase.StatusCode\(int, object\)](#)  ,
[ControllerBase.Content\(string\)](#)  , [ControllerBase.Content\(string, string\)](#)  ,
[ControllerBase.Content\(string, string, Encoding\)](#)  ,
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#)  , [ControllerBase.NoContent\(\)](#)  ,
[ControllerBase.Ok\(\)](#)  , [ControllerBase.Ok\(object\)](#)  , [ControllerBase.Redirect\(string\)](#)  ,
[ControllerBase.RedirectPermanent\(string\)](#)  , [ControllerBase.RedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.LocalRedirect\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanent\(string\)](#)  , [ControllerBase.LocalRedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.RedirectToAction\(\)](#)  ,
[ControllerBase.RedirectToAction\(string\)](#)  , [ControllerBase.RedirectToAction\(string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string\)](#)  , [ControllerBase.RedirectToRoute\(object\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object\)](#)  , [ControllerBase.RedirectToRoute\(string, string\)](#)  ,

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryValidateModel\(object\).[↗]](#) , [ControllerBase.TryValidateModel\(object, string\).[↗]](#) ,
[ControllerBase.HttpContext.[↗]](#) , [ControllerBase.Request.[↗]](#) , [ControllerBase.Response.[↗]](#) ,
[ControllerBase.RouteData.[↗]](#) , [ControllerBase.ModelState.[↗]](#) , [ControllerBase.ControllerContext.[↗]](#) ,
[ControllerBase.MetadataProvider.[↗]](#) , [ControllerBase.ModelBinderFactory.[↗]](#) , [ControllerBase.Url.[↗]](#) ,
[ControllerBase.ObjectValidator.[↗]](#) , [ControllerBase.ProblemDetailsFactory.[↗]](#) , [ControllerBase.User.[↗]](#) ,
[ControllerBase.Empty.[↗]](#) , [object.Equals\(object\).[↗]](#) , [object.Equals\(object, object\).[↗]](#) ,
[object.GetHashCode\(\).[↗]](#) , [object.GetType\(\).[↗]](#) , [object.MemberwiseClone\(\).[↗]](#) ,
[object.ReferenceEquals\(object, object\).[↗]](#) , [object.ToString\(\).[↗]](#)

Constructors

AccountController(AccountLogic)

Parameterized constructor to bring in DI variables

```
public AccountController(AccountLogic accountLogic)
```

Parameters

`accountLogic` [AccountLogic](#)

Methods

DeleteAccountAsync(int)

```
[Authorize]
[HttpDelete("{accountId}")]
public Task<ActionResult> DeleteAccountAsync(int accountId)
```

Parameters

accountId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetAllAccounts(int)

```
[Authorize]
[HttpGet("budget/{budgetId}")]
public Task<ActionResult> GetAllAccounts(int budgetId)
```

Parameters

budgetId [int](#)

Returns

[Task](#) <[ActionResult](#)>

Class BankAccountController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for bank accounts

```
[Route("api/bank-accounts")]  
[ApiController]  
public class BankAccountController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← BankAccountController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\). ↗](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\). ↗](#) ,
[ControllerBase.TryValidateModel\(object\). ↗](#) , [ControllerBase.TryValidateModel\(object, string\). ↗](#) ,
[ControllerBase.HttpContext ↗](#) , [ControllerBase.Request ↗](#) , [ControllerBase.Response ↗](#) ,
[ControllerBase.RouteData ↗](#) , [ControllerBase.ModelState ↗](#) , [ControllerBase.ControllerContext ↗](#) ,
[ControllerBase.MetadataProvider ↗](#) , [ControllerBase.ModelBinderFactory ↗](#) , [ControllerBase.Url ↗](#) ,
[ControllerBase.ObjectValidator ↗](#) , [ControllerBase.ProblemDetailsFactory ↗](#) , [ControllerBase.User ↗](#) ,
[ControllerBase.Empty ↗](#) , [object.Equals\(object\). ↗](#) , [object.Equals\(object, object\). ↗](#) ,
[object.GetHashCode\(\). ↗](#) , [object.GetType\(\). ↗](#) , [object.MemberwiseClone\(\). ↗](#) ,
[object.ReferenceEquals\(object, object\). ↗](#) , [object.ToString\(\). ↗](#)

Constructors

BankAccountController(BankAccountLogic)

Parameterized constructor to bring in DI variables

```
public BankAccountController(BankAccountLogic bankAccountLogic)
```

Parameters

`bankAccountLogic` [BankAccountLogic](#)

Methods

CreateBankAccountAsync(CreateBankAccountRequest)

POST method to create a new bank account

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateBankAccountAsync(CreateBankAccountRequest bankAccount)
```

Parameters

bankAccount [CreateBankAccountRequest](#)

Returns

[Task](#) <[ActionResult](#)>

GetBankAccountAsync(int)

```
[Authorize]
[HttpGet("{bankAccountId}")]
public Task<ActionResult> GetBankAccountAsync(int bankAccountId)
```

Parameters

bankAccountId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdateBankAccountAsync(int, UpdateBankAccountRequest)

```
[Authorize]
[HttpPut("{bankAccountId}")]
public Task<ActionResult> UpdateBankAccountAsync(int bankAccountId,
UpdateBankAccountRequest bankAccount)
```

Parameters

bankAccountId [int](#)

bankAccount [UpdateBankAccountRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class BudgetController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for budgets

```
[Route("api/budgets")]  
[ApiController]  
public class BudgetController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← BudgetController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryValidateModel\(object\).[↗]](#) , [ControllerBase.TryValidateModel\(object, string\).[↗]](#) ,
[ControllerBase.HttpContext.[↗]](#) , [ControllerBase.Request.[↗]](#) , [ControllerBase.Response.[↗]](#) ,
[ControllerBase.RouteData.[↗]](#) , [ControllerBase.ModelState.[↗]](#) , [ControllerBase.ControllerContext.[↗]](#) ,
[ControllerBase.MetadataProvider.[↗]](#) , [ControllerBase.ModelBinderFactory.[↗]](#) , [ControllerBase.Url.[↗]](#) ,
[ControllerBase.ObjectValidator.[↗]](#) , [ControllerBase.ProblemDetailsFactory.[↗]](#) , [ControllerBase.User.[↗]](#) ,
[ControllerBase.Empty.[↗]](#) , [object.Equals\(object\).[↗]](#) , [object.Equals\(object, object\).[↗]](#) ,
[object.GetHashCode\(\).[↗]](#) , [object.GetType\(\).[↗]](#) , [object.MemberwiseClone\(\).[↗]](#) ,
[object.ReferenceEquals\(object, object\).[↗]](#) , [object.ToString\(\).[↗]](#)

Constructors

BudgetController(BudgetLogic)

Parameterized constructor to bring in DI variables

```
public BudgetController(BudgetLogic budgetLogic)
```

Parameters

`budgetLogic` [BudgetLogic](#)

Methods

CreateBudgetAsync(CreateBudgetRequest)

POST method to create a new budget

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateBudgetAsync(CreateBudgetRequest budget)
```

Parameters

budget [CreateBudgetRequest](#)

Returns

[Task](#) <[ActionResult](#)>

DeleteBudgetAsync(int)

```
[Authorize]
[HttpDelete("{budgetId}")]
public Task<ActionResult> DeleteBudgetAsync(int budgetId)
```

Parameters

budgetId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetBudgetAsync(int)

Get a budget based on a budget id and user id

```
[Authorize]
[HttpGet("{budgetId}")]
public Task<ActionResult> GetBudgetAsync(int budgetId)
```

Parameters

budgetId [int](#)

Returns

[Task](#) < [ActionResult](#) >

GetBudgetAsync(int, Month)

Get a budget based on a year, month, and user id

```
[Authorize]  
[HttpGet("year/{year}/month/{month}")]  
public Task<ActionResult> GetBudgetAsync(int year, Month month)
```

Parameters

year [int](#)

month [Month](#)

Returns

[Task](#) < [ActionResult](#) >

GetYearBudgetsAsync(int, Month)

```
[Authorize]  
[HttpGet("all/year/{year}/month/{month}")]  
public Task<ActionResult> GetYearBudgetsAsync(int year, Month month)
```

Parameters

year [int](#)

month [Month](#)

Returns

[Task](#) < [ActionResult](#) >

UpdateBudgetAsync(int, EditBudgetRequest)

HTTP PUT method to update a budget based on given fields

```
[Authorize]
[HttpPut("{budgetId}")]
public Task<ActionResult> UpdateBudgetAsync(int budgetId, EditBudgetRequest budget)
```

Parameters

budgetId [int](#)

budget [EditBudgetRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class DebtAccountController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

```
[Route("api/debt-accounts")]  
[ApiController]  
public class DebtAccountController : ControllerBase
```

Inheritance

[object](#)  ← [ControllerBase](#)  ← DebtAccountController

Inherited Members

[ControllerBase.StatusCode\(int\)](#)  , [ControllerBase.StatusCode\(int, object\)](#)  ,
[ControllerBase.Content\(string\)](#)  , [ControllerBase.Content\(string, string\)](#)  ,
[ControllerBase.Content\(string, string, Encoding\)](#)  ,
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#)  , [ControllerBase.NoContent\(\)](#)  ,
[ControllerBase.Ok\(\)](#)  , [ControllerBase.Ok\(object\)](#)  , [ControllerBase.Redirect\(string\)](#)  ,
[ControllerBase.RedirectPermanent\(string\)](#)  , [ControllerBase.RedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.LocalRedirect\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanent\(string\)](#)  , [ControllerBase.LocalRedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.RedirectToAction\(\)](#)  ,
[ControllerBase.RedirectToAction\(string\)](#)  , [ControllerBase.RedirectToAction\(string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string\)](#)  , [ControllerBase.RedirectToRoute\(object\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object\)](#)  , [ControllerBase.RedirectToRoute\(string, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object, string\)](#)  ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\)](#)  ,

[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#),
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#),
[ControllerBase.Unauthorized\(\)](#), [ControllerBase.Unauthorized\(object\)](#), [ControllerBase.NotFound\(\)](#),
[ControllerBase.NotFound\(object\)](#), [ControllerBase.BadRequest\(\)](#),
[ControllerBase.BadRequest\(object\)](#), [ControllerBase.BadRequest\(ModelStateDictionary\)](#),
[ControllerBase.UnprocessableEntity\(\)](#), [ControllerBase.UnprocessableEntity\(object\)](#),
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\)](#), [ControllerBase.Conflict\(\)](#),
[ControllerBase.Conflict\(object\)](#), [ControllerBase.Conflict\(ModelStateDictionary\)](#),
[ControllerBase.Problem\(string, string, int?, string, string\)](#),
[ControllerBase.ValidationProblem\(ValidationProblemDetails\)](#),
[ControllerBase.ValidationProblem\(ModelStateDictionary\)](#), [ControllerBase.ValidationProblem\(\)](#),
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\)](#),
[ControllerBase.Created\(\)](#), [ControllerBase.Created\(string, object\)](#),
[ControllerBase.Created\(Uri, object\)](#), [ControllerBase.CreatedAtAction\(string, object\)](#),
[ControllerBase.CreatedAtAction\(string, object, object\)](#),
[ControllerBase.CreatedAtAction\(string, string, object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object\)](#), [ControllerBase.CreatedAtRoute\(object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object, object\)](#), [ControllerBase.Accepted\(\)](#),
[ControllerBase.Accepted\(object\)](#), [ControllerBase.Accepted\(Uri\)](#), [ControllerBase.Accepted\(string\)](#),
[ControllerBase.Accepted\(string, object\)](#), [ControllerBase.Accepted\(Uri, object\)](#),
[ControllerBase.AcceptedAtAction\(string\)](#), [ControllerBase.AcceptedAtAction\(string, string\)](#),
[ControllerBase.AcceptedAtAction\(string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, object, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object, object\)](#),
[ControllerBase.AcceptedAtRoute\(object\)](#), [ControllerBase.AcceptedAtRoute\(string\)](#),
[ControllerBase.AcceptedAtRoute\(string, object\)](#), [ControllerBase.AcceptedAtRoute\(object, object\)](#),
[ControllerBase.AcceptedAtRoute\(string, object, object\)](#), [ControllerBase.Challenge\(\)](#),
[ControllerBase.Challenge\(params string\[\]\)](#), [ControllerBase.Challenge\(AuthenticationProperties\)](#),
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\)](#), [ControllerBase.Forbid\(\)](#),
[ControllerBase.Forbid\(params string\[\]\)](#), [ControllerBase.Forbid\(AuthenticationProperties\)](#),
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal\)](#), [ControllerBase.SignIn\(ClaimsPrincipal, string\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\)](#), [ControllerBase.SignOut\(\)](#),
[ControllerBase.SignOut\(AuthenticationProperties\)](#), [ControllerBase.SignOut\(params string\[\]\)](#),
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](#),

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryValidateModel\(object\).](#)[☞](#) , [ControllerBase.TryValidateModel\(object, string\).](#)[☞](#) ,
[ControllerBase.HttpContext.](#)[☞](#) , [ControllerBase.Request.](#)[☞](#) , [ControllerBase.Response.](#)[☞](#) ,
[ControllerBase.RouteData.](#)[☞](#) , [ControllerBase.ModelState.](#)[☞](#) , [ControllerBase.ControllerContext.](#)[☞](#) ,
[ControllerBase.MetadataProvider.](#)[☞](#) , [ControllerBase.ModelBinderFactory.](#)[☞](#) , [ControllerBase.Url.](#)[☞](#) ,
[ControllerBase.ObjectValidator.](#)[☞](#) , [ControllerBase.ProblemDetailsFactory.](#)[☞](#) , [ControllerBase.User.](#)[☞](#) ,
[ControllerBase.Empty.](#)[☞](#) , [object.Equals\(object\).](#)[☞](#) , [object.Equals\(object, object\).](#)[☞](#) ,
[object.GetHashCode\(\).](#)[☞](#) , [object.GetType\(\).](#)[☞](#) , [object.MemberwiseClone\(\).](#)[☞](#) ,
[object.ReferenceEquals\(object, object\).](#)[☞](#) , [object.ToString\(\).](#)[☞](#)

Constructors

DebtAccountController(DebtAccountLogic)

Parameterized constructor to bring in DI variables

```
public DebtAccountController(DebtAccountLogic debtAccountLogic)
```

Parameters

`debtAccountLogic` [DebtAccountLogic](#)

Methods

CreateDebtAccountAsync(CreateDebtAccountRequest)

HTTP POST method to create a new debt account

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateDebtAccountAsync(CreateDebtAccountRequest debtAccount)
```

Parameters

debtAccount [CreateDebtAccountRequest](#)

Returns

[Task](#) <[ActionResult](#)>

GetDebtAccountAsync(int)

```
[Authorize]
[HttpGet("{debtAccountId}")]
public Task<ActionResult> GetDebtAccountAsync(int debtAccountId)
```

Parameters

debtAccountId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdateDebtAccountAsync(int, UpdateDebtAccountRequest)

```
[Authorize]
[HttpPut("{debtAccountId}")]
public Task<ActionResult> UpdateDebtAccountAsync(int debtAccountId,
UpdateDebtAccountRequest debtAccount)
```

Parameters

debtAccountId [int](#)

debtAccount [UpdateDebtAccountRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class EnvelopeCategoryController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for envelope categories

```
[Route("api/envelope-categories")]  
[ApiController]  
public class EnvelopeCategoryController : ControllerBase
```

Inheritance

[object](#)  ← [ControllerBase](#)  ← EnvelopeCategoryController

Inherited Members

[ControllerBase.StatusCode\(int\)](#)  , [ControllerBase.StatusCode\(int, object\)](#)  ,
[ControllerBase.Content\(string\)](#)  , [ControllerBase.Content\(string, string\)](#)  ,
[ControllerBase.Content\(string, string, Encoding\)](#)  ,
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#)  , [ControllerBase.NoContent\(\)](#)  ,
[ControllerBase.Ok\(\)](#)  , [ControllerBase.Ok\(object\)](#)  , [ControllerBase.Redirect\(string\)](#)  ,
[ControllerBase.RedirectPermanent\(string\)](#)  , [ControllerBase.RedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.LocalRedirect\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanent\(string\)](#)  , [ControllerBase.LocalRedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.RedirectToAction\(\)](#)  ,
[ControllerBase.RedirectToAction\(string\)](#)  , [ControllerBase.RedirectToAction\(string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string\)](#)  , [ControllerBase.RedirectToRoute\(object\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object\)](#)  , [ControllerBase.RedirectToRoute\(string, string\)](#)  ,

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).☐](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).☐](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).☐](#) ,
[ControllerBase.TryValidateModel\(object\).☐](#) , [ControllerBase.TryValidateModel\(object, string\).☐](#) ,
[ControllerBase.HttpContext☐](#) , [ControllerBase.Request☐](#) , [ControllerBase.Response☐](#) ,
[ControllerBase.RouteData☐](#) , [ControllerBase.ModelState☐](#) , [ControllerBase.ControllerContext☐](#) ,
[ControllerBase.MetadataProvider☐](#) , [ControllerBase.ModelBinderFactory☐](#) , [ControllerBase.Url☐](#) ,
[ControllerBase.ObjectValidator☐](#) , [ControllerBase.ProblemDetailsFactory☐](#) , [ControllerBase.User☐](#) ,
[ControllerBase.Empty☐](#) , [object.Equals\(object\).☐](#) , [object.Equals\(object, object\).☐](#) ,
[object.GetHashCode\(\).☐](#) , [object.GetType\(\).☐](#) , [object.MemberwiseClone\(\).☐](#) ,
[object.ReferenceEquals\(object, object\).☐](#) , [object.ToString\(\).☐](#)

Remarks

Parameterized constructor to bring in DI variables

Constructors

EnvelopeCategoryController(EnvelopeCategoryLogic)

Parameterized constructor to bring in DI variables

```
public EnvelopeCategoryController(EnvelopeCategoryLogic envelopeCategoryLogic)
```

Parameters

envelopeCategoryLogic [EnvelopeCategoryLogic](#)

Methods

CreateEnvelopeCategoryAsync(CreateEnvelopeCategoryRequest)

HTTP POST method to create an envelope category

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateEnvelopeCategoryAsync(CreateEnvelopeCategoryRequest
    envelopeCategory)
```

Parameters

envelopeCategory [CreateEnvelopeCategoryRequest](#)

Returns

[Task](#) <[ActionResult](#)>

DeleteEnvelopeCategoryAsync(int)

```
[Authorize]
[HttpDelete("{envelopeCategoryId}")]
public Task<ActionResult> DeleteEnvelopeCategoryAsync(int envelopeCategoryId)
```

Parameters

envelopeCategoryId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetAllEnvelopeCategoriesAsync(int)

HTTP GET method to get all envelope categories in a budget

```
[Authorize]
[HttpGet("budget/{budgetId}")]
```

```
public Task<ActionResult> GetAllEnvelopeCategoriesAsync(int budgetId)
```

Parameters

budgetId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetEnvelopeCategoryAsync(int)

```
[Authorize]  
[HttpGet("{envelopeCategoryId}")]  
public Task<ActionResult> GetEnvelopeCategoryAsync(int envelopeCategoryId)
```

Parameters

envelopeCategoryId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdateEnvelopeCategoryAsync(int, EditEnvelopeCategoryRequest)

Update an envelope category based on the provided fields

```
[Authorize]  
[HttpPut("{envelopeCategoryId}")]  
public Task<ActionResult> UpdateEnvelopeCategoryAsync(int envelopeCategoryId,  
EditEnvelopeCategoryRequest envelopeCategory)
```

Parameters

envelopeCategoryId [int](#)

envelopeCategory [EditEnvelopeCategoryRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class EnvelopeController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for envelopes

```
[Route("api/envelopes")]  
[ApiController]  
public class EnvelopeController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← EnvelopeController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryValidateModel\(object\).[↗]](#) , [ControllerBase.TryValidateModel\(object, string\).[↗]](#) ,
[ControllerBase.HttpContext.[↗]](#) , [ControllerBase.Request.[↗]](#) , [ControllerBase.Response.[↗]](#) ,
[ControllerBase.RouteData.[↗]](#) , [ControllerBase.ModelState.[↗]](#) , [ControllerBase.ControllerContext.[↗]](#) ,
[ControllerBase.MetadataProvider.[↗]](#) , [ControllerBase.ModelBinderFactory.[↗]](#) , [ControllerBase.Url.[↗]](#) ,
[ControllerBase.ObjectValidator.[↗]](#) , [ControllerBase.ProblemDetailsFactory.[↗]](#) , [ControllerBase.User.[↗]](#) ,
[ControllerBase.Empty.[↗]](#) , [object.Equals\(object\).[↗]](#) , [object.Equals\(object, object\).[↗]](#) ,
[object.GetHashCode\(\).[↗]](#) , [object.GetType\(\).[↗]](#) , [object.MemberwiseClone\(\).[↗]](#) ,
[object.ReferenceEquals\(object, object\).[↗]](#) , [object.ToString\(\).[↗]](#)

Remarks

Parameterized constructor to bring in DI variables

Constructors

EnvelopeController(EnvelopeLogic)

Parameterized constructor to bring in DI variables

```
public EnvelopeController(EnvelopeLogic envelopeLogic)
```

Parameters

`envelopeLogic` [EnvelopeLogic](#)

Methods

CreateEnvelopeAsync(CreateEnvelopeRequest)

POST method to create a new envelope

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateEnvelopeAsync(CreateEnvelopeRequest envelope)
```

Parameters

envelope [CreateEnvelopeRequest](#)

Returns

[Task](#) <[ActionResult](#)>

DeleteEnvelopeAsync(int)

```
[Authorize]
[HttpDelete("{envelopeId}")]
public Task<ActionResult> DeleteEnvelopeAsync(int envelopeId)
```

Parameters

envelopeId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetEnvelopeAsync(int)

```
[Authorize]
[HttpGet("{envelopeId}")]
public Task<ActionResult> GetEnvelopeAsync(int envelopeId)
```

Parameters

envelopeId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdateEnvelopeAsync(int, UpdateEnvelopeRequest)

```
[Authorize]
[HttpPut("{envelopeId}")]
public Task<ActionResult> UpdateEnvelopeAsync(int envelopeId, UpdateEnvelopeRequest
envelope)
```

Parameters

envelopeId [int](#)

envelope [UpdateEnvelopeRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class InvestmentAccountController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

```
[Route("api/investment-accounts")]  
[ApiController]  
public class InvestmentAccountController : ControllerBase
```

Inheritance

[object](#)  ← [ControllerBase](#)  ← InvestmentAccountController

Inherited Members

[ControllerBase.StatusCode\(int\)](#)  , [ControllerBase.StatusCode\(int, object\)](#)  ,
[ControllerBase.Content\(string\)](#)  , [ControllerBase.Content\(string, string\)](#)  ,
[ControllerBase.Content\(string, string, Encoding\)](#)  ,
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#)  , [ControllerBase.NoContent\(\)](#)  ,
[ControllerBase.Ok\(\)](#)  , [ControllerBase.Ok\(object\)](#)  , [ControllerBase.Redirect\(string\)](#)  ,
[ControllerBase.RedirectPermanent\(string\)](#)  , [ControllerBase.RedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.LocalRedirect\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanent\(string\)](#)  , [ControllerBase.LocalRedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.RedirectToAction\(\)](#)  ,
[ControllerBase.RedirectToAction\(string\)](#)  , [ControllerBase.RedirectToAction\(string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string\)](#)  , [ControllerBase.RedirectToRoute\(object\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object\)](#)  , [ControllerBase.RedirectToRoute\(string, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object, string\)](#)  ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\)](#)  ,

[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#),
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#),
[ControllerBase.Unauthorized\(\)](#), [ControllerBase.Unauthorized\(object\)](#), [ControllerBase.NotFound\(\)](#),
[ControllerBase.NotFound\(object\)](#), [ControllerBase.BadRequest\(\)](#),
[ControllerBase.BadRequest\(object\)](#), [ControllerBase.BadRequest\(ModelStateDictionary\)](#),
[ControllerBase.UnprocessableEntity\(\)](#), [ControllerBase.UnprocessableEntity\(object\)](#),
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\)](#), [ControllerBase.Conflict\(\)](#),
[ControllerBase.Conflict\(object\)](#), [ControllerBase.Conflict\(ModelStateDictionary\)](#),
[ControllerBase.Problem\(string, string, int?, string, string\)](#),
[ControllerBase.ValidationProblem\(ValidationProblemDetails\)](#),
[ControllerBase.ValidationProblem\(ModelStateDictionary\)](#), [ControllerBase.ValidationProblem\(\)](#),
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\)](#),
[ControllerBase.Created\(\)](#), [ControllerBase.Created\(string, object\)](#),
[ControllerBase.Created\(Uri, object\)](#), [ControllerBase.CreatedAtAction\(string, object\)](#),
[ControllerBase.CreatedAtAction\(string, object, object\)](#),
[ControllerBase.CreatedAtAction\(string, string, object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object\)](#), [ControllerBase.CreatedAtRoute\(object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object, object\)](#), [ControllerBase.Accepted\(\)](#),
[ControllerBase.Accepted\(object\)](#), [ControllerBase.Accepted\(Uri\)](#), [ControllerBase.Accepted\(string\)](#),
[ControllerBase.Accepted\(string, object\)](#), [ControllerBase.Accepted\(Uri, object\)](#),
[ControllerBase.AcceptedAtAction\(string\)](#), [ControllerBase.AcceptedAtAction\(string, string\)](#),
[ControllerBase.AcceptedAtAction\(string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, object, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object, object\)](#),
[ControllerBase.AcceptedAtRoute\(object\)](#), [ControllerBase.AcceptedAtRoute\(string\)](#),
[ControllerBase.AcceptedAtRoute\(string, object\)](#), [ControllerBase.AcceptedAtRoute\(object, object\)](#),
[ControllerBase.AcceptedAtRoute\(string, object, object\)](#), [ControllerBase.Challenge\(\)](#),
[ControllerBase.Challenge\(params string\[\]\)](#), [ControllerBase.Challenge\(AuthenticationProperties\)](#),
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\)](#), [ControllerBase.Forbid\(\)](#),
[ControllerBase.Forbid\(params string\[\]\)](#), [ControllerBase.Forbid\(AuthenticationProperties\)](#),
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal\)](#), [ControllerBase.SignIn\(ClaimsPrincipal, string\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\)](#), [ControllerBase.SignOut\(\)](#),
[ControllerBase.SignOut\(AuthenticationProperties\)](#), [ControllerBase.SignOut\(params string\[\]\)](#),
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](#),

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryValidateModel\(object\).](#)[☞](#) , [ControllerBase.TryValidateModel\(object, string\).](#)[☞](#) ,
[ControllerBase.HttpContext.](#)[☞](#) , [ControllerBase.Request.](#)[☞](#) , [ControllerBase.Response.](#)[☞](#) ,
[ControllerBase.RouteData.](#)[☞](#) , [ControllerBase.ModelState.](#)[☞](#) , [ControllerBase.ControllerContext.](#)[☞](#) ,
[ControllerBase.MetadataProvider.](#)[☞](#) , [ControllerBase.ModelBinderFactory.](#)[☞](#) , [ControllerBase.Url.](#)[☞](#) ,
[ControllerBase.ObjectValidator.](#)[☞](#) , [ControllerBase.ProblemDetailsFactory.](#)[☞](#) , [ControllerBase.User.](#)[☞](#) ,
[ControllerBase.Empty.](#)[☞](#) , [object.Equals\(object\).](#)[☞](#) , [object.Equals\(object, object\).](#)[☞](#) ,
[object.GetHashCode\(\).](#)[☞](#) , [object.GetType\(\).](#)[☞](#) , [object.MemberwiseClone\(\).](#)[☞](#) ,
[object.ReferenceEquals\(object, object\).](#)[☞](#) , [object.ToString\(\).](#)[☞](#)

Constructors

InvestmentAccountController(InvestmentAccountLogic)

Parameterized constructor to bring in DI variables

```
public InvestmentAccountController(InvestmentAccountLogic investmentAccountLogic)
```

Parameters

`investmentAccountLogic` [InvestmentAccountLogic](#)

Methods

CreateInvestmentAccountAsync(CreateInvestmentAccountRequest)

HTTP POST method to create a new investment account

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateInvestmentAccountAsync(CreateInvestmentAccountRequest
investmentAccount)
```

Parameters

investmentAccount [CreateInvestmentAccountRequest](#)

Returns

[Task](#) <[ActionResult](#)>

GetInvestmentAccountAsync(int)

```
[Authorize]
[HttpGet("{investmentAccountId}")]
public Task<ActionResult> GetInvestmentAccountAsync(int investmentAccountId)
```

Parameters

investmentAccountId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdateInvestmentAccountAsync(int, UpdateInvestmentAccountRequest)

```
[Authorize]
[HttpPut("{investmentAccountId}")]
public Task<ActionResult> UpdateInvestmentAccountAsync(int investmentAccountId,
UpdateInvestmentAccountRequest investmentAccount)
```

Parameters

investmentAccountId [int](#)

investmentAccount [UpdateInvestmentAccountRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class PaycheckController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for paychecks

```
[Route("api/paychecks")]  
[ApiController]  
public class PaycheckController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← PaycheckController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryValidateModel\(object\).[↗]](#) , [ControllerBase.TryValidateModel\(object, string\).[↗]](#) ,
[ControllerBase.HttpContext.[↗]](#) , [ControllerBase.Request.[↗]](#) , [ControllerBase.Response.[↗]](#) ,
[ControllerBase.RouteData.[↗]](#) , [ControllerBase.ModelState.[↗]](#) , [ControllerBase.ControllerContext.[↗]](#) ,
[ControllerBase.MetadataProvider.[↗]](#) , [ControllerBase.ModelBinderFactory.[↗]](#) , [ControllerBase.Url.[↗]](#) ,
[ControllerBase.ObjectValidator.[↗]](#) , [ControllerBase.ProblemDetailsFactory.[↗]](#) , [ControllerBase.User.[↗]](#) ,
[ControllerBase.Empty.[↗]](#) , [object.Equals\(object\).[↗]](#) , [object.Equals\(object, object\).[↗]](#) ,
[object.GetHashCode\(\).[↗]](#) , [object.GetType\(\).[↗]](#) , [object.MemberwiseClone\(\).[↗]](#) ,
[object.ReferenceEquals\(object, object\).[↗]](#) , [object.ToString\(\).[↗]](#)

Constructors

PaycheckController(PaycheckLogic)

Parameterized constructor to bring in DI variables

```
public PaycheckController(PaycheckLogic paycheckLogic)
```

Parameters

`paycheckLogic` [PaycheckLogic](#)

Methods

CreatePaycheckAsync(CreatePaycheckRequest)

HTTP POST method to create a new paycheck

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreatePaycheckAsync(CreatePaycheckRequest paycheck)
```

Parameters

paycheck [CreatePaycheckRequest](#)

Returns

[Task](#) <[ActionResult](#)>

DeletePaycheckAsync(int)

```
[Authorize]
[HttpDelete("{paycheckId}")]
public Task<ActionResult> DeletePaycheckAsync(int paycheckId)
```

Parameters

paycheckId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetAllPaychecksAsync(int)

```
[Authorize]
[HttpGet("budget/{budgetId}")]
public Task<ActionResult> GetAllPaychecksAsync(int budgetId)
```

Parameters

budgetId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetPaycheck(int)

```
[Authorize]
[HttpGet("{paycheckId}")]
public Task<ActionResult> GetPaycheck(int paycheckId)
```

Parameters

paycheckId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdatePaycheckAsync(int, UpdatePaycheckRequest)

```
[Authorize]
[HttpPut("{paycheckId}")]
public Task<ActionResult> UpdatePaycheckAsync(int paycheckId, UpdatePaycheckRequest
paycheck)
```

Parameters

paycheckId [int](#)

paycheck [UpdatePaycheckRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class PaymentTransactionController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

```
[Route("api/payment-transactions")]  
[ApiController]  
public class PaymentTransactionController : ControllerBase
```

Inheritance

[object](#)  ← [ControllerBase](#)  ← PaymentTransactionController

Inherited Members

[ControllerBase.StatusCode\(int\)](#)  , [ControllerBase.StatusCode\(int, object\)](#)  ,
[ControllerBase.Content\(string\)](#)  , [ControllerBase.Content\(string, string\)](#)  ,
[ControllerBase.Content\(string, string, Encoding\)](#)  ,
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#)  , [ControllerBase.NoContent\(\)](#)  ,
[ControllerBase.Ok\(\)](#)  , [ControllerBase.Ok\(object\)](#)  , [ControllerBase.Redirect\(string\)](#)  ,
[ControllerBase.RedirectPermanent\(string\)](#)  , [ControllerBase.RedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.LocalRedirect\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanent\(string\)](#)  , [ControllerBase.LocalRedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.RedirectToAction\(\)](#)  ,
[ControllerBase.RedirectToAction\(string\)](#)  , [ControllerBase.RedirectToAction\(string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string\)](#)  , [ControllerBase.RedirectToRoute\(object\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object\)](#)  , [ControllerBase.RedirectToRoute\(string, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object, string\)](#)  ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\)](#)  ,

[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#),
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#),
[ControllerBase.Unauthorized\(\)](#), [ControllerBase.Unauthorized\(object\)](#), [ControllerBase.NotFound\(\)](#),
[ControllerBase.NotFound\(object\)](#), [ControllerBase.BadRequest\(\)](#),
[ControllerBase.BadRequest\(object\)](#), [ControllerBase.BadRequest\(ModelStateDictionary\)](#),
[ControllerBase.UnprocessableEntity\(\)](#), [ControllerBase.UnprocessableEntity\(object\)](#),
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\)](#), [ControllerBase.Conflict\(\)](#),
[ControllerBase.Conflict\(object\)](#), [ControllerBase.Conflict\(ModelStateDictionary\)](#),
[ControllerBase.Problem\(string, string, int?, string, string\)](#),
[ControllerBase.ValidationProblem\(ValidationProblemDetails\)](#),
[ControllerBase.ValidationProblem\(ModelStateDictionary\)](#), [ControllerBase.ValidationProblem\(\)](#),
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\)](#),
[ControllerBase.Created\(\)](#), [ControllerBase.Created\(string, object\)](#),
[ControllerBase.Created\(Uri, object\)](#), [ControllerBase.CreatedAtAction\(string, object\)](#),
[ControllerBase.CreatedAtAction\(string, object, object\)](#),
[ControllerBase.CreatedAtAction\(string, string, object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object\)](#), [ControllerBase.CreatedAtRoute\(object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object, object\)](#), [ControllerBase.Accepted\(\)](#),
[ControllerBase.Accepted\(object\)](#), [ControllerBase.Accepted\(Uri\)](#), [ControllerBase.Accepted\(string\)](#),
[ControllerBase.Accepted\(string, object\)](#), [ControllerBase.Accepted\(Uri, object\)](#),
[ControllerBase.AcceptedAtAction\(string\)](#), [ControllerBase.AcceptedAtAction\(string, string\)](#),
[ControllerBase.AcceptedAtAction\(string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, object, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object, object\)](#),
[ControllerBase.AcceptedAtRoute\(object\)](#), [ControllerBase.AcceptedAtRoute\(string\)](#),
[ControllerBase.AcceptedAtRoute\(string, object\)](#), [ControllerBase.AcceptedAtRoute\(object, object\)](#),
[ControllerBase.AcceptedAtRoute\(string, object, object\)](#), [ControllerBase.Challenge\(\)](#),
[ControllerBase.Challenge\(params string\[\]\)](#), [ControllerBase.Challenge\(AuthenticationProperties\)](#),
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\)](#), [ControllerBase.Forbid\(\)](#),
[ControllerBase.Forbid\(params string\[\]\)](#), [ControllerBase.Forbid\(AuthenticationProperties\)](#),
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal\)](#), [ControllerBase.SignIn\(ClaimsPrincipal, string\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\)](#), [ControllerBase.SignOut\(\)](#),
[ControllerBase.SignOut\(AuthenticationProperties\)](#), [ControllerBase.SignOut\(params string\[\]\)](#),
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](#),

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryValidateModel\(object\).](#)[☞](#) , [ControllerBase.TryValidateModel\(object, string\).](#)[☞](#) ,
[ControllerBase.HttpContext.](#)[☞](#) , [ControllerBase.Request.](#)[☞](#) , [ControllerBase.Response.](#)[☞](#) ,
[ControllerBase.RouteData.](#)[☞](#) , [ControllerBase.ModelState.](#)[☞](#) , [ControllerBase.ControllerContext.](#)[☞](#) ,
[ControllerBase.MetadataProvider.](#)[☞](#) , [ControllerBase.ModelBinderFactory.](#)[☞](#) , [ControllerBase.Url.](#)[☞](#) ,
[ControllerBase.ObjectValidator.](#)[☞](#) , [ControllerBase.ProblemDetailsFactory.](#)[☞](#) , [ControllerBase.User.](#)[☞](#) ,
[ControllerBase.Empty.](#)[☞](#) , [object.Equals\(object\).](#)[☞](#) , [object.Equals\(object, object\).](#)[☞](#) ,
[object.GetHashCode\(\).](#)[☞](#) , [object.GetType\(\).](#)[☞](#) , [object.MemberwiseClone\(\).](#)[☞](#) ,
[object.ReferenceEquals\(object, object\).](#)[☞](#) , [object.ToString\(\).](#)[☞](#)

Constructors

PaymentTransactionController(PaymentTransactionLogic)

Parameterized constructor to bring in DI variables

```
public PaymentTransactionController(PaymentTransactionLogic paymentTransactionLogic)
```

Parameters

paymentTransactionLogic [PaymentTransactionLogic](#)

Methods

CreatePaymentTransactionAsync(CreatePaymentTransactionRequest)

HTTP POST request to create a new payment transaction

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreatePaymentTransactionAsync(CreatePaymentTransactionRequest
paymentTransaction)
```

Parameters

paymentTransaction [CreatePaymentTransactionRequest](#)

Returns

[Task](#) <[ActionResult](#)>

GetPaymentTransactionAsync(int)

```
[Authorize]
[HttpGet("{paycheckTransactionId}")]
public Task<ActionResult> GetPaymentTransactionAsync(int paycheckTransactionId)
```

Parameters

paycheckTransactionId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdatePaymentTransactionAsync(int, UpdatePaymentTransactionRequest)

```
[Authorize]
[HttpPut("{paymentTransactionId}")]
public Task<ActionResult> UpdatePaymentTransactionAsync(int paymentTransactionId,
UpdatePaymentTransactionRequest paymentTransaction)
```

Parameters

paymentTransactionId [int](#)

paymentTransaction [UpdatePaymentTransactionRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class PlannedExpenseController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for planned expenses

```
[Route("api/[controller]")]
[ApiController]
public class PlannedExpenseController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← PlannedExpenseController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).☐](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).☐](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).☐](#) ,
[ControllerBase.TryValidateModel\(object\).☐](#) , [ControllerBase.TryValidateModel\(object, string\).☐](#) ,
[ControllerBase.HttpContext☐](#) , [ControllerBase.Request☐](#) , [ControllerBase.Response☐](#) ,
[ControllerBase.RouteData☐](#) , [ControllerBase.ModelState☐](#) , [ControllerBase.ControllerContext☐](#) ,
[ControllerBase.MetadataProvider☐](#) , [ControllerBase.ModelBinderFactory☐](#) , [ControllerBase.Url☐](#) ,
[ControllerBase.ObjectValidator☐](#) , [ControllerBase.ProblemDetailsFactory☐](#) , [ControllerBase.User☐](#) ,
[ControllerBase.Empty☐](#) , [object.Equals\(object\).☐](#) , [object.Equals\(object, object\).☐](#) ,
[object.GetHashCode\(\).☐](#) , [object.GetType\(\).☐](#) , [object.MemberwiseClone\(\).☐](#) ,
[object.ReferenceEquals\(object, object\).☐](#) , [object.ToString\(\).☐](#)

Class TransactionController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for transactions

```
[Route("api/transactions")]  
[ApiController]  
public class TransactionController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← TransactionController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryValidateModel\(object\).[↗]](#) , [ControllerBase.TryValidateModel\(object, string\).[↗]](#) ,
[ControllerBase.HttpContext.[↗]](#) , [ControllerBase.Request.[↗]](#) , [ControllerBase.Response.[↗]](#) ,
[ControllerBase.RouteData.[↗]](#) , [ControllerBase.ModelState.[↗]](#) , [ControllerBase.ControllerContext.[↗]](#) ,
[ControllerBase.MetadataProvider.[↗]](#) , [ControllerBase.ModelBinderFactory.[↗]](#) , [ControllerBase.Url.[↗]](#) ,
[ControllerBase.ObjectValidator.[↗]](#) , [ControllerBase.ProblemDetailsFactory.[↗]](#) , [ControllerBase.User.[↗]](#) ,
[ControllerBase.Empty.[↗]](#) , [object.Equals\(object\).[↗]](#) , [object.Equals\(object, object\).[↗]](#) ,
[object.GetHashCode\(\).[↗]](#) , [object.GetType\(\).[↗]](#) , [object.MemberwiseClone\(\).[↗]](#) ,
[object.ReferenceEquals\(object, object\).[↗]](#) , [object.ToString\(\).[↗]](#)

Constructors

TransactionController(TransactionLogic)

Parameterized constructor to bring in DI variables

```
public TransactionController(TransactionLogic transactionLogic)
```

Parameters

`transactionLogic` [TransactionLogic](#)

Methods

DeleteTransactionAsync(int)

```
[Authorize]
[HttpDelete("{transactionId}")]
public Task<ActionResult> DeleteTransactionAsync(int transactionId)
```

Parameters

transactionId [int](#)

Returns

[Task](#) <[ActionResult](#)>

GetAllTransactionsAsync(int)

```
[Authorize]
[HttpGet("{budgetId}")]
public Task<ActionResult> GetAllTransactionsAsync(int budgetId)
```

Parameters

budgetId [int](#)

Returns

[Task](#) <[ActionResult](#)>

Class TransferTransactionController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

```
[Route("api/transfer-transactions")]  
[ApiController]  
public class TransferTransactionController : ControllerBase
```

Inheritance

[object](#)  ← [ControllerBase](#)  ← TransferTransactionController

Inherited Members

[ControllerBase.StatusCode\(int\)](#)  , [ControllerBase.StatusCode\(int, object\)](#)  ,
[ControllerBase.Content\(string\)](#)  , [ControllerBase.Content\(string, string\)](#)  ,
[ControllerBase.Content\(string, string, Encoding\)](#)  ,
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#)  , [ControllerBase.NoContent\(\)](#)  ,
[ControllerBase.Ok\(\)](#)  , [ControllerBase.Ok\(object\)](#)  , [ControllerBase.Redirect\(string\)](#)  ,
[ControllerBase.RedirectPermanent\(string\)](#)  , [ControllerBase.RedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.LocalRedirect\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanent\(string\)](#)  , [ControllerBase.LocalRedirectPreserveMethod\(string\)](#)  ,
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#)  , [ControllerBase.RedirectToAction\(\)](#)  ,
[ControllerBase.RedirectToAction\(string\)](#)  , [ControllerBase.RedirectToAction\(string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, string\)](#)  ,
[ControllerBase.RedirectToAction\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#)  ,
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string\)](#)  , [ControllerBase.RedirectToRoute\(object\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object\)](#)  , [ControllerBase.RedirectToRoute\(string, string\)](#)  ,
[ControllerBase.RedirectToRoute\(string, object, string\)](#)  ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\)](#)  ,

[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\)](#),
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\)](#),
[ControllerBase.Unauthorized\(\)](#), [ControllerBase.Unauthorized\(object\)](#), [ControllerBase.NotFound\(\)](#),
[ControllerBase.NotFound\(object\)](#), [ControllerBase.BadRequest\(\)](#),
[ControllerBase.BadRequest\(object\)](#), [ControllerBase.BadRequest\(ModelStateDictionary\)](#),
[ControllerBase.UnprocessableEntity\(\)](#), [ControllerBase.UnprocessableEntity\(object\)](#),
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\)](#), [ControllerBase.Conflict\(\)](#),
[ControllerBase.Conflict\(object\)](#), [ControllerBase.Conflict\(ModelStateDictionary\)](#),
[ControllerBase.Problem\(string, string, int?, string, string\)](#),
[ControllerBase.ValidationProblem\(ValidationProblemDetails\)](#),
[ControllerBase.ValidationProblem\(ModelStateDictionary\)](#), [ControllerBase.ValidationProblem\(\)](#),
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\)](#),
[ControllerBase.Created\(\)](#), [ControllerBase.Created\(string, object\)](#),
[ControllerBase.Created\(Uri, object\)](#), [ControllerBase.CreatedAtAction\(string, object\)](#),
[ControllerBase.CreatedAtAction\(string, object, object\)](#),
[ControllerBase.CreatedAtAction\(string, string, object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object\)](#), [ControllerBase.CreatedAtRoute\(object, object\)](#),
[ControllerBase.CreatedAtRoute\(string, object, object\)](#), [ControllerBase.Accepted\(\)](#),
[ControllerBase.Accepted\(object\)](#), [ControllerBase.Accepted\(Uri\)](#), [ControllerBase.Accepted\(string\)](#),
[ControllerBase.Accepted\(string, object\)](#), [ControllerBase.Accepted\(Uri, object\)](#),
[ControllerBase.AcceptedAtAction\(string\)](#), [ControllerBase.AcceptedAtAction\(string, string\)](#),
[ControllerBase.AcceptedAtAction\(string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object\)](#),
[ControllerBase.AcceptedAtAction\(string, object, object\)](#),
[ControllerBase.AcceptedAtAction\(string, string, object, object\)](#),
[ControllerBase.AcceptedAtRoute\(object\)](#), [ControllerBase.AcceptedAtRoute\(string\)](#),
[ControllerBase.AcceptedAtRoute\(string, object\)](#), [ControllerBase.AcceptedAtRoute\(object, object\)](#),
[ControllerBase.AcceptedAtRoute\(string, object, object\)](#), [ControllerBase.Challenge\(\)](#),
[ControllerBase.Challenge\(params string\[\]\)](#), [ControllerBase.Challenge\(AuthenticationProperties\)](#),
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\)](#), [ControllerBase.Forbid\(\)](#),
[ControllerBase.Forbid\(params string\[\]\)](#), [ControllerBase.Forbid\(AuthenticationProperties\)](#),
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal\)](#), [ControllerBase.SignIn\(ClaimsPrincipal, string\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\)](#),
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\)](#), [ControllerBase.SignOut\(\)](#),
[ControllerBase.SignOut\(AuthenticationProperties\)](#), [ControllerBase.SignOut\(params string\[\]\)](#),
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](#),
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](#),

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).](#)[☞](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).](#)[☞](#) ,
[ControllerBase.TryValidateModel\(object\).](#)[☞](#) , [ControllerBase.TryValidateModel\(object, string\).](#)[☞](#) ,
[ControllerBase.HttpContext.](#)[☞](#) , [ControllerBase.Request.](#)[☞](#) , [ControllerBase.Response.](#)[☞](#) ,
[ControllerBase.RouteData.](#)[☞](#) , [ControllerBase.ModelState.](#)[☞](#) , [ControllerBase.ControllerContext.](#)[☞](#) ,
[ControllerBase.MetadataProvider.](#)[☞](#) , [ControllerBase.ModelBinderFactory.](#)[☞](#) , [ControllerBase.Url.](#)[☞](#) ,
[ControllerBase.ObjectValidator.](#)[☞](#) , [ControllerBase.ProblemDetailsFactory.](#)[☞](#) , [ControllerBase.User.](#)[☞](#) ,
[ControllerBase.Empty.](#)[☞](#) , [object.Equals\(object\).](#)[☞](#) , [object.Equals\(object, object\).](#)[☞](#) ,
[object.GetHashCode\(\).](#)[☞](#) , [object.GetType\(\).](#)[☞](#) , [object.MemberwiseClone\(\).](#)[☞](#) ,
[object.ReferenceEquals\(object, object\).](#)[☞](#) , [object.ToString\(\).](#)[☞](#)

Constructors

TransferTransactionController(TransferTransactionLogic)

Parameterized constructor to bring in DI variables

```
public TransferTransactionController(TransferTransactionLogic transferTransactionLogic)
```

Parameters

`transferTransactionLogic` [TransferTransactionLogic](#)

Methods

CreateTransferTransactionAsync(CreateTransferTransactionRequest)

HTTP POST method to create a new transfer transaction

```
[Authorize]
[HttpPost]
public Task<ActionResult> CreateTransferTransactionAsync(CreateTransferTransactionRequest
transferTransaction)
```

Parameters

transferTransaction [CreateTransferTransactionRequest](#)

Returns

[Task](#) <[ActionResult](#)>

GetTransferTransactionAsync(int)

```
[Authorize]
[HttpGet("{paycheckTransactionId}")]
public Task<ActionResult> GetTransferTransactionAsync(int paycheckTransactionId)
```

Parameters

paycheckTransactionId [int](#)

Returns

[Task](#) <[ActionResult](#)>

UpdateTransferTransactionAsync(int, UpdateTransferTransactionRequest)

```
[Authorize]
[HttpPut("{transferTransactionId}")]
public Task<ActionResult> UpdateTransferTransactionAsync(int transferTransactionId,
UpdateTransferTransactionRequest transferTransaction)
```

Parameters

transferTransactionId [int](#)

transferTransaction [UpdateTransferTransactionRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Class UserController

Namespace: [MakesCentsBackend.Controllers](#)

Assembly: MakesCentsBackend.dll

API controller for users

```
[Route("api/user")]  
[ApiController]  
public class UserController : ControllerBase
```

Inheritance

[object](#) ← [ControllerBase](#) ← UserController

Inherited Members

[ControllerBase.StatusCode\(int\)](#), [ControllerBase.StatusCode\(int, object\)](#),
[ControllerBase.Content\(string\)](#), [ControllerBase.Content\(string, string\)](#),
[ControllerBase.Content\(string, string, Encoding\)](#),
[ControllerBase.Content\(string, MediaTypeHeaderValue\)](#), [ControllerBase.NoContent\(\)](#),
[ControllerBase.Ok\(\)](#), [ControllerBase.Ok\(object\)](#), [ControllerBase.Redirect\(string\)](#),
[ControllerBase.RedirectPermanent\(string\)](#), [ControllerBase.RedirectPreserveMethod\(string\)](#),
[ControllerBase.RedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.LocalRedirect\(string\)](#),
[ControllerBase.LocalRedirectPermanent\(string\)](#), [ControllerBase.LocalRedirectPreserveMethod\(string\)](#),
[ControllerBase.LocalRedirectPermanentPreserveMethod\(string\)](#), [ControllerBase.RedirectToAction\(\)](#),
[ControllerBase.RedirectToAction\(string\)](#), [ControllerBase.RedirectToAction\(string, object\)](#),
[ControllerBase.RedirectToAction\(string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object\)](#),
[ControllerBase.RedirectToAction\(string, string, string\)](#),
[ControllerBase.RedirectToAction\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, string\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object\)](#),
[ControllerBase.RedirectToActionPermanent\(string, string, object, string\)](#),
[ControllerBase.RedirectToActionPermanentPreserveMethod\(string, string, object, string\)](#),
[ControllerBase.RedirectToRoute\(string\)](#), [ControllerBase.RedirectToRoute\(object\)](#),
[ControllerBase.RedirectToRoute\(string, object\)](#), [ControllerBase.RedirectToRoute\(string, string\)](#),

[ControllerBase.RedirectToRoute\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanent\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToRoutePermanentPreserveMethod\(string, object, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string\).☐](#) , [ControllerBase.RedirectToPage\(string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string\).☐](#) , [ControllerBase.RedirectToPage\(string, string, object\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPage\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, object\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanent\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.RedirectToPagePermanentPreserveMethod\(string, string, object, string\).☐](#) ,
[ControllerBase.File\(byte\[\], string\).☐](#) , [ControllerBase.File\(byte\[\], string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string\).☐](#) , [ControllerBase.File\(byte\[\], string, string, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(byte\[\], string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string\).☐](#) , [ControllerBase.File\(Stream, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string\).☐](#) , [ControllerBase.File\(Stream, string, string, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(Stream, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string\).☐](#) , [ControllerBase.File\(string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, string\).☐](#) , [ControllerBase.File\(string, string, string, bool\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.File\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string\).☐](#) , [ControllerBase.PhysicalFile\(string, string, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, bool\).☐](#) ,

[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue\).☐](#) ,
[ControllerBase.PhysicalFile\(string, string, string, DateTimeOffset?, EntityTagHeaderValue, bool\).☐](#) ,
[ControllerBase.Unauthorized\(\).☐](#) , [ControllerBase.Unauthorized\(object\).☐](#) , [ControllerBase.NotFound\(\).☐](#) ,
[ControllerBase.NotFound\(object\).☐](#) , [ControllerBase.BadRequest\(\).☐](#) ,
[ControllerBase.BadRequest\(object\).☐](#) , [ControllerBase.BadRequest\(ModelStateDictionary\).☐](#) ,
[ControllerBase.UnprocessableEntity\(\).☐](#) , [ControllerBase.UnprocessableEntity\(object\).☐](#) ,
[ControllerBase.UnprocessableEntity\(ModelStateDictionary\).☐](#) , [ControllerBase.Conflict\(\).☐](#) ,
[ControllerBase.Conflict\(object\).☐](#) , [ControllerBase.Conflict\(ModelStateDictionary\).☐](#) ,
[ControllerBase.Problem\(string, string, int?, string, string\).☐](#) ,
[ControllerBase.ValidationProblem\(ValidationProblemDetails\).☐](#) ,
[ControllerBase.ValidationProblem\(ModelStateDictionary\).☐](#) , [ControllerBase.ValidationProblem\(\).☐](#) ,
[ControllerBase.ValidationProblem\(string, string, int?, string, string, ModelStateDictionary\).☐](#) ,
[ControllerBase.Created\(\).☐](#) , [ControllerBase.Created\(string, object\).☐](#) ,
[ControllerBase.Created\(Uri, object\).☐](#) , [ControllerBase.CreatedAtAction\(string, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.CreatedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object\).☐](#) , [ControllerBase.CreatedAtRoute\(object, object\).☐](#) ,
[ControllerBase.CreatedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Accepted\(\).☐](#) ,
[ControllerBase.Accepted\(object\).☐](#) , [ControllerBase.Accepted\(Uri\).☐](#) , [ControllerBase.Accepted\(string\).☐](#) ,
[ControllerBase.Accepted\(string, object\).☐](#) , [ControllerBase.Accepted\(Uri, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string\).☐](#) , [ControllerBase.AcceptedAtAction\(string, string\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtAction\(string, string, object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(object\).☐](#) , [ControllerBase.AcceptedAtRoute\(string\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object\).☐](#) , [ControllerBase.AcceptedAtRoute\(object, object\).☐](#) ,
[ControllerBase.AcceptedAtRoute\(string, object, object\).☐](#) , [ControllerBase.Challenge\(\).☐](#) ,
[ControllerBase.Challenge\(params string\[\]\).☐](#) , [ControllerBase.Challenge\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Challenge\(AuthenticationProperties, params string\[\]\).☐](#) , [ControllerBase.Forbid\(\).☐](#) ,
[ControllerBase.Forbid\(params string\[\]\).☐](#) , [ControllerBase.Forbid\(AuthenticationProperties\).☐](#) ,
[ControllerBase.Forbid\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal\).☐](#) , [ControllerBase.SignIn\(ClaimsPrincipal, string\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties\).☐](#) ,
[ControllerBase.SignIn\(ClaimsPrincipal, AuthenticationProperties, string\).☐](#) , [ControllerBase.SignOut\(\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties\).☐](#) , [ControllerBase.SignOut\(params string\[\]\).☐](#) ,
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\).☐](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\).☐](#) ,

[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string\).[↗]](#) ,
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\).[↗]](#) ,
[ControllerBase.TryValidateModel\(object\).[↗]](#) , [ControllerBase.TryValidateModel\(object, string\).[↗]](#) ,
[ControllerBase.HttpContext.[↗]](#) , [ControllerBase.Request.[↗]](#) , [ControllerBase.Response.[↗]](#) ,
[ControllerBase.RouteData.[↗]](#) , [ControllerBase.ModelState.[↗]](#) , [ControllerBase.ControllerContext.[↗]](#) ,
[ControllerBase.MetadataProvider.[↗]](#) , [ControllerBase.ModelBinderFactory.[↗]](#) , [ControllerBase.Url.[↗]](#) ,
[ControllerBase.ObjectValidator.[↗]](#) , [ControllerBase.ProblemDetailsFactory.[↗]](#) , [ControllerBase.User.[↗]](#) ,
[ControllerBase.Empty.[↗]](#) , [object.Equals\(object\).[↗]](#) , [object.Equals\(object, object\).[↗]](#) ,
[object.GetHashCode\(\).[↗]](#) , [object.GetType\(\).[↗]](#) , [object.MemberwiseClone\(\).[↗]](#) ,
[object.ReferenceEquals\(object, object\).[↗]](#) , [object.ToString\(\).[↗]](#)

Constructors

UserController(UserLogic)

Parameterized constructor to bring in DI variables

```
public UserController(UserLogic userLogic)
```

Parameters

`userLogic` [UserLogic](#)

Methods

DeleteUserAsync()

Delete a user based on a userId

```
[HttpDelete]
[Authorize]
public Task<ActionResult> DeleteUserAsync()
```

Returns

[Task](#) <[ActionResult](#)>

GetUserAsync()

Method to get a user based on its id

```
[HttpGet]
[Authorize]
public Task<ActionResult> GetUserAsync()
```

Returns

[Task](#) <[ActionResult](#)>

LoginUserAsync(LoginRequest)

Method to login an existing user

```
[AllowAnonymous]
[HttpPost("login")]
public Task<ActionResult> LoginUserAsync(LoginRequest user)
```

Parameters

user [LoginRequest](#)

Returns

[Task](#) <[ActionResult](#)>

The code status, user id, token, and message

RegisterUserAsync(RegisterRequest)

Method to register a new user

```
[AllowAnonymous]  
[HttpPost("register")]  
public Task<ActionResult> RegisterUserAsync(RegisterRequest user)
```

Parameters

user [RegisterRequest](#)

Returns

[Task](#) <[ActionResult](#)>

The code status, user id, token, and message

UpdateUserAsync(EditUserRequest)

Method to update a user based on the given fields

```
[HttpPut]  
[Authorize]  
public Task<ActionResult> UpdateUserAsync(EditUserRequest user)
```

Parameters

user [EditUserRequest](#)

Returns

[Task](#) <[ActionResult](#)>

Namespace MakesCentsBackend.Models

Classes

[AccountEntityModel](#)

Model for an abstract account

[BankAccountEntityModel](#)

Model for a bank account

[BankAccountSummaryDTOModel](#)

DTO model for getting all accounts

[BaseIdRequest](#)

[BaseIdResponse](#)

Base Response for a create or edit function

[BaseResponse](#)

A base response model with only a status and message

[BudgetEntityModel](#)

Entity model for a budget

[CreateAccountRequest](#)

[CreateAccountResponse](#)

Response model for an account

[CreateBankAccountRequest](#)

Request model for creating a bank account model

[CreateBankAccountResponse](#)

Response model for creating a bank account

[CreateBudgetRequest](#)

Request model for creating a budget

[CreateDebtAccountRequest](#)

Request model for creating a debt account model

[CreateDebtAccountResponse](#)

Response model for creating a debt account

[CreateEnvelopeCategoryRequest](#)

Request model for creating an envelope category

[CreateEnvelopeRequest](#)

Request class for creating an envelope

[CreateInvestmentAccountRequest](#)

Request model to create an investment account

[CreateInvestmentAccountResponse](#)

Response model for creating an investment account

[CreatePaycheckRequest](#)

Request method to create a paycheck

[CreatePaycheckResponse](#)

Response model for a DTO paycheck

[CreatePaycheckSplitRequest](#)

Request model to create a paycheck split

[CreatePaymentTransactionRequest](#)

Request model to create a new payment transaction

[CreatePaymentTransactionResponse](#)

Response model for creating a payment transaction

[CreateTransactionRequest](#)

Request model to create a new transaction

[CreateTransactionSplitRequest](#)

Request model for creating a new transaction split

[CreateTransferTransactionRequest](#)

Request model to create a new transfer transaction

[CreateTransferTransactionResponse](#)

[DebtAccountEntityModel](#)

Model for a debt account

[DebtAccountSummaryDTOModel](#)

[EditBudgetRequest](#)

Request model for updating a budget

[EditEnvelopeCategoryRequest](#)

Request model for editing an envelope category

[EditUserRequest](#)

Request model for editing a user

[EnvelopeCategoryEntityModel](#)

Model for an envelope category

[EnvelopeEntityModel](#)

Model for an envelope

[FindUserResponse](#)

[GetAccountBaseModel](#)

Base class for getting a specific account

[GetAllAccountsResponse](#)

Response model for getting all accounts

[GetAllEnvelopeCategoriesResponse](#)

Response model for getting all envelope categories

[GetAllPaychecksResponse](#)

[GetAllTransactionsDTOResponse](#)

[GetAllTransactionsEntityResponse](#)

[GetBankAccountDTOModel](#)

DTO model to get a specific bank account

[GetBankAccountDTOResponse](#)

Response model for getting a specific bank account

[GetBankAccountEntityModel](#)

Entity model to get a specific bank account

[GetBankAccountEntityResponse](#)

Response model for getting a specific bank account

[GetBudgetDTOModel](#)

DTO model for sending a budget to the API for getting a budget

[GetBudgetRequest](#)

DTO model for getting a budget

[GetBudgetResponse](#)

Response model for getting a budget

[GetDebtAccountDTOModel](#)

DTO model to get a specific debt account

[GetDebtAccountDTOResponse](#)

Response model for getting a specific debt account

[GetDebtAccountEntityModel](#)

Entity model to get a specific debt account

[GetDebtAccountEntityResponse](#)

Response model for getting a specific debt account

[GetEnvelopeBaseModel](#)

[GetEnvelopeCategoryDTOModel](#)

[GetEnvelopeCategoryResponse](#)

[GetEnvelopeDTOModel](#)

[GetEnvelopeDTOResponse](#)

Response model for getting a specific envelope

[GetEnvelopeEntityModel](#)

Entity model for getting a specific envelope

[GetEnvelopeEntityResponse](#)

Entity response model for getting a specific envelope

[GetInvestmentAccountDTOModel](#)

DTO model to get a specific investment account

[GetInvestmentAccountDTOResponse](#)

Response model for getting a specific investment account

[GetInvestmentAccountEntityModel](#)

Entity model to get a specific investment account

[GetInvestmentAccountEntityResponse](#)

Response model for getting a specific investment account

[GetPaycheckDTOModel](#)

[GetPaycheckResponse](#)

[GetPaycheckSplitDTOModel](#)

[GetPaymentTransactionDTOModel](#)

[GetPaymentTransactionResponse](#)

[GetTransactionDTOModel](#)

[GetTransactionEntityModel](#)

[GetTransactionSplitDTOModel](#)

[GetTransferTransactionDTOModel](#)

[GetTransferTransactionDTOResponse](#)

[GetTransferTransactionEntityModel](#)

[GetTransferTransactionEntityResponse](#)

[GetUserDTOModel](#)

DTO model for getting a user

[GetUserResponse](#)

[GetYearBudgetDTOModel](#)

[GetYearBudgetsResponse](#)

[InvestmentAccountEntityModel](#)

Model for an investment account

[InvestmentAccountSummaryDTOModel](#)

[LoginRequest](#)

Request model for a user

[LoginResponse](#)

Response model for the login process

[PaycheckEntityModel](#)

Model for a paycheck

[PaycheckSplitEntityModel](#)

Model for a paycheck split

[PaymentTransactionEntityModel](#)

Model for a payment transaction

[RegisterRequest](#)

[RegisterResponse](#)

Response model for registration

[SummaryAccountDTOModel](#)

[SummaryEnvelopeCategoryResponse](#)

Response model for an envelope category for the Get Budget method

[SummaryEnvelopeResponse](#)

Response model for an envelope for the Get Budget method

[SummaryPaycheckResponse](#)

[SummaryTransactionDTOModel](#)

[SummaryTransactionEntityModel](#)

[TransactionEntityModel](#)

Model for an abstract transaction

[TransactionSplitEntityModel](#)

Model for a transaction split model

[TransferTransactionEntityModel](#)

Model for a transfer transaction

[UpdateAccountRequest](#)

[UpdateBankAccountRequest](#)

[UpdateDebtAccountRequest](#)

[UpdateEnvelopeRequest](#)

[UpdateInvestmentAccountRequest](#)

[UpdatePaycheckRequest](#)

[UpdatePaycheckResponse](#)

[UpdatePaycheckSplitRequest](#)

[UpdatePaymentTransactionRequest](#)

[UpdatePaymentTransactionResponse](#)

[UpdateTransactionRequest](#)

[UpdateTransactionSplitRequest](#)

[UpdateTransferTransactionRequest](#)

[UserDTOModel](#)

Model for a user

[UserDTOResponse](#)

Response model for a DTO user

[UserEntityModel](#)

Model for a user

[UserEntityResponse](#)

Response model for an entity user

Structs

[Optional<T>](#)

Optional class for creating and updating nulls

Interfaces

[IOptional](#)

Class AccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for an abstract account

```
public abstract class AccountEntityModel
```

Inheritance

[object](#) ← AccountEntityModel

Derived

[BankAccountEntityModel](#), [DebtAccountEntityModel](#), [InvestmentAccountEntityModel](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#)

AccountName

```
public string AccountName { get; set; }
```

Property Value

[string](#)

AccountType

```
public AccountType AccountType { get; set; }
```

Property Value

[AccountType](#)

Balance

```
public decimal Balance { get; set; }
```

Property Value

[decimal](#)

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

Institution

```
public string Institution { get; set; }
```

Property Value

[string](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

Transactions

```
public List<TransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) [<TransactionEntityModel>](#)

Class BankAccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a bank account

```
public class BankAccountEntityModel : AccountEntityModel
```

Inheritance

[object](#)  ← [AccountEntityModel](#) ← BankAccountEntityModel

Inherited Members

[AccountEntityModel.AccountId](#) , [AccountEntityModel.BudgetId](#) , [AccountEntityModel.AccountType](#) , [AccountEntityModel.AccountName](#) , [AccountEntityModel.Institution](#) , [AccountEntityModel.Balance](#) , [AccountEntityModel.CreatedAt](#) , [AccountEntityModel.LastUpdatedAt](#) , [AccountEntityModel.Transactions](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

BankAccountId

```
public int BankAccountId { get; set; }
```

Property Value

[int](#) 

BankAccountType

```
public BankAccountType BankAccountType { get; set; }
```

Property Value

[BankAccountType](#)

Class BankAccountSummaryDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model for getting all accounts

[ExportTsInterface]

```
public class BankAccountSummaryDTOModel : SummaryAccountDTOModel
```

Inheritance

[object](#) ← [SummaryAccountDTOModel](#) ← BankAccountSummaryDTOModel

Inherited Members

[SummaryAccountDTOModel.AccountId](#) , [SummaryAccountDTOModel.BudgetId](#) ,
[SummaryAccountDTOModel.AccountType](#) , [SummaryAccountDTOModel.AccountName](#) ,
[SummaryAccountDTOModel.Balance](#) , [SummaryAccountDTOModel.Institution](#) ,
[SummaryAccountDTOModel.BankAccountType](#) , [SummaryAccountDTOModel.DebtAccountType](#) ,
[SummaryAccountDTOModel.InvestmentAccountType](#) , [object.Equals\(object\)](#) ,
[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Properties

BankAccountId

```
public int BankAccountId { get; set; }
```

Property Value

[int](#)

Class BaseIdRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class BaseIdRequest
```

Inheritance

[object](#)  ← BaseIdRequest

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

BaseIdRequest()

```
public BaseIdRequest()
```

BaseIdRequest(int, int)

```
public BaseIdRequest(int userId, int entityId)
```

Parameters

userId [int](#) 

entityId [int](#) 

Properties

EntityId

```
public int EntityId { get; set; }
```

Property Value

[int](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class BaseIdResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Base Response for a create or edit function

[ExportTsInterface]

```
public class BaseIdResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← BaseIdResponse

Derived

[CreatePaycheckResponse](#), [CreatePaymentTransactionResponse](#), [CreateTransferTransactionResponse](#), [FindUserResponse](#), [GetEnvelopeCategoryResponse](#), [GetYearBudgetsResponse](#), [LoginResponse](#), [RegisterResponse](#), [UpdatePaycheckResponse](#), [UpdatePaymentTransactionResponse](#)

Inherited Members

[BaseResponse.HttpStatus](#), [BaseResponse.Message](#), [object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

BaseIdResponse()

Default constructor for a base Id response

```
public BaseIdResponse()
```

BaseIdResponse(int, string)

Parameterized constructor for BaseIdResponse

```
public BaseIdResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

BaseIdResponse(int, string, int?)

Parameterized constructor for BaseIdResponse

```
public BaseIdResponse(int httpStatus, string message, int? id)
```

Parameters

httpStatus [int](#)

message [string](#)

id [int](#)?

Properties

Id

```
public int Id { get; set; }
```

Property Value

[int](#)

Class BaseResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

A base response model with only a status and message

[ExportTsInterface]

```
public class BaseResponse
```

Inheritance

[object](#)  ← BaseResponse

Derived

[BaseIdResponse](#), [CreateAccountResponse](#), [GetAllAccountsResponse](#), [GetAllEnvelopeCategoriesResponse](#), [GetAllPaychecksResponse](#), [GetAllTransactionsDTOResponse](#), [GetAllTransactionsEntityResponse](#), [GetBankAccountDTOResponse](#), [GetBankAccountEntityResponse](#), [GetBudgetResponse](#), [GetDebtAccountDTOResponse](#), [GetDebtAccountEntityResponse](#), [GetEnvelopeDTOResponse](#), [GetEnvelopeEntityResponse](#), [GetInvestmentAccountDTOResponse](#), [GetInvestmentAccountEntityResponse](#), [GetPaycheckResponse](#), [GetPaymentTransactionResponse](#), [GetTransferTransactionDTOResponse](#), [GetTransferTransactionEntityResponse](#), [GetUserResponse](#), [UserDTOResponse](#), [UserEntityResponse](#)

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

BaseResponse()

Default constructor for a base response

```
public BaseResponse()
```

BaseResponse(int, string)

Parameterized constructor for a base response

```
public BaseResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

Properties

HttpStatus

```
public int HttpStatus { get; set; }
```

Property Value

[int](#)

Message

```
public string Message { get; set; }
```

Property Value

[string](#)

Class BudgetEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Entity model for a budget

```
public class BudgetEntityModel
```

Inheritance

[object](#) ← BudgetEntityModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Accounts

```
public List<AccountEntityModel> Accounts { get; set; }
```

Property Value

[List](#) <[AccountEntityModel](#)>

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

BudgetName

```
public string BudgetName { get; set; }
```

Property Value

[string](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

EnvelopeCategories

```
public List<EnvelopeCategoryEntityModel> EnvelopeCategories { get; set; }
```

Property Value

[List](#) <[EnvelopeCategoryEntityModel](#)>

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

Month

```
public Month Month { get; set; }
```

Property Value

[Month](#)

Paychecks

```
public List<PaycheckEntityModel> Paychecks { get; set; }
```

Property Value

[List](#) <[PaycheckEntityModel](#)>

PlannedExpenses

```
public List<PlannedExpenseEntity> PlannedExpenses { get; set; }
```

Property Value

[List](#) <[PlannedExpenseEntity](#)>

Transactions

```
public List<TransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) <[TransactionEntityModel](#)>

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Year

```
public int Year { get; set; }
```

Property Value

[int](#)

Class CreateAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public abstract class CreateAccountRequest
```

Inheritance

[object](#) ← CreateAccountRequest

Derived

[CreateBankAccountRequest](#), [CreateDebtAccountRequest](#), [CreateInvestmentAccountRequest](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#)

AccountName

```
[JsonConverter(typeof(SafeDefaultConverter<string>))]  
public string AccountName { get; set; }
```

Property Value

[string](#)

Balance

```
[JsonConverter(typeof(SafeDefaultConverter))]
public decimal Balance { get; set; }
```

Property Value

[decimal](#)

BudgetId

```
[JsonConverter(typeof(SafeDefaultConverter<int>))]
public int BudgetId { get; set; }
```

Property Value

[int](#)

Institution

```
[JsonConverter(typeof(SafeDefaultConverter<string>))]
public string Institution { get; set; }
```

Property Value

[string](#)

UserId

```
public int UserId { get; set; }
```

Property Value

Class CreateAccountResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for an account

[ExportTsInterface]

```
public class CreateAccountResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← CreateAccountResponse

Derived

[CreateBankAccountResponse](#), [CreateDebtAccountResponse](#), [CreateInvestmentAccountResponse](#)

Inherited Members

[BaseResponse.HttpStatus](#), [BaseResponse.Message](#), [object.Equals\(object\)](#) ,
[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

CreateAccountResponse()

Default constructor for an account response

```
public CreateAccountResponse()
```

CreateAccountResponse(int, string)

Parameterized constructor for an account response

```
public CreateAccountResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

Properties

AccountId

```
public int? AccountId { get; set; }
```

Property Value

[int](#)?

Class CreateBankAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for creating a bank account model

```
[ExportTsClass]
```

```
public class CreateBankAccountRequest : CreateAccountRequest
```

Inheritance

[object](#)  ← [CreateAccountRequest](#) ← CreateBankAccountRequest

Inherited Members

[CreateAccountRequest.BudgetId](#) , [CreateAccountRequest.UserId](#) , [CreateAccountRequest.AccountId](#) ,
[CreateAccountRequest.AccountName](#) , [CreateAccountRequest.Institution](#) ,
[CreateAccountRequest.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

BankAccountType

```
[JsonConverter(typeof(SafeDefaultConverter<BankAccountType>))]
```

```
public BankAccountType BankAccountType { get; set; }
```

Property Value

[BankAccountType](#)

Class CreateBankAccountResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for creating a bank account

```
[ExportTsInterface]
```

```
public class CreateBankAccountResponse : CreateAccountResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [CreateAccountResponse](#) ← CreateBankAccountResponse

Inherited Members

[CreateAccountResponse.AccountId](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) ,
[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

CreateBankAccountResponse()

Default constructor for a bank account response

```
public CreateBankAccountResponse()
```

CreateBankAccountResponse(int, string)

Parameterized constructor for a bank account response

```
public CreateBankAccountResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

BankAccountId

```
public int? BankAccountId { get; set; }
```

Property Value

[int](#)[?]

Class CreateBudgetRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for creating a budget

```
[ExportTsClass]  
public class CreateBudgetRequest
```

Inheritance

[object](#) ← CreateBudgetRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetName

```
[JsonConverter(typeof(SafeDefaultConverter<string>))]  
public string BudgetName { get; set; }
```

Property Value

[string](#)

Month

```
[JsonConverter(typeof(SafeDefaultConverter<Month>))]  
public Month Month { get; set; }
```

Property Value

[Month](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Year

```
[JsonConverter(typeof(SafeDefaultConverter<int>))]  
public int Year { get; set; }
```

Property Value

[int](#)

Class CreateDebtAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for creating a debt account model

```
[ExportTsClass]
```

```
public class CreateDebtAccountRequest : CreateAccountRequest
```

Inheritance

[object](#)  ← [CreateAccountRequest](#) ← CreateDebtAccountRequest

Inherited Members

[CreateAccountRequest.BudgetId](#) , [CreateAccountRequest.UserId](#) , [CreateAccountRequest.AccountId](#) ,
[CreateAccountRequest.AccountName](#) , [CreateAccountRequest.Institution](#) ,
[CreateAccountRequest.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AmountOfNextBill

```
public Optional<decimal?> AmountOfNextBill { get; set; }
```

Property Value

[Optional](#)  <[decimal](#)  ?>

DateOfNextBill

```
public Optional<DateOnly?> DateOfNextBill { get; set; }
```

Property Value

[Optional](#) <[DateOnly](#)?>

DebtAccountNumber

```
public Optional<int?> DebtAccountNumber { get; set; }
```

Property Value

[Optional](#) <[int](#)?>

DebtAccountType

```
public DebtAccountType DebtAccountType { get; set; }
```

Property Value

[DebtAccountType](#)

DebtPaymentRegularity

```
public Optional<DebtPaymentRegularity?> DebtPaymentRegularity { get; set; }
```

Property Value

[Optional](#) <[DebtPaymentRegularity](#)?>

Class CreateDebtAccountResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for creating a debt account

```
[ExportTsInterface]
```

```
public class CreateDebtAccountResponse : CreateAccountResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [CreateAccountResponse](#) ← CreateDebtAccountResponse

Inherited Members

[CreateAccountResponse.AccountId](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) ,
[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

CreateDebtAccountResponse()

Default constructor for a debt account response

```
public CreateDebtAccountResponse()
```

CreateDebtAccountResponse(int, string)

Parameterized constructor for a debt account response

```
public CreateDebtAccountResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

DebtAccountId

```
public int? DebtAccountId { get; set; }
```

Property Value

[int](#)[?]

Class CreateEnvelopeCategoryRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for creating an envelope category

```
[ExportTsClass]  
public class CreateEnvelopeCategoryRequest
```

Inheritance

[object](#) ← CreateEnvelopeCategoryRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

EnvelopeCategoryName

```
public string EnvelopeCategoryName { get; set; }
```

Property Value

[string](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class CreateEnvelopeRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request class for creating an envelope

```
[ExportTsClass]  
public class CreateEnvelopeRequest
```

Inheritance

[object](#) ← CreateEnvelopeRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#)

EnvelopeName

```
public string EnvelopeName { get; set; }
```

Property Value

[string](#)

GoalAmount

```
public Optional<decimal?> GoalAmount { get; set; }
```

Property Value

[Optional](#) <[decimal](#)?>

GoalEndDate

```
public Optional<DateOnly?> GoalEndDate { get; set; }
```

Property Value

[Optional](#) <[DateOnly](#)?>

IsSinkingFund

```
public bool IsSinkingFund { get; set; }
```

Property Value

[bool](#)

PlannedAmount

```
public decimal PlannedAmount { get; set; }
```

Property Value

[decimal](#)

RemainingAmount

```
public decimal RemainingAmount { get; set; }
```

Property Value

[decimal](#)

TransferEnvelopeId

```
public Optional<int?> TransferEnvelopeId { get; set; }
```

Property Value

[Optional](#)<[int](#)?>

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class CreateInvestmentAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model to create an investment account

```
[ExportTsClass]
```

```
public class CreateInvestmentAccountRequest : CreateAccountRequest
```

Inheritance

[object](#)  ← [CreateAccountRequest](#) ← CreateInvestmentAccountRequest

Inherited Members

[CreateAccountRequest.BudgetId](#) , [CreateAccountRequest.UserId](#) , [CreateAccountRequest.AccountId](#) ,
[CreateAccountRequest.AccountName](#) , [CreateAccountRequest.Institution](#) ,
[CreateAccountRequest.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

InvestmentAccountNumber

```
public Optional<int?> InvestmentAccountNumber { get; set; }
```

Property Value

[Optional](#)<[int](#)  ?>

InvestmentAccountType

```
public InvestmentAccountType InvestmentAccountType { get; set; }
```

Property Value

IsTaxDeferred

```
public bool IsTaxDeferred { get; set; }
```

Property Value

[bool](#)

IsTaxExempt

```
public bool IsTaxExempt { get; set; }
```

Property Value

[bool](#)

Class CreateInvestmentAccountResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for creating an investment account

[ExportTsInterface]

```
public class CreateInvestmentAccountResponse : CreateAccountResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [CreateAccountResponse](#) ← CreateInvestmentAccountResponse

Inherited Members

[CreateAccountResponse.AccountId](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) ,
[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

CreateInvestmentAccountResponse()

Default constructor for an investment account response

```
public CreateInvestmentAccountResponse()
```

CreateInvestmentAccountResponse(int, string)

Parameterized constructor for an investment account response

```
public CreateInvestmentAccountResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

InvestmentAccountId

```
public int? InvestmentAccountId { get; set; }
```

Property Value

[int](#)[?]

Class CreatePaycheckRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request method to create a paycheck

```
[ExportTsClass]  
public class CreatePaycheckRequest
```

Inheritance

[object](#) ← CreatePaycheckRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

PaycheckName

```
public string PaycheckName { get; set; }
```

Property Value

[string](#)

PaycheckRegularity

```
public PaycheckRegularity PaycheckRegularity { get; set; }
```

Property Value

[PaycheckRegularity](#)

PaycheckSplits

```
public List<CreatePaycheckSplitRequest> PaycheckSplits { get; set; }
```

Property Value

[List](#) [<CreatePaycheckSplitRequest>](#)

SecondaryDate

```
public Optional<DateOnly?> SecondaryDate { get; set; }
```

Property Value

[Optional](#) [<DateOnly?>](#)

StartingDate

```
public DateOnly StartingDate { get; set; }
```

Property Value

[DateOnly](#)

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class CreatePaycheckResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for a DTO paycheck

[ExportTsInterface]

```
public class CreatePaycheckResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← CreatePaycheckResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

CreatePaycheckResponse()

Default constructor for a paycheck DTO Response

```
public CreatePaycheckResponse()
```

CreatePaycheckResponse(int, string)

Parameterized constructor for a paycheck DTO Response

```
public CreatePaycheckResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

PaycheckSplitIds

```
public List<int> PaycheckSplitIds { get; set; }
```

Property Value

[List](#) <[int](#)>

Class CreatePaycheckSplitRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model to create a paycheck split

```
[ExportTsClass]
```

```
public class CreatePaycheckSplitRequest
```

Inheritance

[object](#) ← CreatePaycheckSplitRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

Class CreatePaymentTransactionRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model to create a new payment transaction

```
[ExportTsClass]
```

```
public class CreatePaymentTransactionRequest : CreateTransactionRequest
```

Inheritance

[object](#)  ← [CreateTransactionRequest](#)  ← CreatePaymentTransactionRequest

Inherited Members

[CreateTransactionRequest.BudgetId](#) , [CreateTransactionRequest.UserId](#) ,
[CreateTransactionRequest.TransactionId](#) , [CreateTransactionRequest.TransactionDate](#) ,
[CreateTransactionRequest.TotalAmount](#) , [CreateTransactionRequest.Notes](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#) 

CheckNumber

```
public Optional<int?> CheckNumber { get; set; }
```

Property Value

[Optional](#) <[int](#)?>

MerchantSourceName

```
public String MerchantSourceName { get; set; }
```

Property Value

[string](#)

PaymentTransactionType

```
public PaymentTransactionType PaymentTransactionType { get; set; }
```

Property Value

[PaymentTransactionType](#)

TransactionSplits

```
public List<CreateTransactionSplitRequest> TransactionSplits { get; set; }
```

Property Value

[List](#) <[CreateTransactionSplitRequest](#)>

Class CreatePaymentTransactionResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for creating a payment transaction

[ExportTsInterface]

```
public class CreatePaymentTransactionResponse : BaseIdResponse
```

Inheritance

[object](#) < [BaseResponse](#) < [BaseIdResponse](#) < CreatePaymentTransactionResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

CreatePaymentTransactionResponse()

Default constructor for Create Payment Transaction Response

```
public CreatePaymentTransactionResponse()
```

CreatePaymentTransactionResponse(int, string)

Parameterized constructor for Create Payment Transaction Response

```
public CreatePaymentTransactionResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

Properties

PaymentTransactionId

```
public int? PaymentTransactionId { get; set; }
```

Property Value

[int](#)?

TransactionSplitIds

```
public List<int> TransactionSplitIds { get; set; }
```

Property Value

[List](#)<[int](#)>

Class CreateTransactionRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model to create a new transaction

```
[ExportTsClass]
```

```
public abstract class CreateTransactionRequest
```

Inheritance

[object](#)  ← CreateTransactionRequest

Derived

[CreatePaymentTransactionRequest](#), [CreateTransferTransactionRequest](#)

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#) 

Notes

```
public Optional<string?> Notes { get; set; }
```

Property Value

[Optional](#) <[string](#)>

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)

TransactionDate

```
public DateOnly TransactionDate { get; set; }
```

Property Value

[DateOnly](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class CreateTransactionSplitRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for creating a new transaction split

```
[ExportTsClass]
```

```
public class CreateTransactionSplitRequest
```

Inheritance

[object](#) ← CreateTransactionSplitRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

Class CreateTransferTransactionRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model to create a new transfer transaction

```
[ExportTsClass]
```

```
public class CreateTransferTransactionRequest : CreateTransactionRequest
```

Inheritance

[object](#)  ← [CreateTransactionRequest](#) ← CreateTransferTransactionRequest

Inherited Members

[CreateTransactionRequest.BudgetId](#) , [CreateTransactionRequest.UserId](#) ,
[CreateTransactionRequest.TransactionId](#) , [CreateTransactionRequest.TransactionDate](#) ,
[CreateTransactionRequest.TotalAmount](#) , [CreateTransactionRequest.Notes](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

TransferFromId

```
public int TransferFromId { get; set; }
```

Property Value

[int](#) 

TransferToId

```
public int TransferToId { get; set; }
```

Property Value

TransferTransactionType

```
public TransferTransactionType TransferTransactionType { get; set; }
```

Property Value

[TransferTransactionType](#)

Class CreateTransferTransactionResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class CreateTransferTransactionResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← CreateTransferTransactionResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

CreateTransferTransactionResponse()

Default constructor for Create Transfer Transaction Response

```
public CreateTransferTransactionResponse()
```

CreateTransferTransactionResponse(int, string)

Parameterized constructor for Create Transfer Transaction Response

```
public CreateTransferTransactionResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

TransferTransactionId

```
public int? TransferTransactionId { get; set; }
```

Property Value

[int](#)[?]

Class DebtAccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a debt account

```
public class DebtAccountEntityModel : AccountEntityModel
```

Inheritance

[object](#)  ← [AccountEntityModel](#)  ← DebtAccountEntityModel

Inherited Members

[AccountEntityModel.AccountId](#) , [AccountEntityModel.BudgetId](#) , [AccountEntityModel.AccountType](#) , [AccountEntityModel.AccountName](#) , [AccountEntityModel.Institution](#) , [AccountEntityModel.Balance](#) , [AccountEntityModel.CreatedAt](#) , [AccountEntityModel.LastUpdatedAt](#) , [AccountEntityModel.Transactions](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AmountOfNextBill

```
public decimal? AmountOfNextBill { get; set; }
```

Property Value

[decimal](#) ?

DateOfNextBill

```
public DateOnly? DateOfNextBill { get; set; }
```

Property Value

[DateOnly](#) ?

DebtAccountId

```
public int DebtAccountId { get; set; }
```

Property Value

[int](#)

DebtAccountNumber

```
public string? DebtAccountNumber { get; set; }
```

Property Value

[string](#)

DebtAccountType

```
public DebtAccountType DebtAccountType { get; set; }
```

Property Value

[DebtAccountType](#)

DebtPaymentRegularity

```
public DebtPaymentRegularity? DebtPaymentRegularity { get; set; }
```

Property Value

[DebtPaymentRegularity?](#)

Class DebtAccountSummaryDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class DebtAccountSummaryDTOModel : SummaryAccountDTOModel
```

Inheritance

[object](#)  ← [SummaryAccountDTOModel](#)  ← DebtAccountSummaryDTOModel

Inherited Members

[SummaryAccountDTOModel.AccountId](#) , [SummaryAccountDTOModel.BudgetId](#) ,
[SummaryAccountDTOModel.AccountType](#) , [SummaryAccountDTOModel.AccountName](#) ,
[SummaryAccountDTOModel.Balance](#) , [SummaryAccountDTOModel.Institution](#) ,
[SummaryAccountDTOModel.BankAccountType](#) , [SummaryAccountDTOModel.DebtAccountType](#) ,
[SummaryAccountDTOModel.InvestmentAccountType](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

DebtAccountId

```
public int DebtAccountId { get; set; }
```

Property Value

[int](#) 

Class EditBudgetRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for updating a budget

```
[ExportTsClass]
```

```
public class EditBudgetRequest
```

Inheritance

[object](#) ← EditBudgetRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

BudgetName

```
public string? BudgetName { get; set; }
```

Property Value

[string](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class EditEnvelopeCategoryRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for editing an envelope category

```
[ExportTsClass]  
public class EditEnvelopeCategoryRequest
```

Inheritance

[object](#)  ← EditEnvelopeCategoryRequest

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Properties

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#) 

EnvelopeCategoryName

```
public string? EnvelopeCategoryName { get; set; }
```

Property Value

[string](#) 

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class EditUserRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for editing a user

```
[ExportTsClass]
```

```
public class EditUserRequest
```

Inheritance

[object](#)  ← EditUserRequest

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Email

```
public string? Email { get; set; }
```

Property Value

[string](#) 

IsDarkMode

```
public bool? IsDarkMode { get; set; }
```

Property Value

[bool](#) ?

PasswordHash

```
public string? PasswordHash { get; set; }
```

Property Value

[string](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Username

```
public string? Username { get; set; }
```

Property Value

[string](#)

Class EnvelopeCategoryEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for an envelope category

```
public class EnvelopeCategoryEntityModel
```

Inheritance

[object](#) ← EnvelopeCategoryEntityModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#)

EnvelopeCategoryName

```
public string EnvelopeCategoryName { get; set; }
```

Property Value

[string](#)

Envelopes

```
public List<EnvelopeEntityModel> Envelopes { get; set; }
```

Property Value

[List](#) <[EnvelopeEntityModel](#)>

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

Class EnvelopeEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for an envelope

```
public class EnvelopeEntityModel
```

Inheritance

[object](#) ← EnvelopeEntityModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

EnvelopeName

```
public string EnvelopeName { get; set; }
```

Property Value

[string](#)

GoalAmount

```
public decimal? GoalAmount { get; set; }
```

Property Value

[decimal](#)

GoalEndDate

```
public DateOnly? GoalEndDate { get; set; }
```

Property Value

[DateOnly](#)

IsSinkingFund

```
public bool IsSinkingFund { get; set; }
```

Property Value

[bool](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

PlannedAmount

```
public decimal PlannedAmount { get; set; }
```

Property Value

[decimal](#)

RemainingAmount

```
public decimal RemainingAmount { get; set; }
```

Property Value

[decimal](#)

Transactions


```
public List<TransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) <[TransactionEntityModel](#)>

TransferEnvelopeId

```
public int? TransferEnvelopeId { get; set; }
```

Property Value

[int](#)?

Class FindUserResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class FindUserResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← FindUserResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

FindUserResponse(int, string)

Parameterized constructor for status and message

```
public FindUserResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

FindUserResponse(int, string, int)

Parameterized constructor for status, message, and user id

```
public FindUserResponse(int status, string message, int userId)
```

Parameters

status [int](#)

message [string](#)

userId [int](#)

FindUserResponse(int, string, int, string)

Parameterized constructor for user id, username or email, password hash, and message

```
public FindUserResponse(int status, string message, int userId, string passwordHash)
```

Parameters

status [int](#)

message [string](#)

userId [int](#)

passwordHash [string](#)

Properties

PasswordHash

```
public string PasswordHash { get; set; }
```

Property Value

[string](#)

Token

```
public string Token { get; set; }
```

Property Value

Class GetAccountBaseModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Base class for getting a specific account

```
[ExportTsClass]  
public class GetAccountBaseModel
```

Inheritance

[object](#) ← GetAccountBaseModel

Derived

[GetBankAccountDTOModel](#), [GetBankAccountEntityModel](#), [GetDebtAccountDTOModel](#),
[GetDebtAccountEntityModel](#), [GetInvestmentAccountDTOModel](#), [GetInvestmentAccountEntityModel](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#),
[object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#)

AccountName

```
public string AccountName { get; set; }
```

Property Value

[string](#)

AccountType

```
public AccountType AccountType { get; set; }
```

Property Value

[AccountType](#)

Balance

```
public decimal Balance { get; set; }
```

Property Value

[decimal](#)

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class GetAllAccountsResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting all accounts

```
[ExportTsInterface]
```

```
public class GetAllAccountsResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetAllAccountsResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetAllAccountsResponse()

Initializes a new instance of the GetAllAccountsResponse class

```
public GetAllAccountsResponse()
```

GetAllAccountsResponse(int, string)

Initializes a new instance of the GetAllAccountsResponse class with the specified HTTP status code and message

```
public GetAllAccountsResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

The HTTP status code that represents the result of the request

message [string](#)

A message that provides additional information about the response

Properties

Accounts

```
public List<SummaryAccountDTOModel> Accounts { get; set; }
```

Property Value

[List](#) <[SummaryAccountDTOModel](#)>

Class GetAllEnvelopeCategoriesResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting all envelope categories

[ExportTsInterface]

```
public class GetAllEnvelopeCategoriesResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetAllEnvelopeCategoriesResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetAllEnvelopeCategoriesResponse()

Default constructor for GetAllEnvelopeCategoriesResponse

```
public GetAllEnvelopeCategoriesResponse()
```

GetAllEnvelopeCategoriesResponse(int, string)

Parameterized constructor for GetAllEnvelopeCategoriesResponse

```
public GetAllEnvelopeCategoriesResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

Properties

EnvelopeCategories

```
public List<SummaryEnvelopeCategoryResponse> EnvelopeCategories { get; set; }
```

Property Value

[List](#)  [<SummaryEnvelopeCategoryResponse>](#)

Class GetAllPaychecksResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetAllPaychecksResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetAllPaychecksResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetAllPaychecksResponse()

Default constructor for the get all paychecks response

```
public GetAllPaychecksResponse()
```

GetAllPaychecksResponse(int, string)

Parameterized constructor with a status and a message

```
public GetAllPaychecksResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

Paychecks

```
public List<SummaryPaycheckResponse> Paychecks { get; set; }
```

Property Value

[List](#) <[SummaryPaycheckResponse](#)>

Class GetAllTransactionsDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetAllTransactionsDTOResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetAllTransactionsDTOResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetAllTransactionsDTOResponse()

```
public GetAllTransactionsDTOResponse()
```

GetAllTransactionsDTOResponse(int, string)

```
public GetAllTransactionsDTOResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

Transactions

```
public List<SummaryTransactionDTOModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionDTOModel](#)>

Class GetAllTransactionsEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class GetAllTransactionsEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetAllTransactionsEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetAllTransactionsEntityResponse()

```
public GetAllTransactionsEntityResponse()
```

GetAllTransactionsEntityResponse(int, string)

```
public GetAllTransactionsEntityResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

Transactions


```
public List<SummaryTransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionEntityModel](#)>

Class GetBankAccountDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model to get a specific bank account

```
[ExportTsInterface]
```

```
public class GetBankAccountDTOModel : GetAccountBaseModel
```

Inheritance

[object](#)  ← [GetAccountBaseModel](#) ← GetBankAccountDTOModel

Inherited Members

[GetAccountBaseModel.AccountId](#) , [GetAccountBaseModel.BudgetId](#) , [GetAccountBaseModel.UserId](#) ,
[GetAccountBaseModel.AccountType](#) , [GetAccountBaseModel.AccountName](#) ,
[GetAccountBaseModel.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetBankAccountDTOModel()

Default constructor for the get bank account DTO

```
public GetBankAccountDTOModel()
```

Properties

BankAccountId

```
public int BankAccountId { get; set; }
```

Property Value

BankAccountType

```
public BankAccountType BankAccountType { get; set; }
```

Property Value

[BankAccountType](#)

Transactions

```
public List<SummaryTransactionDTOModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionDTOModel](#)>

Class GetBankAccountDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific bank account

```
[ExportTsInterface]
```

```
public class GetBankAccountDTOResponse : BaseResponse
```

Inheritance

```
object < BaseResponse < GetBankAccountDTOResponse
```

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#) ,
[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

GetBankAccountDTOResponse(int, string)

```
public GetBankAccountDTOResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

Properties

BankAccount

```
public GetBankAccountDTOModel BankAccount { get; set; }
```

Property Value

[GetBankAccountDTOModel](#)

Class GetBankAccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Entity model to get a specific bank account

```
public class GetBankAccountEntityModel : GetAccountBaseModel
```

Inheritance

[object](#)  ← [GetAccountBaseModel](#)  ← GetBankAccountEntityModel

Inherited Members

[GetAccountBaseModel.AccountId](#) , [GetAccountBaseModel.BudgetId](#) , [GetAccountBaseModel.UserId](#) ,
[GetAccountBaseModel.AccountType](#) , [GetAccountBaseModel.AccountName](#) ,
[GetAccountBaseModel.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

BankAccountId

```
public int BankAccountId { get; set; }
```

Property Value

[int](#) 

BankAccountType

```
public BankAccountType BankAccountType { get; set; }
```

Property Value

[BankAccountType](#)

Transactions

```
public List<SummaryTransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionEntityModel](#)>

Class GetBankAccountEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific bank account

```
public class GetBankAccountEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetBankAccountEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetBankAccountEntityResponse()

Default constructor

```
public GetBankAccountEntityResponse()
```

GetBankAccountEntityResponse(int, string)

Parameterized constructor that takes a status and a message

```
public GetBankAccountEntityResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

Properties

BankAccount

```
public GetBankAccountEntityModel BankAccount { get; set; }
```

Property Value

[GetBankAccountEntityModel](#)

Class GetBudgetDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model for sending a budget to the API for getting a budget

```
[ExportTsInterface]  
public class GetBudgetDTOModel
```

Inheritance

[object](#)  ← GetBudgetDTOModel

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

GetBudgetDTOModel()

Default constructor for a GetBudgetDTO

```
public GetBudgetDTOModel()
```

GetBudgetDTOModel(int, int, Month, int)

Parameterized constructor for a Get Budget DTO

```
public GetBudgetDTOModel(int budgetId, int userId, Month month, int year)
```

Parameters

budgetId [int](#) 

userId [int](#) 

month [Month](#)

year [int](#)

GetBudgetDTOModel(int, int, Month, int, string)

Parameterized constructor for a Get Budget DTO

```
public GetBudgetDTOModel(int budgetId, int userId, Month month, int year, string budgetName)
```

Parameters

budgetId [int](#)

userId [int](#)

month [Month](#)

year [int](#)

budgetName [string](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

BudgetName

```
public string BudgetName { get; set; }
```

Property Value

[string](#)

EnvelopeCategories

```
public List<SummaryEnvelopeCategoryResponse> EnvelopeCategories { get; set; }
```

Property Value

[List](#) <[SummaryEnvelopeCategoryResponse](#)>

Month

```
public Month Month { get; set; }
```

Property Value

[Month](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Year

```
public int Year { get; set; }
```

Property Value

[int](#)

Class GetBudgetRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model for getting a budget

```
[ExportTsClass]
```

```
public class GetBudgetRequest
```

Inheritance

[object](#)  ← GetBudgetRequest

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetBudgetRequest(int, Month, int)

Parameterized constructor for a Get Budget DTO

```
public GetBudgetRequest(int userId, Month month, int year)
```

Parameters

userId [int](#) 

month [Month](#)

year [int](#) 

Properties

Month

```
[JsonConverter(typeof(SafeDefaultConverter<Month>))]  
public Month Month { get; set; }
```

Property Value

[Month](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Year

```
[JsonConverter(typeof(SafeDefaultConverter<int>))]  
public int Year { get; set; }
```

Property Value

[int](#)

Class GetBudgetResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a budget

[ExportTsInterface]

```
public class GetBudgetResponse : BaseResponse
```

Inheritance

[object](#) < [BaseResponse](#) < GetBudgetResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#) ,
[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

GetBudgetResponse()

```
public GetBudgetResponse()
```

GetBudgetResponse(int, string)

```
public GetBudgetResponse(int status, string message)
```

Parameters

status [int](#)

message [string](#)

Properties

GetBudgetDTO

```
[JsonPropertyName("budget")]  
[TsMemberName("budget")]  
public GetBudgetDTOModel GetBudgetDTO { get; set; }
```

Property Value

[GetBudgetDTOModel](#)

Class GetDebtAccountDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model to get a specific debt account

```
[ExportTsInterface]
```

```
public class GetDebtAccountDTOModel : GetAccountBaseModel
```

Inheritance

[object](#)  ← [GetAccountBaseModel](#) ← GetDebtAccountDTOModel

Inherited Members

[GetAccountBaseModel.AccountId](#) , [GetAccountBaseModel.BudgetId](#) , [GetAccountBaseModel.UserId](#) ,
[GetAccountBaseModel.AccountType](#) , [GetAccountBaseModel.AccountName](#) ,
[GetAccountBaseModel.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetDebtAccountDTOModel()

Default constructor for the get debt account DTO

```
public GetDebtAccountDTOModel()
```

Properties

AccountNumber

```
public int? AccountNumber { get; set; }
```

Property Value

[int](#)?

AmountOfNextBill

```
public decimal? AmountOfNextBill { get; set; }
```

Property Value

[decimal](#)?

DateOfNextBill

```
public DateOnly? DateOfNextBill { get; set; }
```

Property Value

[DateOnly](#)?

DebtAccountId

```
public int DebtAccountId { get; set; }
```

Property Value

[int](#)

DebtAccountType

```
public DebtAccountType DebtAccountType { get; set; }
```

Property Value

[DebtAccountType](#)

DebtPaymentRegularity

```
public DebtPaymentRegularity DebtPaymentRegularity { get; set; }
```

Property Value

[DebtPaymentRegularity](#)

Transactions

```
public List<SummaryTransactionDTOModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionDTOModel](#)>

Class GetDebtAccountDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific debt account

```
[ExportTsInterface]
```

```
public class GetDebtAccountDTOResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetDebtAccountDTOResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetDebtAccountDTOResponse(int, string)

```
public GetDebtAccountDTOResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

DebtAccount

```
public GetDebtAccountDTOModel DebtAccount { get; set; }
```

Property Value

[GetDebtAccountDTOModel](#)

Class GetDebtAccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Entity model to get a specific debt account

```
public class GetDebtAccountEntityModel : GetAccountBaseModel
```

Inheritance

[object](#)  ← [GetAccountBaseModel](#)  ← GetDebtAccountEntityModel

Inherited Members

[GetAccountBaseModel.AccountId](#) , [GetAccountBaseModel.BudgetId](#) , [GetAccountBaseModel.UserId](#) ,
[GetAccountBaseModel.AccountType](#) , [GetAccountBaseModel.AccountName](#) ,
[GetAccountBaseModel.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountNumber

```
public int? AccountNumber { get; set; }
```

Property Value

[int](#) .

AmountOfNextBill

```
public decimal? AmountOfNextBill { get; set; }
```

Property Value

[decimal](#) .

DateOfNextBill

```
public DateOnly? DateOfNextBill { get; set; }
```

Property Value

[DateOnly](#)?

DebtAccountId

```
public int DebtAccountId { get; set; }
```

Property Value

[int](#)

DebtAccountType

```
public DebtAccountType DebtAccountType { get; set; }
```

Property Value

[DebtAccountType](#)

DebtPaymentRegularity

```
public DebtPaymentRegularity DebtPaymentRegularity { get; set; }
```

Property Value

[DebtPaymentRegularity](#)

Transactions

```
public List<SummaryTransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionEntityModel](#)>

Class GetDebtAccountEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific debt account

```
public class GetDebtAccountEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetDebtAccountEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetDebtAccountEntityResponse()

Default constructor

```
public GetDebtAccountEntityResponse()
```

GetDebtAccountEntityResponse(int, string)

Parameterized constructor that takes a status and a message

```
public GetDebtAccountEntityResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

Properties

DebtAccount

```
public GetDebtAccountEntityModel DebtAccount { get; set; }
```

Property Value

[GetDebtAccountEntityModel](#)

Class GetEnvelopeBaseModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsInterface]  
public class GetEnvelopeBaseModel
```

Inheritance

[object](#)  ← GetEnvelopeBaseModel

Derived

[GetEnvelopeDTOModel](#), [GetEnvelopeEntityModel](#)

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Properties

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#) 

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#) 

EnvelopeName

```
public string EnvelopeName { get; set; }
```

Property Value

[string](#)[↗]

GoalAmount

The target amount for a sinking fund. Required when [IsSinkingFund](#) is true. Null when [IsSinkingFund](#) is false (rollover envelope).

```
public decimal? GoalAmount { get; set; }
```

Property Value

[decimal](#)[↗]?

GoalEndDate

The date by which the sinking fund goal should be reached. Required when [IsSinkingFund](#) is true. Null when [IsSinkingFund](#) is false (rollover envelope).

```
public DateOnly? GoalEndDate { get; set; }
```

Property Value

[DateOnly](#)[↗]?

IsSinkingFund

Indicates whether the envelope is a sinking fund. True = sinking fund False = rollover

```
public bool IsSinkingFund { get; set; }
```

Property Value

[bool](#)

PlannedAmount

```
public decimal PlannedAmount { get; set; }
```

Property Value

[decimal](#)

RemainingAmount

```
public decimal RemainingAmount { get; set; }
```

Property Value

[decimal](#)

TransferEnvelopeId

The envelope ID to which remaining funds will be transferred. Required when [IsSinkingFund](#) is false. Null when [IsSinkingFund](#) is true (sinking fund envelope).

```
public int? TransferEnvelopeId { get; set; }
```

Property Value

[int](#)?

Class GetEnvelopeCategoryDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetEnvelopeCategoryDTOModel
```

Inheritance

[object](#) ← GetEnvelopeCategoryDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

EnvelopeCategoryName

```
public string EnvelopeCategoryName { get; set; }
```

Property Value

[string](#)

Class GetEnvelopeCategoryResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetEnvelopeCategoryResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← GetEnvelopeCategoryResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetEnvelopeCategoryResponse()

```
public GetEnvelopeCategoryResponse()
```

GetEnvelopeCategoryResponse(int, string)

```
public GetEnvelopeCategoryResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

EnvelopeCategory

```
public GetEnvelopeCategoryDTOModel EnvelopeCategory { get; set; }
```

Property Value

[GetEnvelopeCategoryDTOModel](#)

Class GetEnvelopeDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetEnvelopeDTOModel : GetEnvelopeBaseModel
```

Inheritance

[object](#)  ← [GetEnvelopeBaseModel](#)  ← GetEnvelopeDTOModel

Inherited Members

[GetEnvelopeBaseModel.EnvelopeId](#) , [GetEnvelopeBaseModel.EnvelopeCategoryId](#) ,
[GetEnvelopeBaseModel.EnvelopeName](#) , [GetEnvelopeBaseModel.PlannedAmount](#) ,
[GetEnvelopeBaseModel.RemainingAmount](#) , [GetEnvelopeBaseModel.IsSinkingFund](#) ,
[GetEnvelopeBaseModel.GoalAmount](#) , [GetEnvelopeBaseModel.GoalEndDate](#) ,
[GetEnvelopeBaseModel.TransferEnvelopeId](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Transactions

```
public List<SummaryTransactionDTOModel> Transactions { get; set; }
```

Property Value

[List](#)  <[SummaryTransactionDTOModel](#)>

Class GetEnvelopeDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific envelope

[ExportTsInterface]

```
public class GetEnvelopeDTOResponse : BaseResponse
```

Inheritance

[object](#) < [BaseResponse](#) < GetEnvelopeDTOResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#) ,
[object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

GetEnvelopeDTOResponse(int, string)

```
public GetEnvelopeDTOResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

Properties

EnvelopeDTO

```
public GetEnvelopeDTOModel EnvelopeDTO { get; set; }
```

Property Value

[GetEnvelopeDTOModel](#)

Class GetEnvelopeEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Entity model for getting a specific envelope

```
public class GetEnvelopeEntityModel : GetEnvelopeBaseModel
```

Inheritance

[object](#)  ← [GetEnvelopeBaseModel](#) ← GetEnvelopeEntityModel

Inherited Members

[GetEnvelopeBaseModel.EnvelopeId](#) , [GetEnvelopeBaseModel.EnvelopeCategoryId](#) ,
[GetEnvelopeBaseModel.EnvelopeName](#) , [GetEnvelopeBaseModel.PlannedAmount](#) ,
[GetEnvelopeBaseModel.RemainingAmount](#) , [GetEnvelopeBaseModel.IsSinkingFund](#) ,
[GetEnvelopeBaseModel.GoalAmount](#) , [GetEnvelopeBaseModel.GoalEndDate](#) ,
[GetEnvelopeBaseModel.TransferEnvelopeId](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Transactions

```
public List<SummaryTransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#)  <[SummaryTransactionEntityModel](#)>

Class GetEnvelopeEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Entity response model for getting a specific envelope

```
public class GetEnvelopeEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetEnvelopeEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetEnvelopeEntityResponse()

Default constructor for GetEnvelopeEntityResponse

```
public GetEnvelopeEntityResponse()
```

GetEnvelopeEntityResponse(int, string)

Parameterized constructor for GetEnvelopeEntityResponse

```
public GetEnvelopeEntityResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

Properties

EnvelopeEntity

```
public GetEnvelopeEntityModel EnvelopeEntity { get; set; }
```

Property Value

[GetEnvelopeEntityModel](#)

Class GetInvestmentAccountDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model to get a specific investment account

```
[ExportTsInterface]
```

```
public class GetInvestmentAccountDTOModel : GetAccountBaseModel
```

Inheritance

[object](#)  ← [GetAccountBaseModel](#) ← GetInvestmentAccountDTOModel

Inherited Members

[GetAccountBaseModel.AccountId](#) , [GetAccountBaseModel.BudgetId](#) , [GetAccountBaseModel.UserId](#) ,
[GetAccountBaseModel.AccountType](#) , [GetAccountBaseModel.AccountName](#) ,
[GetAccountBaseModel.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetInvestmentAccountDTOModel()

Default constructor for the get investment account DTO

```
public GetInvestmentAccountDTOModel()
```

Properties

AccountNumber

```
public int? AccountNumber { get; set; }
```

Property Value

[int](#)?

InvestmentAccountId

```
public int InvestmentAccountId { get; set; }
```

Property Value

[int](#)

InvestmentAccountType

```
public InvestmentAccountType InvestmentAccountType { get; set; }
```

Property Value

[InvestmentAccountType](#)

IsTaxDeferred

```
public bool IsTaxDeferred { get; set; }
```

Property Value

[bool](#)

IsTaxExempt

```
public bool IsTaxExempt { get; set; }
```

Property Value

[bool](#)

Transactions

```
public List<SummaryTransactionDTOModel> Transactions { get; set; }
```

Property Value

[List](#)  [<SummaryTransactionDTOModel>](#)

Class GetInvestmentAccountDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific investment account

[ExportTsInterface]

```
public class GetInvestmentAccountDTOResponse : BaseResponse
```

Inheritance

[object](#) < [BaseResponse](#) < GetInvestmentAccountDTOResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

GetInvestmentAccountDTOResponse(int, string)

```
public GetInvestmentAccountDTOResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#)

message [string](#)

Properties

InvestmentAccount

```
public GetInvestmentAccountDTOModel InvestmentAccount { get; set; }
```

Property Value

[GetInvestmentAccountDTOModel](#)

Class GetInvestmentAccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Entity model to get a specific investment account

```
public class GetInvestmentAccountEntityModel : GetAccountBaseModel
```

Inheritance

[object](#)  ← [GetAccountBaseModel](#)  ← GetInvestmentAccountEntityModel

Inherited Members

[GetAccountBaseModel.AccountId](#) , [GetAccountBaseModel.BudgetId](#) , [GetAccountBaseModel.UserId](#) ,
[GetAccountBaseModel.AccountType](#) , [GetAccountBaseModel.AccountName](#) ,
[GetAccountBaseModel.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountNumber

```
public int? AccountNumber { get; set; }
```

Property Value

[int](#) .

InvestmentAccountId

```
public int InvestmentAccountId { get; set; }
```

Property Value

[int](#) .

InvestmentAccountType

```
public InvestmentAccountType InvestmentAccountType { get; set; }
```

Property Value

[InvestmentAccountType](#)

IsTaxDeferred

```
public bool IsTaxDeferred { get; set; }
```

Property Value

[bool](#)

IsTaxExempt

```
public bool IsTaxExempt { get; set; }
```

Property Value

[bool](#)

Transactions

```
public List<SummaryTransactionEntityModel> Transactions { get; set; }
```

Property Value

[List](#) <[SummaryTransactionEntityModel](#)>

Class GetInvestmentAccountEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for getting a specific investment account

```
public class GetInvestmentAccountEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetInvestmentAccountEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetInvestmentAccountEntityResponse()

Default constructor

```
public GetInvestmentAccountEntityResponse()
```

GetInvestmentAccountEntityResponse(int, string)

Parameterized constructor that takes a status and a message

```
public GetInvestmentAccountEntityResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

Properties

InvestmentAccount

```
public GetInvestmentAccountEntityModel InvestmentAccount { get; set; }
```

Property Value

[GetInvestmentAccountEntityModel](#)

Class GetPaycheckDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetPaycheckDTOModel
```

Inheritance

[object](#) ← GetPaycheckDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

PaycheckName


```
public string PaycheckName { get; set; }
```

Property Value

[string](#)

PaycheckRegularity

```
public PaycheckRegularity PaycheckRegularity { get; set; }
```

Property Value

[PaycheckRegularity](#)

PaycheckSplits

```
public List<GetPaycheckSplitDTOModel> PaycheckSplits { get; set; }
```

Property Value

[List](#) <[GetPaycheckSplitDTOModel](#)>

SecondaryDate

```
public DateOnly? SecondaryDate { get; set; }
```

Property Value

[DateOnly](#)?

StartingDate

```
public DateOnly StartingDate { get; set; }
```

Property Value

[DateOnly](#)🔗

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)🔗

Class GetPaycheckResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetPaycheckResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetPaycheckResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetPaycheckResponse()

```
public GetPaycheckResponse()
```

GetPaycheckResponse(int, string)

```
public GetPaycheckResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

Paycheck

```
public GetPaycheckDTOModel Paycheck { get; set; }
```

Property Value

[GetPaycheckDTOModel](#)

Class GetPaycheckSplitDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsInterface]
```

```
public class GetPaycheckSplitDTOModel
```

Inheritance

[object](#) ← GetPaycheckSplitDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal? Amount { get; set; }
```

Property Value

[decimal](#)?

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

PaycheckSplitId

```
public int PaycheckSplitId { get; set; }
```

Property Value

[int](#)

Class GetPaymentTransactionDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetPaymentTransactionDTOModel : GetTransactionDTOModel
```

Inheritance

[object](#)  ← [GetTransactionDTOModel](#)  ← GetPaymentTransactionDTOModel

Inherited Members

[GetTransactionDTOModel.TransactionId](#) , [GetTransactionDTOModel.BudgetId](#) ,
[GetTransactionDTOModel.TransactionDate](#) , [GetTransactionDTOModel.TotalAmount](#) ,
[GetTransactionDTOModel.IsReconciled](#) , [GetTransactionDTOModel.Notes](#) ,
[GetTransactionDTOModel.TransactionType](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#) 

CheckNumber

```
public int? CheckNumber { get; set; }
```

Property Value

[int](#)?

MerchantSourceName

```
public string MerchantSourceName { get; set; }
```

Property Value

[string](#)

PaymentTransactionId

```
public int PaymentTransactionId { get; set; }
```

Property Value

[int](#)

PaymentTransactionType

```
public PaymentTransactionType PaymentTransactionType { get; set; }
```

Property Value

[PaymentTransactionType](#)

TransactionSplits

```
public List<GetTransactionSplitDTOModel> TransactionSplits { get; set; }
```

Property Value

[List](#) <[GetTransactionSplitDTOModel](#)>

Class GetPaymentTransactionResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetPaymentTransactionResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetPaymentTransactionResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetPaymentTransactionResponse()

```
public GetPaymentTransactionResponse()
```

GetPaymentTransactionResponse(int, string)

```
public GetPaymentTransactionResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

PaymentTransaction

```
public GetPaymentTransactionDTOModel PaymentTransaction { get; set; }
```

Property Value

[GetPaymentTransactionDTOModel](#)

Class GetTransactionDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsInterface]
```

```
public class GetTransactionDTOModel
```

Inheritance

[object](#) ← GetTransactionDTOModel

Derived

[GetPaymentTransactionDTOModel](#), [GetTransferTransactionDTOModel](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

IsReconciled

```
public bool IsReconciled { get; set; }
```

Property Value

[bool](#)

Notes

```
public string? Notes { get; set; }
```

Property Value

[string](#)

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)

TransactionDate

```
public DateOnly TransactionDate { get; set; }
```

Property Value

[DateOnly](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

TransactionType

```
public TransactionType TransactionType { get; set; }
```

Property Value

[TransactionType](#)

Class GetTransactionEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class GetTransactionEntityModel
```

Inheritance

[object](#) ← GetTransactionEntityModel

Derived

[GetTransferTransactionEntityModel](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

IsReconciled

```
public bool IsReconciled { get; set; }
```

Property Value

[bool](#)

Notes

```
public string? Notes { get; set; }
```

Property Value

[string](#)

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)

TransactionDate

```
public DateOnly TransactionDate { get; set; }
```

Property Value

[DateOnly](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

TransactionType

```
public TransactionType TransactionType { get; set; }
```

Property Value

[TransactionType](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class GetTransactionSplitDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetTransactionSplitDTOModel
```

Inheritance

[object](#) ← GetTransactionSplitDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

TransactionSplitId

```
public int TransactionSplitId { get; set; }
```

Property Value

[int](#)

Class GetTransferTransactionDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetTransferTransactionDTOModel : GetTransactionDTOModel
```

Inheritance

[object](#)  ← [GetTransactionDTOModel](#)  ← GetTransferTransactionDTOModel

Inherited Members

[GetTransactionDTOModel.TransactionId](#) , [GetTransactionDTOModel.BudgetId](#) ,
[GetTransactionDTOModel.TransactionDate](#) , [GetTransactionDTOModel.TotalAmount](#) ,
[GetTransactionDTOModel.IsReconciled](#) , [GetTransactionDTOModel.Notes](#) ,
[GetTransactionDTOModel.TransactionType](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

TransferFromId

```
public int? TransferFromId { get; set; }
```

Property Value

[int](#) .

TransferToId

```
public int? TransferToId { get; set; }
```

Property Value

[int](#)?

TransferTransactionId

```
public int TransferTransactionId { get; set; }
```

Property Value

[int](#)

TransferTransactionType

```
public TransferTransactionType TransferTransactionType { get; set; }
```

Property Value

[TransferTransactionType](#)

Class GetTransferTransactionDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetTransferTransactionDTOResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetTransferTransactionDTOResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetTransferTransactionDTOResponse()

```
public GetTransferTransactionDTOResponse()
```

GetTransferTransactionDTOResponse(int, string)

```
public GetTransferTransactionDTOResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

TransferTransaction

```
public GetTransferTransactionDTOModel TransferTransaction { get; set; }
```

Property Value

[GetTransferTransactionDTOModel](#)

Class GetTransferTransactionEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class GetTransferTransactionEntityModel : GetTransactionEntityModel
```

Inheritance

[object](#)  ← [GetTransactionEntityModel](#) ← GetTransferTransactionEntityModel

Inherited Members

[GetTransactionEntityModel.TransactionId](#) , [GetTransactionEntityModel.BudgetId](#) ,
[GetTransactionEntityModel.UserId](#) , [GetTransactionEntityModel.TransactionDate](#) ,
[GetTransactionEntityModel.TotalAmount](#) , [GetTransactionEntityModel.IsReconciled](#) ,
[GetTransactionEntityModel.Notes](#) , [GetTransactionEntityModel.TransactionType](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

TransferFromAccountId

```
public int? TransferFromAccountId { get; set; }
```

Property Value

[int](#) .

TransferFromEnvelopeId

```
public int? TransferFromEnvelopeId { get; set; }
```

Property Value

[int](#) .

TransferToAccountId

```
public int? TransferToAccountId { get; set; }
```

Property Value

[int](#)?

TransferToEnvelopId

```
public int? TransferToEnvelopeId { get; set; }
```

Property Value

[int](#)?

TransferTransactionId

```
public int TransferTransactionId { get; set; }
```

Property Value

[int](#)

TransferTransactionType

```
public TransferTransactionType TransferTransactionType { get; set; }
```

Property Value

[TransferTransactionType](#)

Class GetTransferTransactionEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class GetTransferTransactionEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← GetTransferTransactionEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetTransferTransactionEntityResponse()

```
public GetTransferTransactionEntityResponse()
```

GetTransferTransactionEntityResponse(int, string)

```
public GetTransferTransactionEntityResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

Properties

TransferTransaction

```
public GetTransferTransactionEntityModel TransferTransaction { get; set; }
```

Property Value

[GetTransferTransactionEntityModel](#)

Class GetUserDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

DTO model for getting a user

[ExportTsInterface]

```
public class GetUserDTOModel
```

Inheritance

[object](#) ← GetUserDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Email

```
public string Email { get; set; }
```

Property Value

[string](#)

IsDarkMode

```
public bool IsDarkMode { get; set; }
```

Property Value

[bool](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Username

```
public string Username { get; set; }
```

Property Value

[string](#)

Class GetUserResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetUserResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← GetUserResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetUserResponse(int, string)

Parameterized constructor that takes a status and message

```
public GetUserResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

GetUserResponse(int, string, GetUserDTOModel)

Parameterized constructor that takes a status, message, and GetUserDTO object

```
public GetUserResponse(int httpStatus, string message, GetUserDTOModel getUserDTO)
```

Parameters

httpStatus [int](#) 

message [string](#) 

getUserDTO [GetUserDTOModel](#)

Properties

GetUserDTO

```
public GetUserDTOModel GetUserDTO { get; set; }
```

Property Value

[GetUserDTOModel](#)

Class GetYearBudgetDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]
```

```
public class GetYearBudgetDTOModel
```

Inheritance

[object](#) ← GetYearBudgetDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

BudgetName

```
public string BudgetName { get; set; }
```

Property Value

[string](#)

Month

```
public Month Month { get; set; }
```

Property Value

[Month](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Year

```
public int Year { get; set; }
```

Property Value

[int](#)

Class GetYearBudgetsResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class GetYearBudgetsResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← GetYearBudgetsResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

GetYearBudgetsResponse()

```
public GetYearBudgetsResponse()
```

GetYearBudgetsResponse(int, string)

```
public GetYearBudgetsResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

Properties

Budgets

```
public List<GetYearBudgetDTOModel> Budgets { get; set; }
```

Property Value

[List](#) [<GetYearBudgetDTOModel>](#)

Interface IOptional

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public interface IOptional
```

Properties

HasValue

```
bool HasValue { get; }
```

Property Value

[bool](#)

Methods

GetValue()

```
object? GetValue()
```

Returns

[object](#)

Class InvestmentAccountEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for an investment account

```
public class InvestmentAccountEntityModel : AccountEntityModel
```

Inheritance

[object](#)  ← [AccountEntityModel](#)  ← InvestmentAccountEntityModel

Inherited Members

[AccountEntityModel.AccountId](#) , [AccountEntityModel.BudgetId](#) , [AccountEntityModel.AccountType](#) , [AccountEntityModel.AccountName](#) , [AccountEntityModel.Institution](#) , [AccountEntityModel.Balance](#) , [AccountEntityModel.CreatedAt](#) , [AccountEntityModel.LastUpdatedAt](#) , [AccountEntityModel.Transactions](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

InvestmentAccountId

```
public int InvestmentAccountId { get; set; }
```

Property Value

[int](#) 

InvestmentAccountNumber

```
public string? InvestmentAccountNumber { get; set; }
```

Property Value

[string](#) 

InvestmentAccountType

```
public InvestmentAccountType InvestmentAccountType { get; set; }
```

Property Value

[InvestmentAccountType](#)

IsTaxDeferred

```
public bool IsTaxDeferred { get; set; }
```

Property Value

[bool](#)

IsTaxExempt

```
public bool IsTaxExempt { get; set; }
```

Property Value

[bool](#)

Class InvestmentAccountSummaryDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class InvestmentAccountSummaryDTOModel : SummaryAccountDTOModel
```

Inheritance

[object](#)  ← [SummaryAccountDTOModel](#)  ← InvestmentAccountSummaryDTOModel

Inherited Members

[SummaryAccountDTOModel.AccountId](#) , [SummaryAccountDTOModel.BudgetId](#) ,
[SummaryAccountDTOModel.AccountType](#) , [SummaryAccountDTOModel.AccountName](#) ,
[SummaryAccountDTOModel.Balance](#) , [SummaryAccountDTOModel.Institution](#) ,
[SummaryAccountDTOModel.BankAccountType](#) , [SummaryAccountDTOModel.DebtAccountType](#) ,
[SummaryAccountDTOModel.InvestmentAccountType](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

InvestmentAccountId

```
public int InvestmentAccountId { get; set; }
```

Property Value

[int](#) 

Class LoginRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Request model for a user

```
[ExportTsClass]  
public class LoginRequest
```

Inheritance

[object](#)  ← LoginRequest

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Password

```
public string Password { get; set; }
```

Property Value

[string](#) 

UsernameOrEmail

```
public string UsernameOrEmail { get; set; }
```

Property Value

[string](#) 

Class LoginResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for the login process

```
[ExportTsInterface]
```

```
public class LoginResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← LoginResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

LoginResponse()

```
public LoginResponse()
```

LoginResponse(int, string)

Parameterized constructor for status and message

```
public LoginResponse(int status, string message)
```

Parameters

status [int](#) 

message [string](#) 

LoginResponse(int, string, int)

Parameterized constructor for status, message, and user id

```
public LoginResponse(int status, string message, int userId)
```

Parameters

status [int](#)

message [string](#)

userId [int](#)

Properties

Token

```
public string Token { get; set; }
```

Property Value

[string](#)

Struct Optional<T>

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Optional class for creating and updating nulls

```
[ExportTsClass]
```

```
public readonly struct Optional<T> : IOptional
```

Type Parameters

T

Implements

[IOptional](#)

Inherited Members

[ValueType.Equals\(object\)](#) , [ValueType.GetHashCode\(\)](#) , [ValueType.ToString\(\)](#) ,
[object.Equals\(object, object\)](#) , [object.GetType\(\)](#) , [object.ReferenceEquals\(object, object\)](#)

Constructors

Optional(bool)

Parameterized constructor to bring in a HasValue value

```
public Optional(bool hasValue)
```

Parameters

hasValue [bool](#)

Optional(bool, T?)

Parameterized constructor to bring in a HasValue and Value values

```
public Optional(bool hasValue, T? value)
```

Parameters

hasValue [bool](#)

value T

Optional(T?)

Parameterized constructor to set Value

```
public Optional(T? value)
```

Parameters

value T

Properties

HasValue

Checks if the value was sent

```
public bool HasValue { get; }
```

Property Value

[bool](#)

Value

The value that was sent

```
[TsType("T | null", null, null, false)]
```

```
public T? Value { get; }
```

Property Value

T

Methods

GetValue()

```
public object? GetValue()
```

Returns

[object](#)

Operators

implicit operator Optional<T>(T?)

```
public static implicit operator Optional<T>(T? value)
```

Parameters

value T

Returns

[Optional](#)<T>

Class PaycheckEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a paycheck

```
public class PaycheckEntityModel
```

Inheritance

[object](#) ← PaycheckEntityModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

PaycheckRegularity

```
public PaycheckRegularity PaycheckRegularity { get; set; }
```

Property Value

[PaycheckRegularity](#)

PaycheckSplits

```
public List<PaycheckSplitEntityModel> PaycheckSplits { get; set; }
```

Property Value

[List](#) <[PaycheckSplitEntityModel](#)>

SecondaryDate

```
public DateOnly? SecondaryDate { get; set; }
```

Property Value

[DateOnly](#)[↗]?

StartingDate

```
public DateOnly StartingDate { get; set; }
```

Property Value

[DateOnly](#)[↗]

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)[↗]

Class PaycheckSplitEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a paycheck split

```
public class PaycheckSplitEntityModel
```

Inheritance

[object](#) ← PaycheckSplitEntityModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

OrderIndex

```
public int OrderIndex { get; set; }
```

Property Value

[int](#)

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

PaycheckSplitId

```
public int PaycheckSplitId { get; set; }
```

Property Value

[int](#)

Class PaymentTransactionEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a payment transaction

```
public class PaymentTransactionEntityModel : TransactionEntityModel
```

Inheritance

[object](#)  ← [TransactionEntityModel](#) ← PaymentTransactionEntityModel

Inherited Members

[TransactionEntityModel.TransactionId](#) , [TransactionEntityModel.BudgetId](#) ,
[TransactionEntityModel.TransactionDate](#) , [TransactionEntityModel.TotalAmount](#) ,
[TransactionEntityModel.IsReconciled](#) , [TransactionEntityModel.Notes](#) ,
[TransactionEntityModel.TransactionType](#) , [TransactionEntityModel.CreatedAt](#) ,
[TransactionEntityModel.LastUpdatedAt](#) , [TransactionEntityModel.DeletedAt](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#) 

CheckNumber

```
public int? CheckNumber { get; set; }
```

Property Value

[int](#)?

MerchantSourceName

```
public string MerchantSourceName { get; set; }
```

Property Value

[string](#)

PaymentTransactionId

```
public int PaymentTransactionId { get; set; }
```

Property Value

[int](#)

PaymentTransactionType

```
public PaymentTransactionType PaymentTransactionType { get; set; }
```

Property Value

[PaymentTransactionType](#)

TransactionSplits

```
public List<TransactionSplitEntityModel> TransactionSplits { get; set; }
```

Property Value

[List](#) <[TransactionSplitEntityModel](#)>

Class RegisterRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public class RegisterRequest
```

Inheritance

[object](#) ← RegisterRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Email

```
public string Email { get; set; }
```

Property Value

[string](#)

PasswordHash

```
public string PasswordHash { get; set; }
```

Property Value

[string](#)

Username

```
public string Username { get; set; }
```

Property Value

[string](#) 

Class RegisterResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for registration

```
[ExportTsInterface]
```

```
public class RegisterResponse : BaseIdResponse
```

Inheritance

[object](#) < [BaseResponse](#) < [BaseIdResponse](#) < RegisterResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

RegisterResponse(int, string)

Parameterized constructor for the register response model

```
public RegisterResponse(int status, string message)
```

Parameters

status [int](#)

message [string](#)

RegisterResponse(int, string, int)

Parameterized constructor for the register response model

```
public RegisterResponse(int status, string message, int userId)
```


Parameters

status [int](#)

message [string](#)

userId [int](#)

Properties

Token

```
public string? Token { get; set; }
```

Property Value

[string](#)

Class SummaryAccountDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class SummaryAccountDTOModel
```

Inheritance

[object](#) ← SummaryAccountDTOModel

Derived

[BankAccountSummaryDTOModel](#), [DebtAccountSummaryDTOModel](#),

[InvestmentAccountSummaryDTOModel](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#),
[object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

AccountId

```
public int AccountId { get; set; }
```

Property Value

[int](#)

AccountName

```
public string AccountName { get; set; }
```

Property Value

[string](#)

AccountType

```
public AccountType AccountType { get; set; }
```

Property Value

[AccountType](#)

Balance

```
public decimal Balance { get; set; }
```

Property Value

[decimal](#)

BankAccountType

```
public BankAccountType? BankAccountType { get; set; }
```

Property Value

[BankAccountType?](#)

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

DebtAccountType

```
public DebtAccountType? DebtAccountType { get; set; }
```

Property Value

[DebtAccountType?](#)

Institution

```
public string Institution { get; set; }
```

Property Value

[string](#)

InvestmentAccountType

```
public InvestmentAccountType? InvestmentAccountType { get; set; }
```

Property Value

[InvestmentAccountType?](#)

Class SummaryEnvelopeCategoryResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for an envelope category for the Get Budget method

[ExportTsInterface]

```
public class SummaryEnvelopeCategoryResponse
```

Inheritance

[object](#) ← SummaryEnvelopeCategoryResponse

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#)

EnvelopeCategoryName

```
public string EnvelopeCategoryName { get; set; }
```

Property Value

[string](#)

Envelopes

```
public List<SummaryEnvelopeResponse> Envelopes { get; set; }
```

Property Value

[List](#) [<SummaryEnvelopeResponse>](#)

Class SummaryEnvelopeResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for an envelope for the Get Budget method

[ExportTsInterface]

```
public class SummaryEnvelopeResponse
```

Inheritance

[object](#) ← SummaryEnvelopeResponse

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

EnvelopeCategoryId

```
public int EnvelopeCategoryId { get; set; }
```

Property Value

[int](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

EnvelopeName

```
public string EnvelopeName { get; set; }
```

Property Value

[string](#)

RemainingAmount

```
public decimal RemainingAmount { get; set; }
```

Property Value

[decimal](#)

Class SummaryPaycheckResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class SummaryPaycheckResponse
```

Inheritance

[object](#) ← SummaryPaycheckResponse

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

PaycheckRegularity

```
public PaycheckRegularity PaycheckRegularity { get; set; }
```

Property Value

[PaycheckRegularity](#)

SecondaryDate

```
public DateOnly? SecondaryDate { get; set; }
```

Property Value

[DateOnly](#)[↗]?

StartingDate

```
public DateOnly StartingDate { get; set; }
```

Property Value

[DateOnly](#)[↗]

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)[↗]

Class SummaryTransactionDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class SummaryTransactionDTOModel
```

Inheritance

[object](#) ← SummaryTransactionDTOModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

Date

```
public DateOnly Date { get; set; }
```

Property Value

[DateOnly](#)

Envelopes

```
public string Envelopes { get; set; }
```

Property Value

[string](#)[↗]

Location

```
public string Location { get; set; }
```

Property Value

[string](#)[↗]

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)[↗]

Class SummaryTransactionEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
public class SummaryTransactionEntityModel
```

Inheritance

[object](#)  ← SummaryTransactionEntityModel

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Date

```
public DateOnly Date { get; set; }
```

Property Value

[DateOnly](#) 

EnvelopeNames

```
public string? EnvelopeNames { get; set; }
```

Property Value

[string](#) 

MerchantSourceName

```
public String? MerchantSourceName { get; set; }
```

Property Value

[string](#)

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

TransactionType

```
public TransactionType TransactionType { get; set; }
```

Property Value

[TransactionType](#)

TransferFromAccount

```
public string? TransferFromAccount { get; set; }
```

Property Value

[string](#)

TransferFromEnvelope

```
public string? TransferFromEnvelope { get; set; }
```

Property Value

[string](#)

TransferToAccount

```
public string? TransferToAccount { get; set; }
```

Property Value

[string](#)

TransferToEnvelope

```
public string? TransferToEnvelope { get; set; }
```

Property Value

[string](#)

TransferTransactionType

```
public TransferTransactionType? TransferTransactionType { get; set; }
```

Property Value

[TransferTransactionType?](#)

Class TransactionEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for an abstract transaction

```
public abstract class TransactionEntityModel
```

Inheritance

[object](#) ← TransactionEntityModel

Derived

[PaymentTransactionEntityModel](#), [TransferTransactionEntityModel](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

DeletedAt

```
public DateTime? DeletedAt { get; set; }
```

Property Value

[DateTime](#)[↗]?

IsReconciled

```
public bool IsReconciled { get; set; }
```

Property Value

[bool](#)[↗]

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)[↗]

Notes

```
public string? Notes { get; set; }
```

Property Value

[string](#)[↗]

TotalAmount

```
public decimal TotalAmount { get; set; }
```

Property Value

[decimal](#)

TransactionDate

```
public DateOnly TransactionDate { get; set; }
```

Property Value

[DateOnly](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

TransactionType

```
public TransactionType TransactionType { get; set; }
```

Property Value

[TransactionType](#)

Class TransactionSplitEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a transaction split model

```
public class TransactionSplitEntityModel
```

Inheritance

[object](#) ← TransactionSplitEntityModel

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)

TransactionSplitId

```
public int TransactionSplitId { get; set; }
```

Property Value

[int](#)

Class TransferTransactionEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a transfer transaction

```
public class TransferTransactionEntityModel : TransactionEntityModel
```

Inheritance

[object](#)  ← [TransactionEntityModel](#) ← TransferTransactionEntityModel

Inherited Members

[TransactionEntityModel.TransactionId](#) , [TransactionEntityModel.BudgetId](#) ,
[TransactionEntityModel.TransactionDate](#) , [TransactionEntityModel.TotalAmount](#) ,
[TransactionEntityModel.IsReconciled](#) , [TransactionEntityModel.Notes](#) ,
[TransactionEntityModel.TransactionType](#) , [TransactionEntityModel.CreatedAt](#) ,
[TransactionEntityModel.LastUpdatedAt](#) , [TransactionEntityModel.DeletedAt](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

TransferFromAccountId

```
public int? TransferFromAccountId { get; set; }
```

Property Value

[int](#)  ?

TransferFromEnvelopeId

```
public int? TransferFromEnvelopeId { get; set; }
```

Property Value

[int](#)?

TransferToAccountId

```
public int? TransferToAccountId { get; set; }
```

Property Value

[int](#)?

TransferToEnvelopeId

```
public int? TransferToEnvelopeId { get; set; }
```

Property Value

[int](#)?

TransferTransactionId

```
public int TransferTransactionId { get; set; }
```

Property Value

[int](#)

TransferTransactionType

```
public TransferTransactionType TransferTransactionType { get; set; }
```

Property Value

Class UpdateAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public class UpdateAccountRequest
```

Inheritance

[object](#) ← UpdateAccountRequest

Derived

[UpdateBankAccountRequest](#), [UpdateDebtAccountRequest](#), [UpdateInvestmentAccountRequest](#)

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

AccountId

```
[JsonConverter(typeof(SafeDefaultConverter<int>))]  
public int AccountId { get; set; }
```

Property Value

[int](#)

AccountName

```
public string? AccountName { get; set; }
```

Property Value

[string](#)

Balance

```
public decimal? Balance { get; set; }
```

Property Value

[decimal](#)?

Institution

```
public string? Institution { get; set; }
```

Property Value

[string](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class UpdateBankAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class UpdateBankAccountRequest : UpdateAccountRequest
```

Inheritance

[object](#)  ← [UpdateAccountRequest](#)  ← UpdateBankAccountRequest

Inherited Members

[UpdateAccountRequest.UserId](#) , [UpdateAccountRequest.AccountId](#) ,
[UpdateAccountRequest.AccountName](#) , [UpdateAccountRequest.Institution](#) ,
[UpdateAccountRequest.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

BankAccountId

[JsonConverter(typeof(SafeDefaultConverter<int>))]

```
public int BankAccountId { get; set; }
```

Property Value

[int](#) 

BankAccountType

```
public BankAccountType? BankAccountType { get; set; }
```

Property Value

[BankAccountType?](#)

Class UpdateDebtAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]
```

```
public class UpdateDebtAccountRequest : UpdateAccountRequest
```

Inheritance

[object](#)  ← [UpdateAccountRequest](#)  ← UpdateDebtAccountRequest

Inherited Members

[UpdateAccountRequest.UserId](#) , [UpdateAccountRequest.AccountId](#) ,
[UpdateAccountRequest.AccountName](#) , [UpdateAccountRequest.Institution](#) ,
[UpdateAccountRequest.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountNumber

```
public Optional<int?> AccountNumber { get; set; }
```

Property Value

[Optional](#)  <[int](#)  ?>

AmountOfNextBill

```
public Optional<DateOnly?> AmountOfNextBill { get; set; }
```

Property Value

[Optional](#)  <[DateOnly](#)  ?>

DateOfNextBill

```
public Optional<DateOnly?> DateOfNextBill { get; set; }
```

Property Value

[Optional](#) <[DateOnly](#)?>

DebtAccountId

```
public int DebtAccountId { get; set; }
```

Property Value

[int](#)

DebtAccountType

```
public DebtAccountType? DebtAccountType { get; set; }
```

Property Value

[DebtAccountType?](#)

DebtPaymentRegularity

```
public Optional<DebtPaymentRegularity?> DebtPaymentRegularity { get; set; }
```

Property Value

[Optional](#) <[DebtPaymentRegularity](#)?>

Class UpdateEnvelopeRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public class UpdateEnvelopeRequest
```

Inheritance

[object](#)  ← UpdateEnvelopeRequest

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Properties

EnvelopeCategoryId

```
public int? EnvelopeCategoryId { get; set; }
```

Property Value

[int](#) .

EnvelopeId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#) .

EnvelopeName

```
public string? EnvelopeName { get; set; }
```

Property Value

[string](#)

GoalAmount

```
public Optional<decimal?> GoalAmount { get; set; }
```

Property Value

[Optional](#)<[decimal](#)?>

GoalEndDate

```
public Optional<DateOnly?> GoalEndDate { get; set; }
```

Property Value

[Optional](#)<[DateOnly](#)?>

IsSinkingFund

```
public bool? IsSinkingFund { get; set; }
```

Property Value

[bool](#)?

PlannedAmount


```
public decimal? PlannedAmount { get; set; }
```

Property Value

[decimal](#)[↗]?

TransferEnvelopeId

```
public Optional<int?> TransferEnvelopeId { get; set; }
```

Property Value

[Optional](#)<[int](#)[↗]?>

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)[↗]

Class UpdateInvestmentAccountRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]
```

```
public class UpdateInvestmentAccountRequest : UpdateAccountRequest
```

Inheritance

[object](#)  ← [UpdateAccountRequest](#)  ← UpdateInvestmentAccountRequest

Inherited Members

[UpdateAccountRequest.UserId](#) , [UpdateAccountRequest.AccountId](#) ,
[UpdateAccountRequest.AccountName](#) , [UpdateAccountRequest.Institution](#) ,
[UpdateAccountRequest.Balance](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountNumber

```
public Optional<int?> AccountNumber { get; set; }
```

Property Value

[Optional](#)  <[int](#)  ?>

InvestmentAccountId

```
public int InvestmentAccountId { get; set; }
```

Property Value

[int](#) 

InvestmentAccountType

```
public InvestmentAccountType? InvestmentAccountType { get; set; }
```

Property Value

[InvestmentAccountType?](#)

IsTaxDeferred

```
public bool? IsTaxDeferred { get; set; }
```

Property Value

[bool](#)?

IsTextExempt

```
public bool? IsTextExempt { get; set; }
```

Property Value

[bool](#)?

Class UpdatePaycheckRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public class UpdatePaycheckRequest
```

Inheritance

[object](#) ← UpdatePaycheckRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

PaycheckId

```
public int PaycheckId { get; set; }
```

Property Value

[int](#)

PaycheckRegularity

```
public PaycheckRegularity? PaycheckRegularity { get; set; }
```

Property Value

[PaycheckRegularity?](#)

PaycheckSplits

```
public List<UpdatePaycheckSplitRequest> PaycheckSplits { get; set; }
```

Property Value

[List](#) <[UpdatePaycheckSplitRequest](#)>

SecondaryDate

```
public Optional<DateOnly?> SecondaryDate { get; set; }
```

Property Value

[Optional](#) <[DateOnly](#)?>

StartingDate

```
public DateOnly? StartingDate { get; set; }
```

Property Value

[DateOnly](#)?

TotalAmount

```
public decimal? TotalAmount { get; set; }
```

Property Value

[decimal](#)?

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Class UpdatePaycheckResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class UpdatePaycheckResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← UpdatePaycheckResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

UpdatePaycheckResponse()

```
public UpdatePaycheckResponse()
```

UpdatePaycheckResponse(int, string)

```
public UpdatePaycheckResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

UpdatePaycheckResponse(int, string, int)

```
public UpdatePaycheckResponse(int httpStatus, string message, int id)
```

Parameters

httpStatus [int](#)

message [string](#)

id [int](#)

Properties

PaycheckSplitIds

```
public List<int> PaycheckSplitIds { get; set; }
```

Property Value

[List](#) <[int](#)>

Class UpdatePaycheckSplitRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class UpdatePaycheckSplitRequest
```

Inheritance

[object](#) ← UpdatePaycheckSplitRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal? Amount { get; set; }
```

Property Value

[decimal](#)?

EnvelopeId

```
public int? EnvelopeId { get; set; }
```

Property Value

[int](#)?

PaycheckId

```
public int? PaycheckId { get; set; }
```

Property Value

[int](#)?

PaycheckSplitId

```
public int? PaycheckSplitId { get; set; }
```

Property Value

[int](#)?

Class UpdatePaymentTransactionRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]
```

```
public class UpdatePaymentTransactionRequest : UpdateTransactionRequest
```

Inheritance

[object](#)  ← [UpdateTransactionRequest](#)  ← UpdatePaymentTransactionRequest

Inherited Members

[UpdateTransactionRequest.UserId](#) , [UpdateTransactionRequest.TransactionId](#) ,
[UpdateTransactionRequest.TransactionDate](#) , [UpdateTransactionRequest.TotalAmount](#) ,
[UpdateTransactionRequest.Notes](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

AccountId

```
public int? AccountId { get; set; }
```

Property Value

[int](#) ?

CheckNumber

```
public Optional<int?> CheckNumber { get; set; }
```

Property Value

[Optional](#)  [int](#) ?

MerchantSourceName

```
public string? MerchantSourceName { get; set; }
```

Property Value

[string](#)

PaymentTransactionId

```
public int PaymentTransactionId { get; set; }
```

Property Value

[int](#)

PaymentTransactionType

```
public PaymentTransactionType? PaymentTransactionType { get; set; }
```

Property Value

[PaymentTransactionType?](#)

TransactionSplits

```
public List<UpdateTransactionSplitRequest> TransactionSplits { get; set; }
```

Property Value

[List](#) [<UpdateTransactionSplitRequest>](#)

Class UpdatePaymentTransactionResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

[ExportTsInterface]

```
public class UpdatePaymentTransactionResponse : BaseIdResponse
```

Inheritance

[object](#)  ← [BaseResponse](#) ← [BaseIdResponse](#) ← UpdatePaymentTransactionResponse

Inherited Members

[BaseIdResponse.Id](#) , [BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

UpdatePaymentTransactionResponse()

```
public UpdatePaymentTransactionResponse()
```

UpdatePaymentTransactionResponse(int, string)

```
public UpdatePaymentTransactionResponse(int httpStatus, string message)
```

Parameters

httpStatus [int](#) 

message [string](#) 

UpdatePaymentTransactionResponse(int, string, int)

```
public UpdatePaymentTransactionResponse(int httpStatus, string message, int id)
```

Parameters

httpStatus [int](#)

message [string](#)

id [int](#)

Properties

TransactionSplitIds

```
public List<int> TransactionSplitIds { get; set; }
```

Property Value

[List](#) <[int](#)>

Class UpdateTransactionRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]  
public class UpdateTransactionRequest
```

Inheritance

[object](#)  ← UpdateTransactionRequest

Derived

[UpdatePaymentTransactionRequest](#), [UpdateTransferTransactionRequest](#)

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Properties

Notes

```
public Optional<string?> Notes { get; set; }
```

Property Value

[Optional](#)  [string](#)  >

TotalAmount

```
public decimal? TotalAmount { get; set; }
```

Property Value

[decimal](#) ?

TransactionDate

```
public DateOnly? TransactionDate { get; set; }
```

Property Value

[DateOnly](#)[↗]?

TransactionId

```
public int TransactionId { get; set; }
```

Property Value

[int](#)[↗]

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)[↗]

Class UpdateTransactionSplitRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]
```

```
public class UpdateTransactionSplitRequest
```

Inheritance

[object](#) ← UpdateTransactionSplitRequest

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal? Amount { get; set; }
```

Property Value

[decimal](#)?

EnvelopeId

```
public int? EnvelopeId { get; set; }
```

Property Value

[int](#)?

TransactionId

```
public int? TransactionId { get; set; }
```

Property Value

[int](#)?

TransactionSplitId

```
public int? TransactionSplitId { get; set; }
```

Property Value

[int](#)?

Class UpdateTransferTransactionRequest

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

```
[ExportTsClass]
```

```
public class UpdateTransferTransactionRequest : UpdateTransactionRequest
```

Inheritance

[object](#)  ← [UpdateTransactionRequest](#)  ← UpdateTransferTransactionRequest

Inherited Members

[UpdateTransactionRequest.UserId](#) , [UpdateTransactionRequest.TransactionId](#) ,
[UpdateTransactionRequest.TransactionDate](#) , [UpdateTransactionRequest.TotalAmount](#) ,
[UpdateTransactionRequest.Notes](#) , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

TransferFromId

```
public int? TransferFromId { get; set; }
```

Property Value

[int](#) .

TransferTold

```
public int? TransferToId { get; set; }
```

Property Value

[int](#) .

TransferTransactionId

```
public int TransferTransactionId { get; set; }
```

Property Value

[int](#)

TransferTransactionType

```
public TransferTransactionType? TransferTransactionType { get; set; }
```

Property Value

[TransferTransactionType?](#)

Class UserDTOModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a user

[ExportTsInterface]

```
public class UserDTOModel
```

Inheritance

[object](#)  ← UserDTOModel

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Budget

```
public BudgetEntityModel? Budget { get; set; }
```

Property Value

[BudgetEntityModel](#)

Email

```
public string Email { get; set; }
```

Property Value

[string](#) 

IsDarkMode

```
public bool IsDarkMode { get; set; }
```

Property Value

[bool](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Username

```
public string Username { get; set; }
```

Property Value

[string](#)

Class UserDTOResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for a DTO user

```
[ExportTsInterface]
```

```
public class UserDTOResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← UserDTOResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Token

```
public string? Token { get; set; }
```

Property Value

[string](#) 

User

```
public UserDTOModel? User { get; set; }
```

Property Value

[UserDTOModel](#)

Class UserEntityModel

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Model for a user

```
public class UserEntityModel
```

Inheritance

[object](#)  ← UserEntityModel

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Properties

Budget

```
public BudgetEntityModel? Budget { get; set; }
```

Property Value

[BudgetEntityModel](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#) 

Email

```
public string Email { get; set; }
```

Property Value

[string](#)

IsDarkMode

```
public bool IsDarkMode { get; set; }
```

Property Value

[bool](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

PasswordHash

```
public string PasswordHash { get; set; }
```

Property Value

[string](#)

UserId

```
public int UserId { get; set; }
```

Property Value

[int](#)

Username

```
public string Username { get; set; }
```

Property Value

[string](#)

Class UserEntityResponse

Namespace: [MakesCentsBackend.Models](#)

Assembly: MakesCentsBackend.dll

Response model for an entity user

[ExportTsInterface]

```
public class UserEntityResponse : BaseResponse
```

Inheritance

[object](#)  ← [BaseResponse](#)  ← UserEntityResponse

Inherited Members

[BaseResponse.HttpStatus](#) , [BaseResponse.Message](#) , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

UserEntityResponse(UserEntityModel, int, string)

Parameterized constructor for the register response model

```
public UserEntityResponse(UserEntityModel user, int status, string message)
```

Parameters

user [UserEntityModel](#)

status [int](#) 

message [string](#) 

Properties

Token

```
public string? Token { get; set; }
```

Property Value

[string](#) 

User

```
public UserEntityModel User { get; set; }
```

Property Value

[UserEntityModel](#)

Namespace MakesCentsBackend.Models. Converters

Classes

[OptionalDBConverter<T>](#)

[OptionalJsonConverterFactory](#)

[OptionalJsonConverter<T>](#)

[SafeDefaultConverter<T>](#)

A generic JSON converter that safely deserializes a property. Returns the default value if the input cannot be converted to the target type.

Class OptionalDBConverter<T>

Namespace: [MakesCentsBackend.Models.Converters](#)

Assembly: MakesCentsBackend.dll

```
public class OptionalDBConverter<T> : IMapper.TypeHandler<Optional<T>>,  
    IMapper.ITypeHandler
```

Type Parameters

T

Inheritance

[object](#)  ← [SqlMapper.TypeHandler](#)<[Optional](#)<T>> ← OptionalDBConverter<T>

Implements

[SqlMapper.ITypeHandler](#)

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

Parse(object)

Parse a database value back to a typed value

```
public override Optional<T> Parse(object value)
```

Parameters

value [object](#) 

The value from the database

Returns

[Optional](#)<T>

The typed value

SetValue(IDbDataParameter, Optional<T>)

Assign the value of a parameter before a command executes

```
public override void SetValue(IDbDataParameter parameter, Optional<T> value)
```

Parameters

parameter [IDbDataParameter](#)

The parameter to configure

value [Optional](#)<T>

Parameter value

Class OptionalJsonConverterFactory

Namespace: [MakesCentsBackend.Models.Converters](#)

Assembly: MakesCentsBackend.dll

```
public class OptionalJsonConverterFactory : JsonConverterFactory
```

Inheritance

[object](#)  ← [JsonConverter](#)  ← [JsonConverterFactory](#)  ← OptionalJsonConverterFactory

Inherited Members

[JsonConverterFactory.Type](#)  , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

CanConvert(Type)

```
public override bool CanConvert(Type typeToConvert)
```

Parameters

typeToConvert [Type](#) 

Returns

[bool](#) 

CreateConverter(Type, JsonSerializerOptions)

```
public override JsonConverter? CreateConverter(Type typeToConvert,  
JsonSerializerOptions options)
```

Parameters

typeToConvert [Type](#)

options [JsonSerializerOptions](#)

Returns

[JsonConverter](#)

Class OptionalJsonConverter<T>

Namespace: [MakesCentsBackend.Models.Converters](#)

Assembly: MakesCentsBackend.dll

```
public class OptionalJsonConverter<T> : JsonSerializer<Optional<T>>
```

Type Parameters

T

Inheritance

[object](#)  ← [JsonConverter](#)  ← [JsonConverter](#)  <[Optional](#) >> ← OptionalJsonConverter<T>

Inherited Members

[JsonConverter<Optional<T>>.CanConvert\(Type\)](#)  ,
[JsonConverter<Optional<T>>.ReadAsPropertyName\(ref Utf8JsonReader, Type, JsonSerializerOptions\)](#)  ,
[JsonConverter<Optional<T>>.WriteAsPropertyName\(Utf8JsonWriter, Optional<T>, JsonSerializerOptions\)](#)  ,
[JsonConverter<Optional<T>>.HandleNull](#)  , [JsonConverter<Optional<T>>.Type](#)  ,
[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

Read(ref Utf8JsonReader, Type, JsonSerializerOptions)

```
public override Optional<T> Read(ref Utf8JsonReader reader, Type typeToConvert,  
    JsonSerializerOptions options)
```

Parameters

reader [Utf8JsonReader](#) 

typeToConvert [Type](#) 

options [JsonSerializerOptions](#) 

Returns

[Optional](#)<T>

Write(Utf8JsonWriter, Optional<T>, JsonSerializerOptions)

```
public override void Write(Utf8JsonWriter writer, Optional<T> value,  
    JsonSerializerOptions options)
```

Parameters

writer [Utf8JsonWriter](#)

value [Optional](#)<T>

options [JsonSerializerOptions](#)

Class SafeDefaultConverter<T>

Namespace: [MakesCentsBackend.Models.Converters](#)

Assembly: MakesCentsBackend.dll

A generic JSON converter that safely deserializes a property. Returns the default value if the input cannot be converted to the target type.

```
public class SafeDefaultConverter<T> : JsonConverter<T>
```

Type Parameters

T

Inheritance

[object](#)  ← [JsonConverter](#)  ← [JsonConverter](#)  <T> ← SafeDefaultConverter<T>

Inherited Members

[JsonConverter<T>.CanConvert\(Type\)](#)  ,
[JsonConverter<T>.ReadAsPropertyName\(ref Utf8JsonReader, Type, JsonSerializerOptions\)](#)  ,
[JsonConverter<T>.WriteAsPropertyName\(Utf8JsonWriter, T, JsonSerializerOptions\)](#)  ,
[JsonConverter<T>.HandleNull](#)  , [JsonConverter<T>.Type](#)  , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

Read(ref Utf8JsonReader, Type, JsonSerializerOptions)

Reads JSON and converts it to the target type. Returns fallback for invalid input.

```
public override T Read(ref Utf8JsonReader reader, Type typeToConvert,  
    JsonSerializerOptions options)
```

Parameters

reader [Utf8JsonReader](#) 

typeToConvert [Type](#)

options [JsonSerializerOptions](#)

Returns

T

Write(Utf8JsonWriter, T, JsonSerializerOptions)

Writes the property value to JSON.

```
public override void Write(Utf8JsonWriter writer, T value, JsonSerializerOptions options)
```

Parameters

writer [Utf8JsonWriter](#)

value T

options [JsonSerializerOptions](#)

Namespace MakesCentsBackend.Models. Entities

Classes

[PlannedExpenseEntity](#)

Model for a planned expense

Class PlannedExpenseEntity

Namespace: [MakesCentsBackend.Models.Entities](#)

Assembly: MakesCentsBackend.dll

Model for a planned expense

```
public class PlannedExpenseEntity
```

Inheritance

[object](#) ← PlannedExpenseEntity

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Properties

Amount

```
public decimal Amount { get; set; }
```

Property Value

[decimal](#)

BudgetId

```
public int BudgetId { get; set; }
```

Property Value

[int](#)

CreatedAt

```
public DateTime CreatedAt { get; set; }
```

Property Value

[DateTime](#)

DayOfMonth

```
public int? DayOfMonth { get; set; }
```

Property Value

[int](#)?

EnvelopId

```
public int EnvelopeId { get; set; }
```

Property Value

[int](#)

LastUpdatedAt

```
public DateTime LastUpdatedAt { get; set; }
```

Property Value

[DateTime](#)

PlannedExpenseId


```
public int PlannedExpenseId { get; set; }
```

Property Value

[int](#)

PlannedExpenseOccurrence

```
public PlannedExpenseOccurrence? PlannedExpenseOccurrence { get; set; }
```

Property Value

[PlannedExpenseOccurrence?](#)

PlannedExpenseRegularity

```
public PlannedExpenseRegularity PlannedExpenseRegularity { get; set; }
```

Property Value

[PlannedExpenseRegularity.](#)

Weekday

```
public Weekday? Weekday { get; set; }
```

Property Value

[Weekday?](#)

Namespace MakesCentsBackend.Models. Enums

Enums

[AccountType](#)

Enum for Account Types for the Account Model

[BankAccountType](#)

Enum for Bank Account Types for the Bank Account Model

[DebtAccountType](#)

Enum for Debt Account Types for the Debt Account Model

[DebtPaymentRegularity](#)

Enum for Debt Payment Regularities for the Debt Account Model

[InvestmentAccountType](#)

Enum for Investment Account Types for Investment Account Model

[Month](#)

Enum for the Months for the Budget Model

[PaycheckRegularity](#)

Enum for Paycheck Regularities for the Paycheck Model

[PaymentTransactionType](#)

Enum for Payment Transaction Types for the Payment Transaction Model

[PlannedExpenseOccurrence](#)

Enum for Planned Expense Occurrences for the Planned Expense Model

[PlannedExpenseRegularity](#)

Enum for Planned Expense Regularities for the Planned Expense Model

[TransactionType](#)

Enum for Transaction Types for the Transaction Model

[TransferTransactionType](#)

Enum for Transfer Transaction Types for the Transfer Transaction Model

[Weekday](#)

Enum for Weekdays for the Planned Expense Model

Enum AccountType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Account Types for the Account Model

```
public enum AccountType
```

Fields

Bank = 2

Debt = 3

Investment = 4

Unknown = 1

Enum BankAccountType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Bank Account Types for the Bank Account Model

```
public enum BankAccountType
```

Fields

Checking = 3

Savings = 2

Unknown = 1

Enum DebtAccountType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Debt Account Types for the Debt Account Model

```
public enum DebtAccountType
```

Fields

CarLoan = 4

CreditCard = 2

LineOfCreditLoan = 3

Mortgage = 5

Unknown = 1

Enum DebtPaymentRegularity

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Debt Payment Regularities for the Debt Account Model

```
public enum DebtPaymentRegularity
```

Fields

Annually = 8

BiMonthlyEveryTwoMonths = 5

BiWeeklyEveryTwoWeeks = 3

Monthly = 4

Quarterly = 6

TwiceAnnually = 7

Unknown = 1

Weekly = 2

Enum InvestmentAccountType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Investment Account Types for Investment Account Model

```
public enum InvestmentAccountType
```

Fields

Brokerage = 4

IRA = 2

Other = 5

Retirement401K403B = 3

Unknown = 1

Enum Month

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for the Months for the Budget Model

```
public enum Month
```

Fields

April = 5

August = 9

December = 13

February = 3

January = 2

July = 8

June = 7

March = 4

May = 6

November = 12

October = 11

September = 10

Unknown = 1

Enum PaycheckRegularity

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Paycheck Regularities for the Paycheck Model

```
public enum PaycheckRegularity
```

Fields

```
BiMonthlyTwiceAMonth = 4
```

```
BiWeeklyEveryTwoWeeks = 3
```

```
Monthly = 5
```

```
Unknown = 1
```

```
Weekly = 2
```

Enum PaymentTransactionType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Payment Transaction Types for the Payment Transaction Model

```
public enum PaymentTransactionType
```

Fields

ATM = 2

Check = 3

CreditCard = 5

DebitCard = 4

Deposit = 6

LoanDeposit = 9

Paycheck = 7

Refund = 8

Unknown = 1

Enum PlannedExpenseOccurrence

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Planned Expense Occurrences for the Planned Expense Model

```
public enum PlannedExpenseOccurrence
```

Fields

First = 2

Fourth = 5

Last = 6

Second = 3

Third = 4

Unknown = 1

Enum PlannedExpenseRegularity

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Planned Expense Regularities for the Planned Expense Model

```
public enum PlannedExpenseRegularity
```

Fields

DayOfMonth = 2

LastDayOfMonth = 3

Unknown = 1

WeekdayOccurrence = 4

Enum TransactionType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Transaction Types for the Transaction Model

```
public enum TransactionType
```

Fields

Payment = 2

Transfer = 3

Unknown = 1

Enum TransferTransactionType

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Transfer Transaction Types for the Transfer Transaction Model

```
public enum TransferTransactionType
```

Fields

Account = 2

Envelope = 3

Unknown = 1

Enum Weekday

Namespace: [MakesCentsBackend.Models.Enums](#)

Assembly: MakesCentsBackend.dll

Enum for Weekdays for the Planned Expense Model

```
public enum Weekday
```

Fields

Friday = 6

Monday = 2

Saturday = 7

Sunday = 8

Thursday = 5

Tuesday = 3

Unknown = 1

Wednesday = 4

Namespace MakesCentsBackend.Services. BusinessLogicLayer

Classes

[AccountLogic](#)

[BankAccountLogic](#)

[BudgetLogic](#)

[DebtAccountLogic](#)

[EnvelopeCategoryLogic](#)

[EnvelopeLogic](#)

[InvestmentAccountLogic](#)

[PaycheckLogic](#)

[PaymentTransactionLogic](#)

[TransactionLogic](#)

[TransferTransactionLogic](#)

[UserLogic](#)

Class for all business rules for users

Class AccountLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class AccountLogic
```

Inheritance

[object](#)  ← AccountLogic

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

AccountLogic(AccountDAO)

Parameterized constructor to bring in DI variables

```
public AccountLogic(AccountDAO accountDAO)
```

Parameters

accountDAO [AccountDAO](#)

Methods

DeleteAccountAsync(BaseIdRequest)

Logic method to delete an account

```
public Task<BaseResponse> DeleteAccountAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllAccountsAsync(BaseIdRequest)

```
public Task<GetAllAccountsResponse> GetAllAccountsAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllAccountsResponse](#)>

Class BankAccountLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class BankAccountLogic
```

Inheritance

[object](#)  ← BankAccountLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

BankAccountLogic(BankAccountDAO, IMapper)

Parameterized constructor to bring in DI variables

```
public BankAccountLogic(BankAccountDAO bankAccountDAO, IMapper mapper)
```

Parameters

bankAccountDAO [BankAccountDAO](#)

mapper IMapper

Methods

CreateBankAccountAsync(CreateBankAccountRequest)

Logic method to create a new bank account

```
public Task<CreateBankAccountResponse> CreateBankAccountAsync(CreateBankAccountRequest  
bankAccount)
```

Parameters

bankAccount [CreateBankAccountRequest](#)

Returns

[Task](#) <[CreateBankAccountResponse](#)>

GetBankAccountAsync(BaseIdRequest)

```
public Task<GetBankAccountDTOResponse> GetBankAccountAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetBankAccountDTOResponse](#)>

UpdateBankAccountAsync(UpdateBankAccountRequest)

```
public Task<BaseIdResponse> UpdateBankAccountAsync(UpdateBankAccountRequest bankAccount)
```

Parameters

bankAccount [UpdateBankAccountRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class BudgetLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class BudgetLogic
```

Inheritance

[object](#)  ← BudgetLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

BudgetLogic(BudgetDAO)

Parameterized constructor to bring in DI variables

```
public BudgetLogic(BudgetDAO budgetDAO)
```

Parameters

budgetDAO [BudgetDAO](#)

Methods

CreateBudgetAsync(CreateBudgetRequest)

Logic method to create a new budget

```
public Task<BaseIdResponse> CreateBudgetAsync(CreateBudgetRequest budget)
```

Parameters

budget [CreateBudgetRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

DeleteBudgetAsync(BaseIdRequest)

Logic method to delete an budget

```
public Task<BaseResponse> DeleteBudgetAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetBudgetAsync(BaseIdRequest)

Logic method to get a budget based on a get budget request

```
public Task<GetBudgetResponse> GetBudgetAsync(BaseIdRequest budget)
```

Parameters

budget [BaseIdRequest](#)

Returns

[Task](#) <[GetBudgetResponse](#)>

GetBudgetAsync(GetBudgetRequest)

Logic method to get a budget based on a get budget request

```
public Task<GetBudgetResponse> GetBudgetAsync(GetBudgetRequest budget)
```

Parameters

budget [GetBudgetRequest](#)

Returns

[Task](#) <[GetBudgetResponse](#)>

GetYearBudgetsAsync(GetBudgetRequest)

```
public Task<GetYearBudgetsResponse> GetYearBudgetsAsync(GetBudgetRequest request)
```

Parameters

request [GetBudgetRequest](#)

Returns

[Task](#) <[GetYearBudgetsResponse](#)>

UpdateBudgetAsync(EditBudgetRequest)

Logic method to update a budget based on provided fields

```
public Task<BaseIdResponse> UpdateBudgetAsync(EditBudgetRequest budget)
```

Parameters

budget [EditBudgetRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class DebtAccountLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class DebtAccountLogic
```

Inheritance

[object](#)  ← DebtAccountLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

DebtAccountLogic(DebtAccountDAO, IMapper)

Parameterized constructor to bring in DI variables

```
public DebtAccountLogic(DebtAccountDAO debtAccountDAO, IMapper mapper)
```

Parameters

debtAccountDAO [DebtAccountDAO](#)

mapper IMapper

Methods

CreateDebtAccountAsync(CreateDebtAccountRequest)

Logic method to create a new debt account

```
public Task<CreateDebtAccountResponse> CreateDebtAccountAsync(CreateDebtAccountRequest  
debtAccount)
```


Parameters

debtAccount [CreateDebtAccountRequest](#)

Returns

[Task](#) <[CreateDebtAccountResponse](#)>

GetDebtAccountAsync(BaseIdRequest)

```
public Task<GetDebtAccountDTOResponse> GetDebtAccountAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetDebtAccountDTOResponse](#)>

UpdateDebtAccountAsync(UpdateDebtAccountRequest)

```
public Task<BaseIdResponse> UpdateDebtAccountAsync(UpdateDebtAccountRequest debtAccount)
```

Parameters

debtAccount [UpdateDebtAccountRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class EnvelopeCategoryLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class EnvelopeCategoryLogic
```

Inheritance

[object](#)  ← EnvelopeCategoryLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

EnvelopeCategoryLogic(EnvelopeCategoryDAO)

Parameterized constructor to bring in DI variables

```
public EnvelopeCategoryLogic(EnvelopeCategoryDAO envelopeCategoryDAO)
```

Parameters

envelopeCategoryDAO [EnvelopeCategoryDAO](#)

Methods

CreateEnvelopeCategoryAsync(CreateEnvelopeCategoryRequest)

Logic method to create an envelope category

```
public Task<BaseIdResponse> CreateEnvelopeCategoryAsync(CreateEnvelopeCategoryRequest envelopeCategory)
```

Parameters

envelopeCategory [CreateEnvelopeCategoryRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

DeleteEnvelopeCategoryAsync(BaseIdRequest)

Logic method to delete an envelope category

```
public Task<BaseResponse> DeleteEnvelopeCategoryAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllEnvelopeCategoriesAsync(BaseIdRequest)

Logic method to get all envelope categories

```
public Task<GetAllEnvelopeCategoriesResponse> GetAllEnvelopeCategoriesAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllEnvelopeCategoriesResponse](#)>

GetEnvelopeCategoryAsync(BaseIdRequest)

```
public Task<GetEnvelopeCategoryResponse> GetEnvelopeCategoryAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetEnvelopeCategoryResponse](#)>

UpdateEnvelopeCategoryAsync(EditEnvelopeCategoryRequest)

Logic method to update an envelope category based on provided fields

```
public Task<BaseIdResponse> UpdateEnvelopeCategoryAsync(EditEnvelopeCategoryRequest  
envelopeCategory)
```

Parameters

envelopeCategory [EditEnvelopeCategoryRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class EnvelopeLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class EnvelopeLogic
```

Inheritance

[object](#)  ← EnvelopeLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

EnvelopeLogic(EnvelopeDAO, IMapper)

Parameterized constructor to bring in DI variables

```
public EnvelopeLogic(EnvelopeDAO envelopeDAO, IMapper mapper)
```

Parameters

`envelopeDAO` [EnvelopeDAO](#)

`mapper` IMapper

Methods

CreateEnvelopeAsync(CreateEnvelopeRequest)

Logic method to create a new envelope

```
public Task<BaseIdResponse> CreateEnvelopeAsync(CreateEnvelopeRequest envelope)
```

Parameters

envelope [CreateEnvelopeRequest](#)

Returns

[Task](#) [<BaseIdResponse>](#)

DeleteEnvelopeAsync(BaseIdRequest)

Logic method to delete an envelope

```
public Task<BaseResponse> DeleteEnvelopeAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) [<BaseResponse>](#)

GetEnvelopeAsync(BaseIdRequest)

Logic method to get a specific envelope

```
public Task<GetEnvelopeDTOResponse> GetEnvelopeAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) [<GetEnvelopeDTOResponse>](#)

UpdateEnvelopeAsync(UpdateEnvelopeRequest)

```
public Task<BaseIdResponse> UpdateEnvelopeAsync(UpdateEnvelopeRequest requestEnvelope)
```

Parameters

requestEnvelope [UpdateEnvelopeRequest](#)

Returns

[Task](#) [BaseIdResponse](#)

Class InvestmentAccountLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class InvestmentAccountLogic
```

Inheritance

[object](#)  ← InvestmentAccountLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

InvestmentAccountLogic(InvestmentAccountDAO, IMapper)

Parameterized constructor to bring in DI variables

```
public InvestmentAccountLogic(InvestmentAccountDAO investmentAccountDAO, IMapper mapper)
```

Parameters

investmentAccountDAO [InvestmentAccountDAO](#)

mapper IMapper

Methods

CreateInvestmentAccountAsync(CreateInvestmentAccountRequest)

Logic method to create a new investment account


```
public Task<CreateInvestmentAccountResponse>  
CreateInvestmentAccountAsync(CreateInvestmentAccountRequest investmentAccount)
```

Parameters

investmentAccount [CreateInvestmentAccountRequest](#)

Returns

[Task](#) <[CreateInvestmentAccountResponse](#)>

GetInvestmentAccountAsync(BaseIdRequest)

```
public Task<GetInvestmentAccountDTOResponse> GetInvestmentAccountAsync(BaseIdRequest  
request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetInvestmentAccountDTOResponse](#)>

UpdateInvestmentAccountAsync(UpdateInvestmentAccountRequest)

```
public Task<BaseIdResponse> UpdateInvestmentAccountAsync(UpdateInvestmentAccountRequest  
investmentAccount)
```

Parameters

investmentAccount [UpdateInvestmentAccountRequest](#)

Returns

[Task](#)  <[BaseIdResponse](#)>

Class PaycheckLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class PaycheckLogic
```

Inheritance

[object](#)  ← PaycheckLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

PaycheckLogic(PaycheckDAO)

Parameterized constructor to bring in DI variables

```
public PaycheckLogic(PaycheckDAO paycheckDAO)
```

Parameters

paycheckDAO [PaycheckDAO](#)

Methods

CreatePaycheckAsync(CreatePaycheckRequest)

Logic method to create a new paycheck

```
public Task<CreatePaycheckResponse> CreatePaycheckAsync(CreatePaycheckRequest paycheck)
```

Parameters

paycheck [CreatePaycheckRequest](#)

Returns

[Task](#) <[CreatePaycheckResponse](#)>

DeletePaycheckAsync(BaseIdRequest)

Logic method to delete an paycheck

```
public Task<BaseResponse> DeletePaycheckAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllPaychecksAsync(BaseIdRequest)

```
public Task<GetAllPaychecksResponse> GetAllPaychecksAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllPaychecksResponse](#)>

GetPaycheckAsync(BaseIdRequest)

```
public Task<GetPaycheckResponse> GetPaycheckAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) [<GetPaycheckResponse>](#)

UpdatePaycheckAsync(UpdatePaycheckRequest)

```
public Task<UpdatePaycheckResponse> UpdatePaycheckAsync(UpdatePaycheckRequest paycheck)
```

Parameters

paycheck [UpdatePaycheckRequest](#)

Returns

[Task](#) [<UpdatePaycheckResponse>](#)

Class PaymentTransactionLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class PaymentTransactionLogic
```

Inheritance

[object](#)  ← PaymentTransactionLogic

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

PaymentTransactionLogic(PaymentTransactionDAO)

Parameterized constructor to bring in DI variables

```
public PaymentTransactionLogic(PaymentTransactionDAO paymentTransactionDAO)
```

Parameters

paymentTransactionDAO [PaymentTransactionDAO](#)

Methods

CreatePaymentTransactionAsync(CreatePaymentTransactionRequest)

Logic method to create a new payment transaction

```
public Task<CreatePaymentTransactionResponse>  
CreatePaymentTransactionAsync(CreatePaymentTransactionRequest paymentTransaction)
```

Parameters

`paymentTransaction` [CreatePaymentTransactionRequest](#)

Returns

[Task](#) <[CreatePaymentTransactionResponse](#)>

GetPaymentTransactionAsync(BaseIdRequest)

```
public Task<GetPaymentTransactionResponse> GetPaymentTransactionAsync(BaseIdRequest request)
```

Parameters

`request` [BaseIdRequest](#)

Returns

[Task](#) <[GetPaymentTransactionResponse](#)>

UpdatePaymentTransactionAsync(UpdatePaymentTransactionRequest)

```
public Task<UpdatePaymentTransactionResponse>  
UpdatePaymentTransactionAsync(UpdatePaymentTransactionRequest paymentTransaction)
```

Parameters

`paymentTransaction` [UpdatePaymentTransactionRequest](#)

Returns

[Task](#) <[UpdatePaymentTransactionResponse](#)>

Class TransactionLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class TransactionLogic
```

Inheritance

[object](#)  ← TransactionLogic

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

TransactionLogic(TransactionDAO, IMapper)

Parameterized constructor to bring in DI variables

```
public TransactionLogic(TransactionDAO transactionDAO, IMapper mapper)
```

Parameters

transactionDAO [TransactionDAO](#)

mapper IMapper

Methods

DeleteTransactionAsync(BaseIdRequest)

Logic method to delete an transaction

```
public Task<BaseResponse> DeleteTransactionAsync(BaseIdRequest request)
```


Parameters

request [BaseIdRequest](#)

Returns

[Task](#) [<BaseResponse>](#)

GetAllTransactionsAsync(BaseIdRequest)

```
public Task<GetAllTransactionsDTOResponse> GetAllTransactionsAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) [<GetAllTransactionsDTOResponse>](#)

Class TransferTransactionLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

```
public class TransferTransactionLogic
```

Inheritance

[object](#)  ← TransferTransactionLogic

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

TransferTransactionLogic(TransferTransactionDAO, IMapper)

Parameterized constructor to bring in DI variables

```
public TransferTransactionLogic(TransferTransactionDAO transferTransactionDAO,  
    IMapper mapper)
```

Parameters

transferTransactionDAO [TransferTransactionDAO](#)

mapper IMapper

Methods

CreateTransferTransactionAsync(CreateTransferTransactionRequest)

```
public Task<CreateTransferTransactionResponse>  
    CreateTransferTransactionAsync(CreateTransferTransactionRequest transferTransaction)
```

Parameters

transferTransaction [CreateTransferTransactionRequest](#)

Returns

[Task](#) <[CreateTransferTransactionResponse](#)>

GetTransferTransactionAsync(BaseIdRequest)

```
public Task<GetTransferTransactionDTOResponse> GetTransferTransactionAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetTransferTransactionDTOResponse](#)>

UpdateTransferTransactionAsync(UpdateTransferTransactionRequest)

```
public Task<BaseIdResponse> UpdateTransferTransactionAsync(UpdateTransferTransactionRequest transferTransaction)
```

Parameters

transferTransaction [UpdateTransferTransactionRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class UserLogic

Namespace: [MakesCentsBackend.Services.BusinessLogicLayer](#)

Assembly: MakesCentsBackend.dll

Class for all business rules for users

```
public class UserLogic
```

Inheritance

[object](#)  ← UserLogic

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

UserLogic(UserDAO, JwtService, IMapper)

Parameterized constructor for UserLogic to pull in necessary dependencies

```
public UserLogic(UserDAO userDAO, JwtService jwtService, IMapper mapper)
```

Parameters

userDAO [UserDAO](#)

jwtService [JwtService](#)

mapper IMapper

Methods

DeleteUserAsync(int)

Async method to delete a user based on a userId

```
public Task<BaseResponse> DeleteUserAsync(int userId)
```

Parameters

userId [int](#)

Returns

[Task](#) <[BaseResponse](#)>

GetUserAsync(int)

Get a user based on a user id

```
public Task<GetUserResponse> GetUserAsync(int userId)
```

Parameters

userId [int](#)

Returns

[Task](#) <[GetUserResponse](#)>

LoginUserAsync(LoginRequest)

Authenticate a user based on a username or email and a password

```
public Task<LoginResponse> LoginUserAsync(LoginRequest user)
```

Parameters

user [LoginRequest](#)

Returns

[Task](#) <[LoginResponse](#)>

RegisterUserAsync(RegisterRequest)

Create a user from a userModel

```
public Task<RegisterResponse> RegisterUserAsync(RegisterRequest user)
```

Parameters

user [RegisterRequest](#)

The new user to create

Returns

[Task](#) <[RegisterResponse](#)>

UpdateUserAsync(EditUserRequest)

Async method to update a user

```
public Task<BaseIdResponse> UpdateUserAsync(EditUserRequest user)
```

Parameters

user [EditUserRequest](#)

The new user to create

Returns

[Task](#) <[BaseIdResponse](#)>

Namespace MakesCentsBackend.Services.Data AccessLayer

Classes

[AccountDAO](#)

[AuthorizationService](#)

[BankAccountDAO](#)

Data access object for bank accounts

[BudgetDAO](#)

[DebtAccountDAO](#)

[EnvelopeCategoryDAO](#)

Data access object for envelope categories

[EnvelopeDAO](#)

[InvestmentAccountDAO](#)

[PaycheckDAO](#)

[PaymentTransactionDAO](#)

[TransactionDAO](#)

[TransferTransactionDAO](#)

[UserDAO](#)

Data Access Object for Users

Class AccountDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class AccountDAO
```

Inheritance

[object](#)  ← AccountDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

AccountDAO(MySqlConnection, AuthorizationService)

Parameterized constructor to bring in DI variables

```
public AccountDAO(MySqlConnection connection, AuthorizationService authService)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

Methods

DeleteAccountAsync(BaseIdRequest)

```
public Task<BaseResponse> DeleteAccountAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllAccountsAsync(BaseIdRequest)

```
public Task<GetAllAccountsResponse> GetAllAccountsAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllAccountsResponse](#)>

UpdateAccountAsync(UpdateAccountRequest, MySqlConnection)

```
public Task<BaseIdResponse> UpdateAccountAsync(UpdateAccountRequest account, MySqlConnection dbTransaction)
```

Parameters

account [UpdateAccountRequest](#)

dbTransaction MySqlConnection

Returns

[Task](#) <[BaseIdResponse](#)>

UpdateAccountBalanceAsync(int?, int?, decimal?, MySqlConnection, MySqlConnection)

DAO method to update the balance of an account by the amount

```
public Task<bool> UpdateAccountBalanceAsync(int? userId, int? accountId, decimal? amount,  
MySQLTransaction dbTransaction, MySqlConnection connection)
```

Parameters

userId [int](#)?

accountId [int](#)?

amount [decimal](#)?

dbTransaction MySQLTransaction

connection MySqlConnection

Returns

[Task](#) <[bool](#)>

Class AuthorizationService

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class AuthorizationService
```

Inheritance

[object](#)  ← AuthorizationService

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

AuthorizationService(MySqlConnection)

Parameterized constructor to bring in DI variables

```
public AuthorizationService(MySqlConnection connection)
```

Parameters

connection MySqlConnection

Methods

VerifyUserOwnsAccountAsync(int?, int?, MySqlConnection?)

Auth method to check if a user owns the account specified

```
public Task<bool> VerifyUserOwnsAccountAsync(int? accountId, int? userId, MySqlConnection?  
transaction = null)
```

Parameters

accountId [int?](#)

userId [int?](#)

transaction MySqlConnection

Returns

[Task](#) <[bool](#)>

VerifyUserOwnsBudgetAsync(int?, int?, MySqlConnection?)

Auth method to check if a user owns the budget specified

```
public Task<bool> VerifyUserOwnsBudgetAsync(int? budgetId, int? userId, MySqlConnection? transaction = null)
```

Parameters

budgetId [int?](#)

userId [int?](#)

transaction MySqlConnection

Returns

[Task](#) <[bool](#)>

VerifyUserOwnsEnvelopeAsync(int?, int?, MySqlConnection?)

Auth method to check if a user owns the envelope specified

```
public Task<bool> VerifyUserOwnsEnvelopeAsync(int? envelopeId, int? userId, MySqlConnection? transaction = null)
```

Parameters

envelopeId [int?](#)

`userId` [int?](#)

`transaction` `MySQLTransaction`

Returns

[Task](#) <[bool](#)>

VerifyUserOwnsEnvelopeCategoryAsync(int?, int?, MySQLTransaction?)

Auth method to check if a user owns the envelope category specified

```
public Task<bool> VerifyUserOwnsEnvelopeCategoryAsync(int? envelopeCategoryId, int? userId,
MySQLTransaction? transaction = null)
```

Parameters

`envelopeCategoryId` [int?](#)

`userId` [int?](#)

`transaction` `MySQLTransaction`

Returns

[Task](#) <[bool](#)>

VerifyUserOwnsPaycheckAsync(int?, int?, MySQLTransaction?)

Auth method to check if a user owns the paycheck specified

```
public Task<bool> VerifyUserOwnsPaycheckAsync(int? paycheckId, int? userId,
MySQLTransaction? transaction = null)
```

Parameters

`paycheckId` [int?](#)

`userId` [int?](#)

`transaction` `MySQLTransaction`

Returns

[Task](#) <[bool](#)>

VerifyUserOwnsTransactionAsync(int?, int?, MySQLTransaction?)

Auth method to check if a user owns the transaction specified

```
public Task<bool> VerifyUserOwnsTransactionAsync(int? transactionId, int? userId,
MySQLTransaction? transaction = null)
```

Parameters

`transactionId` [int?](#)

`userId` [int?](#)

`transaction` `MySQLTransaction`

Returns

[Task](#) <[bool](#)>

Class BankAccountDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

Data access object for bank accounts

```
public class BankAccountDAO
```

Inheritance

[object](#)  ← BankAccountDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Remarks

Parameterized constructor to bring in DI variables

Constructors

BankAccountDAO(MySqlConnection, AuthorizationService, AccountDAO)

Parameterized constructor to bring in DI variables

```
public BankAccountDAO(MySqlConnection connection, AuthorizationService authService,  
    AccountDAO accountDAO)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

accountDAO [AccountDAO](#)

Methods

CreateBankAccountAsync(CreateBankAccountRequest)

DAO method to create a new bank account

```
public Task<CreateBankAccountResponse> CreateBankAccountAsync(CreateBankAccountRequest  
bankAccount)
```

Parameters

bankAccount [CreateBankAccountRequest](#)

Returns

[Task](#) <[CreateBankAccountResponse](#)>

GetBankAccountAsync(BaseIdRequest)

```
public Task<GetBankAccountEntityResponse> GetBankAccountAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetBankAccountEntityResponse](#)>

UpdateBankAccountAsync(UpdateBankAccountRequest)

```
public Task<BaseIdResponse> UpdateBankAccountAsync(UpdateBankAccountRequest bankAccount)
```

Parameters

bankAccount [UpdateBankAccountRequest](#)

Returns

[Task](#)  <[BaseldResponse](#)>

Class BudgetDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class BudgetDAO
```

Inheritance

[object](#)  ← BudgetDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

BudgetDAO(MySqlConnection, AuthorizationService)

Parameterized constructor to bring in DI variables

```
public BudgetDAO(MySqlConnection connection, AuthorizationService authService)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

Methods

CreateBudgetAsync(CreateBudgetRequest)

DAO method to create a budget

```
public Task<BaseIdResponse> CreateBudgetAsync(CreateBudgetRequest budget)
```

Parameters

budget [CreateBudgetRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

DeleteBudgetAsync(BaseIdRequest)

DAO method to delete a budget

```
public Task<BaseResponse> DeleteBudgetAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetBudgetAsync(BaseIdRequest)

Get the summary of a budget with envelope categories and envelopes Sources:

<https://chatgpt.com/c/69774450-b594-8330-963c-0342dd63eac2>

```
public Task<GetBudgetResponse> GetBudgetAsync(BaseIdRequest budget)
```

Parameters

budget [BaseIdRequest](#)

Returns

[Task](#) <[GetBudgetResponse](#)>

GetBudgetAsync(GetBudgetRequest)

Get the summary of a budget with envelope categories and envelopes Sources:

<https://chatgpt.com/c/69774450-b594-8330-963c-0342dd63eac2>

```
public Task<GetBudgetResponse> GetBudgetAsync(GetBudgetRequest budget)
```

Parameters

budget [GetBudgetRequest](#)

Returns

[Task](#) <[GetBudgetResponse](#)>

GetYearBudgetsAsync(GetBudgetRequest)

```
public Task<GetYearBudgetsResponse> GetYearBudgetsAsync(GetBudgetRequest request)
```

Parameters

request [GetBudgetRequest](#)

Returns

[Task](#) <[GetYearBudgetsResponse](#)>

UpdateBudgetAsync(EditBudgetRequest)

DAO method to update a budget based on given fields

```
public Task<BaseIdResponse> UpdateBudgetAsync(EditBudgetRequest budget)
```

Parameters

budget [EditBudgetRequest](#)

Returns

[Task](#)  <[BaseldResponse](#)>

Class DebtAccountDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class DebtAccountDAO
```

Inheritance

[object](#)  ← DebtAccountDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

DebtAccountDAO(MySqlConnection, AuthorizationService, AccountDAO)

Parameterized constructor to bring in DI variables

```
public DebtAccountDAO(MySqlConnection connection, AuthorizationService authService, AccountDAO accountDAO)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

accountDAO [AccountDAO](#)

Methods

CreateDebtAccountAsync(CreateDebtAccountRequest)

DAO method to create a new debt account

```
public Task<CreateDebtAccountResponse> CreateDebtAccountAsync(CreateDebtAccountRequest  
debtAccount)
```

Parameters

debtAccount [CreateDebtAccountRequest](#)

Returns

[Task](#) <[CreateDebtAccountResponse](#)>

GetDebtAccountAsync(BaseIdRequest)

```
public Task<GetDebtAccountEntityResponse> GetDebtAccountAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetDebtAccountEntityResponse](#)>

UpdateDebtAccountAsync(UpdateDebtAccountRequest)

```
public Task<BaseIdResponse> UpdateDebtAccountAsync(UpdateDebtAccountRequest debtAccount)
```

Parameters

debtAccount [UpdateDebtAccountRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class EnvelopeCategoryDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

Data access object for envelope categories

```
public class EnvelopeCategoryDAO
```

Inheritance

[object](#)  ← EnvelopeCategoryDAO

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

EnvelopeCategoryDAO(MySqlConnection, AuthorizationService)

Parameterized constructor to bring in DI variables

```
public EnvelopeCategoryDAO(MySqlConnection connection, AuthorizationService authService)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

Methods

CreateEnvelopeCategoryAsync(CreateEnvelopeCategoryRequest)

DAO method to create an envelope category


```
public Task<BaseIdResponse> CreateEnvelopeCategoryAsync(CreateEnvelopeCategoryRequest  
envelopeCategory)
```

Parameters

envelopeCategory [CreateEnvelopeCategoryRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

DeleteEnvelopeCategoryAsync(BaseIdRequest)

DAO method to delete an envelope category

```
public Task<BaseResponse> DeleteEnvelopeCategoryAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllEnvelopeCategoriesAsync(BaseIdRequest)

```
public Task<GetAllEnvelopeCategoriesResponse> GetAllEnvelopeCategoriesAsync(BaseIdRequest  
request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllEnvelopeCategoriesResponse](#)>

GetEnvelopeCategoryAsync(BaseIdRequest)

```
public Task<GetEnvelopeCategoryResponse> GetEnvelopeCategoryAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetEnvelopeCategoryResponse](#)>

UpdateEnvelopeCategoryAsync(EditEnvelopeCategoryRequest)

DAO method to update an envelope category based on the given fields

```
public Task<BaseIdResponse> UpdateEnvelopeCategoryAsync(EditEnvelopeCategoryRequest  
envelopeCategory)
```

Parameters

envelopeCategory [EditEnvelopeCategoryRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class EnvelopeDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class EnvelopeDAO
```

Inheritance

[object](#)  ← EnvelopeDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

EnvelopeDAO(MySqlConnection, AuthorizationService)

Parameterized constructor to bring in DI variables

```
public EnvelopeDAO(MySqlConnection connection, AuthorizationService authService)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

Methods

CreateEnvelopeAsync(CreateEnvelopeRequest)

DAO method to create an envelope

```
public Task<BaseIdResponse> CreateEnvelopeAsync(CreateEnvelopeRequest envelope)
```

Parameters

envelope [CreateEnvelopeRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

DeleteEnvelopeAsync(BaseIdRequest)

```
public Task<BaseResponse> DeleteEnvelopeAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetEnvelopeAsync(BaseIdRequest)

DAO method to get a single envelope

```
public Task<GetEnvelopeEntityResponse> GetEnvelopeAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetEnvelopeEntityResponse](#)>

GetEnvelopeForUpdateAsync(BaseIdRequest)

```
public Task<GetEnvelopeEntityResponse> GetEnvelopeForUpdateAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetEnvelopeEntityResponse](#)>

UpdateEnvelopeAsync(UpdateEnvelopeRequest)

```
public Task<BaseIdResponse> UpdateEnvelopeAsync(UpdateEnvelopeRequest envelope)
```

Parameters

envelope [UpdateEnvelopeRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

UpdateEnvelopeRemainingAmountAsync(int?, int?, decimal?, MySqlConnection, MySqlConnection)

DAO method to update the remaining amount of an envelope by the amount

```
public Task<bool> UpdateEnvelopeRemainingAmountAsync(int? userId, int? envelopeId, decimal? amount, MySqlConnection dbTransaction, MySqlConnection connection)
```

Parameters

userId [int](#)?

envelopeId [int](#)?

amount [decimal](#)?

`dbTransaction` MySqlConnection

`connection` MySqlConnection

Returns

[Task](#) <[bool](#)>

Class InvestmentAccountDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class InvestmentAccountDAO
```

Inheritance

[object](#)  ← InvestmentAccountDAO

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

InvestmentAccountDAO(MySqlConnection,
AuthorizationService, AccountDAO)

Parameterized constructor to bring in DI variables

```
public InvestmentAccountDAO(MySqlConnection connection, AuthorizationService authService,  
AccountDAO accountDAO)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

accountDAO [AccountDAO](#)

Methods

CreateInvestmentAccountAsync(CreateInvestmentAccountRequest)

DAO method to create an investment account

```
public Task<CreateInvestmentAccountResponse>  
CreateInvestmentAccountAsync(CreateInvestmentAccountRequest investmentAccount)
```

Parameters

investmentAccount [CreateInvestmentAccountRequest](#)

Returns

[Task](#) <[CreateInvestmentAccountResponse](#)>

GetInvestmentAccountAsync(BaseIdRequest)

```
public Task<GetInvestmentAccountEntityResponse> GetInvestmentAccountAsync(BaseIdRequest  
request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetInvestmentAccountEntityResponse](#)>

UpdateInvestmentAccountAsync(UpdateInvestmentAccountRequest)

```
public Task<BaseIdResponse> UpdateInvestmentAccountAsync(UpdateInvestmentAccountRequest  
investmentAccount)
```

Parameters

investmentAccount [UpdateInvestmentAccountRequest](#)

Returns

[Task](#)  <[BaseIdResponse](#)>

Class PaycheckDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class PaycheckDAO
```

Inheritance

[object](#)  ← PaycheckDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

PaycheckDAO(MySqlConnection, AuthorizationService)

```
public PaycheckDAO(MySqlConnection connection, AuthorizationService authService)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

Methods

CreatePaycheckAsync(CreatePaycheckRequest)

DAO method to create a new paycheck

```
public Task<CreatePaycheckResponse> CreatePaycheckAsync(CreatePaycheckRequest paycheck)
```

Parameters

paycheck [CreatePaycheckRequest](#)

Returns

[Task](#) <[CreatePaycheckResponse](#)>

DeletePaycheckAsync(BaseIdRequest)

```
public Task<BaseResponse> DeletePaycheckAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllPaychecksAsync(BaseIdRequest)

```
public Task<GetAllPaychecksResponse> GetAllPaychecksAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllPaychecksResponse](#)>

GetPaycheckAsync(BaseIdRequest)

```
public Task<GetPaycheckResponse> GetPaycheckAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetPaycheckResponse](#)>

UpdatePaycheckAsync(UpdatePaycheckRequest)

```
public Task<UpdatePaycheckResponse> UpdatePaycheckAsync(UpdatePaycheckRequest paycheck)
```

Parameters

paycheck [UpdatePaycheckRequest](#)

Returns

[Task](#) <[UpdatePaycheckResponse](#)>

Class PaymentTransactionDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class PaymentTransactionDAO
```

Inheritance

[object](#)  ← PaymentTransactionDAO

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

PaymentTransactionDAO(MySqlConnection,
AuthorizationService, AccountDAO, EnvelopeDAO,
TransactionDAO)

Parameterized constructor to bring in DI variables

```
public PaymentTransactionDAO(MySqlConnection connection, AuthorizationService authService,  
AccountDAO accountDAO, EnvelopeDAO envelopeDAO, TransactionDAO transactionDAO)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

accountDAO [AccountDAO](#)

envelopeDAO [EnvelopeDAO](#)

transactionDAO [TransactionDAO](#)

Methods

CreatePaymentTransactionAsync(CreatePaymentTransactionRequest)

DAO method to add a new payment transaction

```
public Task<CreatePaymentTransactionResponse>  
CreatePaymentTransactionAsync(CreatePaymentTransactionRequest paymentTransaction)
```

Parameters

paymentTransaction [CreatePaymentTransactionRequest](#)

Returns

[Task](#) <[CreatePaymentTransactionResponse](#)>

GetPaymentTransactionAsync(BaseIdRequest)

```
public Task<GetPaymentTransactionResponse> GetPaymentTransactionAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetPaymentTransactionResponse](#)>

UpdatePaymentTransactionAsync(UpdatePaymentTransactionRequest)

```
public Task<UpdatePaymentTransactionResponse>  
UpdatePaymentTransactionAsync(UpdatePaymentTransactionRequest paymentTransaction)
```

Parameters

`paymentTransaction` [UpdatePaymentTransactionRequest](#)

Returns

[Task](#) [UpdatePaymentTransactionResponse](#)

Class TransactionDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class TransactionDAO
```

Inheritance

[object](#)  ← TransactionDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

TransactionDAO(MySqlConnection, AuthorizationService)

Parameterized constructor to bring in DI variables

```
public TransactionDAO(MySqlConnection connection, AuthorizationService authService)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

Methods

DeleteTransactionAsync(BaseIdRequest)

```
public Task<BaseResponse> DeleteTransactionAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[BaseResponse](#)>

GetAllTransactionsAsync(BaseIdRequest)

```
public Task<GetAllTransactionsEntityResponse> GetAllTransactionsAsync(BaseIdRequest request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetAllTransactionsEntityResponse](#)>

UpdateTransactionAsync(UpdateTransactionRequest, MySqlTransaction)

```
public Task<BaseIdResponse> UpdateTransactionAsync(UpdateTransactionRequest transaction, MySqlTransaction dbTransaction)
```

Parameters

transaction [UpdateTransactionRequest](#)

dbTransaction [MySqlTransaction](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Class TransferTransactionDAO

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

```
public class TransferTransactionDAO
```

Inheritance

[object](#) ← TransferTransactionDAO

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#)

Constructors

TransferTransactionDAO(MySqlConnection,
AuthorizationService, AccountDAO, EnvelopeDAO,
TransactionDAO)

Parameterized constructor to bring in DI variables

```
public TransferTransactionDAO(MySqlConnection connection, AuthorizationService authService,  
AccountDAO accountDAO, EnvelopeDAO envelopeDAO, TransactionDAO transactionDAO)
```

Parameters

connection MySqlConnection

authService [AuthorizationService](#)

accountDAO [AccountDAO](#)

envelopeDAO [EnvelopeDAO](#)

transactionDAO [TransactionDAO](#)

Methods

CreateTransferTransactionAsync(CreateTransferTransactionRequest)

```
public Task<CreateTransferTransactionResponse>  
CreateTransferTransactionAsync(CreateTransferTransactionRequest transferTransaction)
```

Parameters

transferTransaction [CreateTransferTransactionRequest](#)

Returns

[Task](#) <[CreateTransferTransactionResponse](#)>

GetTransferTransactionAsync(BaseIdRequest)

```
public Task<GetTransferTransactionEntityResponse> GetTransferTransactionAsync(BaseIdRequest  
request)
```

Parameters

request [BaseIdRequest](#)

Returns

[Task](#) <[GetTransferTransactionEntityResponse](#)>

UpdateTransferTransactionAsync(UpdateTransferTransactionRequest)

```
public Task<BaseIdResponse> UpdateTransferTransactionAsync(UpdateTransferTransactionRequest  
transferTransaction)
```

Parameters

transferTransaction [UpdateTransferTransactionRequest](#)

Returns

[Task](#)  <[BaseIdResponse](#)>

Class UserDao

Namespace: [MakesCentsBackend.Services.DataAccessLayer](#)

Assembly: MakesCentsBackend.dll

Data Access Object for Users

```
public class UserDao
```

Inheritance

[object](#)  ← UserDao

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

UserDao(MySqlConnection)

Parameterized constructor for the User DAO Takes in DI parameters

```
public UserDao(MySqlConnection connection)
```

Parameters

connection MySqlConnection

Methods

DeleteUserAsync(int)

Async method to delete a user based on a userId

```
public Task<BaseResponse> DeleteUserAsync(int userId)
```

Parameters

`userId` [int](#)

Returns

[Task](#) <[BaseResponse](#)>

FindUserByUsernameOrEmailAsync(string)

Finds a user based on a username/email

```
public Task<FindUserResponse> FindUserByUsernameOrEmailAsync(string usernameOrEmail)
```

Parameters

`usernameOrEmail` [string](#)

Returns

[Task](#) <[FindUserResponse](#)>

GetUserAsync(int)

Get a user from the database based on a users id

```
public Task<GetUserResponse> GetUserAsync(int userId)
```

Parameters

`userId` [int](#)

Returns

[Task](#) <[GetUserResponse](#)>

RegisterUserAsync(RegisterRequest)

Add a new user based on a user model

```
public Task<RegisterResponse> RegisterUserAsync(RegisterRequest user)
```

Parameters

user [RegisterRequest](#)

the data for the new user

Returns

[Task](#) <[RegisterResponse](#)>

The Id of the new user

UpdateUserAsync(EditUserRequest)

Async method to update a users information

```
public Task<BaseIdResponse> UpdateUserAsync(EditUserRequest user)
```

Parameters

user [EditUserRequest](#)

Returns

[Task](#) <[BaseIdResponse](#)>

Namespace MakesCentsBackend.Services. Mappers

Classes

[MappingProfile](#)

[TransactionMapper](#)

Class MappingProfile

Namespace: [MakesCentsBackend.Services.Mappers](#)

Assembly: MakesCentsBackend.dll

```
public class MappingProfile : Profile, IProfileExpression, IProfileConfiguration
```

Inheritance

[object](#)  ← Profile ← MappingProfile

Implements

IProfileExpression, IProfileConfiguration

Inherited Members

Profile.DisableConstructorMapping() , Profile.CreateProjection<TSource, TDestination>() ,
Profile.CreateProjection<TSource, TDestination>(MemberList) ,
Profile.CreateMap<TSource, TDestination>() , Profile.CreateMap<TSource, TDestination>(MemberList) ,
[Profile.CreateMap\(Type, Type\)](#)  , [Profile.CreateMap\(Type, Type, MemberList\)](#)  , Profile.ClearPrefixes() ,
[Profile.ReplaceMemberName\(string, string\)](#)  , [Profile.RecognizePrefixes\(params string\[\]\)](#)  ,
[Profile.RecognizePostfixes\(params string\[\]\)](#)  , [Profile.RecognizeDestinationPrefixes\(params string\[\]\)](#)  ,
[Profile.RecognizeDestinationPostfixes\(params string\[\]\)](#)  , [Profile.AddGlobalIgnore\(string\)](#)  ,
[Profile.IncludeSourceExtensionMethods\(Type\)](#)  , Profile.ProfileName ,
Profile.AllowNullDestinationValues , Profile.AllowNullCollections , Profile.ShouldMapProperty ,
Profile.ShouldMapField , Profile.ShouldMapMethod , Profile.ShouldUseConstructor ,
Profile.SourceMemberNamingConvention , Profile.DestinationMemberNamingConvention ,
Profile.ValueTransformers , Profile.PolymorphicProjectionsEnabled , [object.Equals\(object\)](#)  ,
[object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Constructors

MappingProfile()

Default constructor for the User Mapping Profile

```
public MappingProfile()
```

Class TransactionMapper

Namespace: [MakesCentsBackend.Services.Mappers](#)

Assembly: MakesCentsBackend.dll

```
public static class TransactionMapper
```

Inheritance

[object](#)  ← TransactionMapper

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  , [object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

ToSummaryResponse(SummaryTransactionEntityModel)

Mapper for summary transaction responses

```
public static SummaryTransactionDTOModel ToSummaryResponse(SummaryTransactionEntityModel db)
```

Parameters

db [SummaryTransactionEntityModel](#)

Returns

[SummaryTransactionDTOModel](#)

Namespace MakesCentsBackend.Services. Utilities

Classes

[ClaimsPrincipalExtensions](#)

[DateOnlyHandler](#)

Class to handle date only values when dealing with the database

[JwtService](#)

Service responsible for generating JWT tokens

[PasswordHasher](#)

Static class to handle password hashing

Class ClaimsPrincipalExtensions

Namespace: [MakesCentsBackend.Services.Utilities](#)

Assembly: MakesCentsBackend.dll

```
public static class ClaimsPrincipalExtensions
```

Inheritance

[object](#)  ← ClaimsPrincipalExtensions

Inherited Members

[object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#)  , [object.ReferenceEquals\(object, object\)](#)  , [object.ToString\(\)](#) 

Methods

GetUserId(ClaimsPrincipal)

Get the UserId out of the JWT token

```
public static int GetUserId(this ClaimsPrincipal user)
```

Parameters

user [ClaimsPrincipal](#) 

Returns

[int](#) 

Exceptions

[UnauthorizedAccessException](#) 

Class DateOnlyHandler

Namespace: [MakesCentsBackend.Services.Utilities](#)

Assembly: MakesCentsBackend.dll

Class to handle date only values when dealing with the database

```
public class DateOnlyHandler : IMapper.TypeHandler<DateOnly>, IMapper.ITypeHandler
```

Inheritance

[object](#) <← IMapper.TypeHandler<[DateOnly](#)> <← DateOnlyHandler

Implements

IMapper.ITypeHandler

Inherited Members

[object.Equals\(object\)](#), [object.Equals\(object, object\)](#), [object.GetHashCode\(\)](#), [object.GetType\(\)](#), [object.MemberwiseClone\(\)](#), [object.ReferenceEquals\(object, object\)](#), [object.ToString\(\)](#)

Methods

Parse(object)

Method to take a DateTime object and return a DateOnly value

```
public override DateOnly Parse(object value)
```

Parameters

value [object](#)

Returns

[DateOnly](#)

SetValue(IDbDataParameter, DateOnly)

Method to take a DateOnly and set it to a DateTime

```
public override void SetValue(IDbDataParameter parameter, DateOnly value)
```

Parameters

parameter [IDbDataParameter](#) 

value [DateOnly](#) 

Class JwtService

Namespace: [MakesCentsBackend.Services.Utilities](#)

Assembly: MakesCentsBackend.dll

Service responsible for generating JWT tokens

```
public class JwtService
```

Inheritance

[object](#)  ← JwtService

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Constructors

JwtService(IConfiguration)

Set readonly class variables

```
public JwtService(IConfiguration configuration)
```

Parameters

configuration [IConfiguration](#) 

Exceptions

[Exception](#) 

Methods

GenerateToken(int)

```
public string GenerateToken(int userId)
```

Parameters

userId [int](#)

Returns

[string](#)

Class PasswordHasher

Namespace: [MakesCentsBackend.Services.Utilities](#)

Assembly: MakesCentsBackend.dll

Static class to handle password hashing

```
public static class PasswordHasher
```

Inheritance

[object](#)  ← PasswordHasher

Inherited Members

[object.Equals\(object\)](#) , [object.Equals\(object, object\)](#) , [object.GetHashCode\(\)](#) , [object.GetType\(\)](#) ,
[object.MemberwiseClone\(\)](#) , [object.ReferenceEquals\(object, object\)](#) , [object.ToString\(\)](#) 

Methods

HashPassword(string)

Hash a password and return the hash

```
public static string HashPassword(string password)
```

Parameters

password [string](#) 

Returns

[string](#) 

VerifyPassword(string, string)

Verify a hashed password with a plaintext one

```
public static bool VerifyPassword(string password, string hash)
```

Parameters

password [string](#) 

hash [string](#) 

Returns

[bool](#) 