

Group #2

10/20/2022

FA-22-CECS2222-22-SJU COMPUTER PROGRAMMING II (FA-22-SJU)

Activity 8.2, Composition II

Descriptive Tables

Private Attributes

Runner	
Member	Description
name	Holds the name of the runner.
place	Has the place the runner arrived in the race.

RunningRace	
Member	Description
event_Name	String for the event name.
event_Distance	Holds the event distance to difference it from others.
Runner_Count	Holds the runners count for each race.

Time	
Member	Description
second	Holds the arrival second.
minute	Holds the minute of arrival, being a composition.
hour	Holds the hour of arrival.

Protected Attributes

Runner	
Member	Description
aTime	Object of class type time to be used as composition for each runner result.

RunningRace	
Member	Description
All_Runners	Pointer for dynamic memory that will hold the array of runners with the result of each one.

Public Attributes

Runner	
Member	Description
Runner()	Default constructor for the runner class.
Runner(const string)	Parametrized constructor #1.
Runner(const string, const int, const int, const int)	Accepts the parameters of the composed class being Time and call its constructor too.
Runner(const Runner&)	Copy constructor for runner objects.
operator =	Assignment operator.
set_Name	Adjusts runner name.
set_Time	Mutator for class object of time.
set_Place	Adjusts the position/place the runner arrived at.
get_Name	Access for the runner's name.
get_Place	Getter for the place of arrival of the runner.
get_Time	Access for the time object data.
operator ==	Comparison operator for to be used for binary search.
operator !=	Inequality operator.
operator >	Greater than operator.
operator <	Smaller than operator.
operator >>	Insertion operator.

<code>operator <<</code>	Output operator.
<code>~Runner()</code>	Destructor for runner's objects occupied memory.

RunningRace	
Member	Description
RunningRace()	Default constructor for the race data.
RunningRace(const string, const string, Runner*, const int)	Parametrized constructor that even accepts an array of objects from the runner class.
RunningRace(RunningRace&)	Copy constructor, takes the information of one object and clones it into a new one.
set_EventName	Mutator for the name of the event.
set_AllRunners	Setter for the runner's dynamic array (can accept multiple runner objects as argument).
set_StudentCount	Mutator/setter for the number of students found in the race.
set_Distance	Adjusts the string that holds the race type/distance.
get_EventName	Access for the name of the event, returns a string constant.
get_AllRunners	Access for the information of all the runners in form of a dynamic memory.
get_RunnerCount	Access for the number of runners of the race.
get_Distance	Gets the string that holds the race type/distance.
sortRunners_ByNames	Sorting algorithm that organizes the runners based on their names to be able to perform binary searches.
PRINT_RUNNERS	Shows the information of every runner without using the operator.
SEARCH_RUNNER	Searches for a runner in the array.
DELETE_RUNNER	Deletes a desired runner and re-sorts the rest of the runners.
binary_Search	Recursive algorithm that searches the name of a desired runner.
ADD_RUNNER	Add a runner to the race, modifies the array of runners.
operator[]	This operator receives a runner as data type, they were used to sort the runners based on their times.
operator[]	This operator allows us to access the data of each runner from the main without having to invoke functions.
operator >>	Insertion operator to be used for the initial information of the whole race.

<code>operator <<</code>	Output operator, prints the results under each race.
<code>~RunningRace()</code>	Destructor for all the information in the running race class.

Time	
Member	Description
Time()	Default constructor for the time class.
Time(const int, const int, const int)	Parametrized constructor for the information in the class Time.
Time(const Time&)	Copy constructor for the information of the Time class.
operator =	Assignment operator.
set_Second	Mutator for the seconds.
set_Minute	Setter for the minutes.
set_Hour	Adjusts the hour of arrival.
get_Second	Access for the seconds.
get_Minute	Access for the minutes of the runner.
get_Hour	Gets the minute of the runner's arrival.
operator >	Greater than operator.
operator <	Smaller than operator.
operator ==	Equal to operator.
operator !=	Inequal to operator.
operator >>	Insertion operator for the Time's attributes.
operator <<	Operator that prints the information of time.
~Time()	Destructor for the time object memory.

Classes UML Diagram (“Unified Modeling Language”)

RunningRace
<pre>private: - event_Name, event_Distance: string - Runner_Count: int</pre>
<pre>protected: - All_Runners: Runner*</pre>
<pre>public: + RunningRace(); + RunningRace(const string, const string, Runner*, const int); + RunningRace(RunningRace&); + set_EventName(const string): RunningRace& + set_AllRunners(Runner*): RunningRace& + set_StudentCount(const int): RunningRace& + set_Distance(const string) : RunningRace& + get_EventName() const: const string + get_AllRunners() const: Runner* + get_RunnerCount() const: const int + get_Distance() const: const string + sortRunners_ByNames(): void + PRINT_RUNNERS(): void + SEARCH_RUNNER(): void + DELETE_RUNNER(): void + binary_Search(bool& found, int& first, int& last, int& middle, int& position); + ADD_RUNNER():void + operator[](const int&): Runner& + operator[](int) const: Runner + operator >> (istream&, RunningRace&): friend istream& + operator << (ostream&, RunningRace&): friend ostream& + ~RunningRace();</pre>

Runner

```
private:
    - name: string
    - place: int
```

```
protected:
    - aTime: Time
```

```
public:

    + Runner():
    + Runner(const string) :
    + Runner(const string, const int, const int, const int) :
    + Runner(const Runner&):
    + operator = (const Runner&): Runner&

    + set_Name(const string) : Runner&
    + set_Time(const Time) : Runner&
    + set_Place(const int) : Runner&

    + get_Name() const: const string
    + get_Place() const: const int
    + get_Time() const: const Time

    + operator == (const Runner&): bool
    + operator != (const Runner&): bool
    + operator > (const Runner&): bool
    + operator < (const Runner&): bool

    + operator >> (istream&, Runner&): friend istream&
    + operator << (ostream&, const Runner&): friend ostream&

    + ~Runner();
```


Time

private:

- second, minute, hour: int

public:

```
+ Time();  
+ Time(const int, const int, const int);  
+ Time(const Time&);  
+ operator = (const Time&): Time&  
  
+ set_Second(const int) : Time&  
+ set_Minute(const int) : Time&  
+ set_Hour(const int) : Time&  
  
+ get_Second() const: const int  
+ get_Minute() const: const int  
+ get_Hour() const: const int  
  
+ operator > (const Time&): bool  
+ operator < (const Time&): bool  
+ operator == (const Time&): bool  
+ | operator != (const Time&): bool  
  
+ operator >> (istream&, Time&): friend istream&  
+ operator << (ostream&, const Time&): friend ostream&  
  
+ ~Time();
```

CRC CARDS

RunningRace	
This class will contain the runner names, times and place he arrived on the race.	Runner



Runner	
Contains three attributes, seconds, minutes, and hours for the runners.	Time

Code

Main.h

```
#pragma once
```

```
void sort_RunnersByTime(int Race_Count, RunningRace* All_Races);
```

Runner.h

```
#pragma once
#include "Time.h"

class Runner
{
private:
    string name;
    int place;

protected:
    Time aTime;

public:
    Runner();
    Runner(const string);
    Runner(const string, const int, const int, const int);
    Runner(const Runner&);
    Runner& operator = (const Runner&);

    Runner& set_Name(const string);
    Runner& set_Time(const Time);
    Runner& set_Place(const int);

    const string get_Name() const;
    const int get_Place() const;
    const Time get_Time() const;

    bool operator == (const Runner&);
    bool operator != (const Runner&);
    bool operator > (const Runner&);
    bool operator < (const Runner&);

    friend istream& operator >> (istream&, Runner&);
    friend ostream& operator << (ostream&, const Runner&);

    ~Runner();
};
```

RunningRace.h

```
#pragma once
#include "Runner.h"

class RunningRace
{
private:
    string event_Name, event_Distance;
    int Runner_Count;

protected:
    Runner* All_Runners{ nullptr };

public:
    RunningRace();
    RunningRace(const string, const string, Runner*, const int);
    RunningRace(RunningRace&);

    RunningRace& set_EventName(const string);
    RunningRace& set_AllRunners(Runner*);
    RunningRace& set_StudentCount(const int);
    RunningRace& set_Distance(const string);

    const string get_EventName() const;
    Runner* get_AllRunners() const;
    const int get_RunnerCount() const;
    const string get_Distance() const;

    void sortRunners_ByNames();
    void PRINT_RUNNERS();
    void SEARCH_RUNNER();
    void DELETE_RUNNER();
    void binary_Search(bool& found, int& first, int& last, int& middle, int&
position);
    void ADD_RUNNER();

    Runner& operator[](const int&);
    Runner operator[](int) const;

    friend istream& operator >> (istream&, RunningRace&);
    friend ostream& operator << (ostream&, RunningRace&);

    ~RunningRace();
};
```

Time.h

```
#pragma once
#include <iostream>
#include <string>

using std::cin;
using std::cout;
using std::ws;
using std::endl;
using std::out_of_range;
using std::istream;
using std::ostream;
using std::string;

class Time
{
private:
    int second, minute, hour;

public:
    Time();
    Time(const int, const int, const int);
    Time(const Time&);
    Time& operator = (const Time&);

    Time& set_Second(const int);
    Time& set_Minute(const int);
    Time& set_Hour(const int);

    const int get_Second() const;
    const int get_Minute() const;
    const int get_Hour() const;

    bool operator > (const Time&);
    bool operator < (const Time&);
    bool operator == (const Time&);
    bool operator != (const Time&);

    friend istream& operator >> (istream&, Time&);
    friend ostream& operator << (ostream&, const Time&);

    ~Time();
};
```

Main.cpp

```
#include "RunningRace.h"
#include "Runner.h"
#include "Main.h"

int main()
{
    cout << "\t- Enter the amount of races --> ";
    int Race_Count{};
    cin >> Race_Count;
    while (cin.fail() || Race_Count < 1)
    {
        cin.clear();
        cin.ignore(256, '\n');
        cout << "\nError, please re-enter a valid amount of races --> ";
        cin >> Race_Count;
    }

    RunningRace* All_Races{ new RunningRace[Race_Count] };
    for (int i{}; i < Race_Count; i++)
    {
        cout << "\nRace #" << (i + 1) << "..." << endl;
        cin >> All_Races[i];
    }
    sort_RunnersByTime(Race_Count, All_Races);

    for (int i{}; i < Race_Count; i++)
    {
        int selection{};
        const int ADD{ 1 }, DELETE{ 2 }, SEARCH{ 3 }, PRINT{ 4 }, PRINT2{ 5 },
EXIT{ 6 };
        do
        {
            cout << "\n\nSelect an operation for race #" << (i + 1) << "..."
                << "\n\t1) Add a runner"
                << "\n\t2) Delete a runner"
                << "\n\t3) Search a runner"
                << "\n\t4) Print all the runners ordered by their names"
                << "\n\t5) Print all the runners ordered by their times"
                << "\n\t6) Exit"
                << "\nAnswer --> ";

            cin >> selection;

            while (cin.fail() || selection < 1 || selection > 6)
            {
                cin.clear();
                cin.ignore(256, '\n');
                cout << "\nError, please select a valid operation --> ";
                cin >> selection;
            }

            switch (selection)
            {
            case ADD:
                All_Races[i].ADD_RUNNER();
```

```

        break;

    case DELETE:
        All_Races[i].sortRunners_ByNames();
        All_Races[i].DELETE_RUNNER();
        break;

    case SEARCH:
        sort_RunnersByTime(Race_Count, All_Races);
        All_Races[i].sortRunners_ByNames();
        All_Races[i].SEARCH_RUNNER();
        break;

    case PRINT:
        All_Races[i].sortRunners_ByNames();
        All_Races[i].PRINT_RUNNERS();
        break;

    case PRINT2:
        sort_RunnersByTime(Race_Count, All_Races);
        All_Races[i].PRINT_RUNNERS();
        break;

    default:
        cout << "\nFinishing menu for the race...";
    }

    } while (selection != EXIT);
}

cout << "\nPrinting whole races stadisctics...";
for (int i{}; i < Race_Count; i++)
{
    cout << "\nRace #" << (i + 1) << "... "
        << All_Races[i];
}

delete[] All_Races;
All_Races = nullptr;

cout << endl << endl;
return 0;
}

void sort_RunnersByTime(int Race_Count, RunningRace* All_Races) //Using []
operator...
{
    Runner tmp_Runner;
    for (int i{}; i < Race_Count; i++)
    {
        cout << "\nSorting runners by their times..." << endl;
        bool swap{};
        do
        {
            swap = false;

            for (int j{}; j < (All_Races[i].get_RunnerCount() - 1); j++)
            {

```



```

        if (All_Races[i][(j + 1)] < All_Races[i][j])
        {
            swap = true;
            tmp_Runner = All_Races[i][(j + 1)];
            All_Races[i][(j + 1)] = All_Races[i][j];
            All_Races[i][j] = tmp_Runner;
        }
    } while (swap);
}

for (int i{}; i < Race_Count; i++)
{
    for (int j{}; j < All_Races[i].get_RunnerCount(); j++)
    {
        All_Races[i][j].set_Place((j + 1));
    }
}
}

```

//Personal Instructions:

```

//    1. Implement two sorting algorithms one name based from the main and other
time based on the class, per runner. - DONE
//    2. Delete runner, searching by the name. - DONE
//    3. Order from faster time to slower time. - DONE
//    4. Search runner by name and display the results. - DONE
//    5. Print all the runners and their times. - DONE

```

Runner.cpp

```
#include "Runner.h"

Runner::Runner()
{
    name = "";
    place = 0;
    aTime.set_Second(0).set_Minute(0).set_Hour(0);
}

Runner::Runner(const string tmp_Name)
{
    set_Name(tmp_Name);
}

Runner::Runner(const string tmp_Name, const int tmp_Second, const int tmp_Minute,
const int tmp_Hour) : aTime(tmp_Second, tmp_Minute, tmp_Hour)
{
    set_Name(tmp_Name);
}

Runner::Runner(const Runner& tmp_Runner)
{
    set_Name(tmp_Runner.get_Name()).set_Time(tmp_Runner.get_Time()).set_Place(tmp
_Runner.get_Place());
}

Runner& Runner::operator=(const Runner& tmp_Runner)
{
    this->name = tmp_Runner.get_Name();
    this->aTime = tmp_Runner.get_Time();
    this->place = tmp_Runner.get_Place();
    return *this;
}

Runner& Runner::set_Name(const string tmp_Name)
{
    this->name = tmp_Name;
    return *this;
}

Runner& Runner::set_Time(const Time tmp_Time)
{
    this->aTime = tmp_Time;
    return *this;
}

Runner& Runner::set_Place(const int tmp_Place)
{
    this->place = tmp_Place;
    return *this;
}

const string Runner::get_Name() const
{
    return name;
}
```

```

}

const int Runner::get_Place() const
{
    return place;
}

const Time Runner::get_Time() const
{
    return aTime;
}

bool Runner::operator==(const Runner& tmp_Runner)
{
    if (get_Name().compare(tmp_Runner.name) == 0)
    {
        return true;
    }
    else
    {
        return false;
    }
}

bool Runner::operator!=(const Runner& tmp_Runner)
{
    if (aTime != tmp_Runner.aTime /*|| get_Name().compare(tmp_Runner.get_Name())
!= 0*/)
    {
        return true;
    }
    else
    {
        return false;
    }
}

bool Runner::operator>(const Runner& tmp_Runner)
{
    if (get_Name().compare(tmp_Runner.get_Name()) > 0)
    {
        return true;
    }
    else
    {
        return false;
    }
}

bool Runner::operator<(const Runner& tmp_Runner)
{
    if (aTime < tmp_Runner.aTime /*|| get_Name().compare(tmp_Runner.get_Name()) <
0*/)
    {
        return true;
    }
    else
    {

```

```

        return false;
    }
}

istream& operator>>(istream& input, Runner& tmp_Runner)
{
    cout << "\n\t- Enter the RUNNER NAME --> ";
    getline(input >> ws, tmp_Runner.name);

    input >> tmp_Runner.aTime;

    return input;
}

ostream& operator<<(ostream& output, const Runner& tmp_Runner)
{
    output << "\n\t- The RUNNER NAME is --> " << tmp_Runner.get_Name()
        << "\n\t- The TIME for the distance is --> " << tmp_Runner.aTime
        << "\n\t- Came out in place #" << tmp_Runner.get_Place();

    return output;
}

Runner::~~Runner() { /*cout << "\nFreeing runner memory...";*/ };

```

RunningRace.cpp

```
#include "RunningRace.h"

RunningRace::RunningRace()
{
    event_Name = event_Distance = "";
    All_Runners = new Runner;
}

RunningRace::RunningRace(const string tmp_EventName, const string tmp_Distance,
Runner* tmp_AllRunners, const int tmp_StudentCount)
{
    set_EventName(tmp_EventName).set_AllRunners(tmp_AllRunners).set_StudentCount(
tmp_StudentCount).set_Distance(tmp_Distance);
}

RunningRace::RunningRace(RunningRace& tmp_Race)
{
    set_EventName(tmp_Race.get_EventName()).set_AllRunners(tmp_Race.get_AllRunners()).set_Distance(tmp_Race.get_Distance());
}

//RunningRace& RunningRace::operator=(RunningRace& tmp_Race)
//{
//    this->event_Name = tmp_Race.get_EventName();
//    this->All_RunnersByNames = tmp_Race.All_RunnersByNames;
//    this->Runner_Count = tmp_Race.get_RunnerCount();
//    return *this;
//}

RunningRace& RunningRace::set_EventName(const string tmp_Name)
{
    this->event_Name = tmp_Name;
    return *this;
}

RunningRace& RunningRace::set_AllRunners(Runner* tmp_AllRunners)
{
    delete[] All_Runners;
    this->All_Runners = tmp_AllRunners;
    tmp_AllRunners = nullptr;
    return *this;
}

RunningRace& RunningRace::set_StudentCount(const int tmp_StudentCount)
{
    this->Runner_Count = tmp_StudentCount;
    return *this;
}

RunningRace& RunningRace::set_Distance(const string tmp_Distance)
{
    this->event_Distance = tmp_Distance;
    return *this;
}
```

```

const string RunningRace::get_EventName() const
{
    return event_Name;
}

Runner* RunningRace::get_AllRunners() const
{
    return All_Runners;
}

const int RunningRace::get_RunnerCount() const
{
    return Runner_Count;
}

const string RunningRace::get_Distance() const
{
    return event_Distance;
}

void RunningRace::sortRunners_ByNames()
{
    cout << "\nSorting runners by their names...";
    bool swap{};
    do
    {
        swap = false;

        for (int i{}; i < (get_RunnerCount() - 1); i++)
        {
            if (All_Runners[i].get_Name() > All_Runners[(i + 1)].get_Name())
            {
                swap = true;
                Runner tmp_Runner(All_Runners[(i + 1)]);
                All_Runners[(i + 1)] = All_Runners[i];
                All_Runners[i] = tmp_Runner;
            }
        }
    } while (swap);
}

void RunningRace::PRINT_RUNNERS()
{
    cout << endl;

    for (int i{}; i < get_RunnerCount(); i++)
    {
        cout << "\nRunner #" << (i + 1) << "... "
              << All_Runners[i];
    }
}

void RunningRace::SEARCH_RUNNER()
{
    if (get_RunnerCount() == 0)
    {
        cout << "\nThere are no runners...";
    }
}

```

```

else if (get_RunnerCount() == 1)
{
    cout << "\nThere is only one runner, printing..."
        << All_Runners[0];
}
else
{
    bool found{ false };
    int first{}, middle{}, last{ (get_RunnerCount() - 1) }, position{ -1 };
    binary_Search(found, first, last, middle, position);
    cout << All_Runners[position] << endl;
}
}

void RunningRace::DELETE_RUNNER()
{
    if (get_RunnerCount() == 0)
    {
        cout << "\nThere are no runners...";
    }
    else if (get_RunnerCount() == 1)
    {
        cout << "\nThere is only one runner, deleting...";
        --Runner_Count;
        delete[] All_Runners;
    }
    else
    {
        bool found{ false };
        int first{}, middle{}, last{ (get_RunnerCount() - 1) }, position{ -1 };
        binary_Search(found, first, last, middle, position);

        Runner* All_Runners2{ new Runner[--Runner_Count] };
        for (int i{}; i < get_RunnerCount(); i++)
        {
            if (i < position)
                All_Runners2[i] = All_Runners[i];
            else if (i == position)
                cout << "\nRunner deleted...";
            else if (i > position)
                All_Runners2[i] = All_Runners[i];
        }

        delete[] All_Runners;
        All_Runners = new Runner[get_RunnerCount()];

        for (int i{}; i < get_RunnerCount(); i++)
        {
            All_Runners[i] = All_Runners2[i];
        }

        delete[] All_Runners2;
        All_Runners2 = nullptr;
    }
}

void RunningRace::binary_Search(bool& found, int& first, int& last, int& middle,
int& position)

```

```

{
    cout << "\n\t- Enter the runner name you want to search --> ";
    string tmp_RunnerToDelete{};
    getline(cin >> ws, tmp_RunnerToDelete);
    Runner tmp_ToCompare;
    tmp_ToCompare.setName(tmp_RunnerToDelete);

    while (!found && first <= last)
    {
        middle = ((first + last) / 2);

        if (All_Runners[middle] == tmp_ToCompare)
        {
            cout << "\nFound!";
            found = true;
            position = middle;
        }
        else if (All_Runners[middle] > tmp_ToCompare)
        {
            last = (middle - 1);
        }
        else
        {
            first = (middle + 1);
        }
    }

    if (!found && position == -1)
    {
        cout << "\nNot found, recursion beginning";
        first = 0;
        last = (get_RunnerCount() - 1);
        binary_Search(found, first, last, middle, position);
    }
}

void RunningRace::ADD_RUNNER()
{
    if (get_RunnerCount() < 1)
    {
        cout << "\nThere are no runners, starting array..." << endl;
        cout << "\t- Enter how many runners for the race --> ";
        cin >> Runner_Count;

        while (cin.fail() || get_RunnerCount() < 1)
        {
            cin.clear();
            cin.ignore(256, '\n');
            cout << "\nError, please re-enter a valid amount of runners --> ";
            cin >> Runner_Count;
        }

        All_Runners = new Runner[get_RunnerCount()];

        for (int i{}; i < get_RunnerCount(); i++)
        {
            cout << "\nRunner #" << (i + 1) << "...";

```



```

        cin >> All_Runners[i];
    }
else
{
    Runner new_Runner;
    cin >> new_Runner;
    Runner* Old_Runners{ new Runner[get_RunnerCount()] };

    for (int i{}; i < get_RunnerCount(); i++)
    {
        Old_Runners[i] = All_Runners[i];
    }

    delete[] All_Runners;
    All_Runners = new Runner[++Runner_Count];

    for (int i{}; i < get_RunnerCount(); i++)
    {
        if (i < (get_RunnerCount() - 1))
            All_Runners[i] = Old_Runners[i];
        else
            All_Runners[i] = new_Runner;
    }

    delete[] Old_Runners;
    Old_Runners = nullptr;
}
}

Runner& RunningRace::operator[](const int& i)
{
    if (i < 0 || i >= get_RunnerCount())
    {
        throw out_of_range("Subscript out of range...");
    }
    return All_Runners[i];
}

Runner RunningRace::operator[](int i) const
{
    if (i < 0 || i >= get_RunnerCount())
    {
        throw out_of_range("Subscript out of range...");
    }
    return All_Runners[i];
}

istream& operator>>(istream& input, RunningRace& tmp_Race)
{
    cout << "\t- Enter the event name --> ";
    getline(input >> ws, tmp_Race.event_Name);

    cout << "\t- What is the event distance --> ";
    getline(input >> ws, tmp_Race.event_Distance);

    cout << "\t- Enter how many runners for the race --> ";
    input >> tmp_Race.Runner_Count;
}

```

```

while (input.fail() || tmp_Race.get_RunnerCount() < 1)
{
    input.clear();
    input.ignore(256, '\n');
    cout << "\nError, please re-enter a valid amount of runners --> ";
    input >> tmp_Race.Runner_Count;
}

tmp_Race.All_Runners = new Runner[tmp_Race.get_RunnerCount()];

for (int i{}; i < tmp_Race.get_RunnerCount(); i++)
{
    cout << "\nRunner #" << (i + 1) << "...";
    input >> tmp_Race.All_Runners[i];
}

return input;
}

ostream& operator<<(ostream& output, RunningRace& tmp_Race)
{
    output << "\n\t- The event name is --> " << tmp_Race.get_EventName()
        << "\n\t- The event distance is --> " << tmp_Race.get_Distance();

    cout << "\n\nRace results:";
    for (int i{}; i < tmp_Race.get_RunnerCount(); i++)
    {
        cout << "\nRunner #" << (i + 1) << "...";
        output << tmp_Race.All_Runners[i];
    }

    return output;
}

RunningRace::~~RunningRace()
{
    delete[] All_Runners;
    All_Runners = nullptr;
};

```

Time.cpp

```
#include "Time.h"

Time::Time()
{
    second = minute = hour = 0;
}

Time::Time(const int tmp_Second, const int tmp_Minute, const int tmp_Hour)
{
    set_Second(tmp_Second).set_Minute(tmp_Minute).set_Hour(tmp_Hour);
}

Time::Time(const Time& tmp_Time)
{
    set_Second(tmp_Time.get_Second()).set_Minute(tmp_Time.get_Minute()).set_Hour(
tmp_Time.get_Hour());
}

Time& Time::operator=(const Time& tmp_Time)
{
    this->second = tmp_Time.get_Second();
    this->minute = tmp_Time.get_Minute();
    this->hour = tmp_Time.get_Hour();
    return *this;
}

Time& Time::set_Second(const int tmp_Second)
{
    this->second = tmp_Second;
    return *this;
}

Time& Time::set_Minute(const int tmp_Minute)
{
    this->minute = tmp_Minute;
    return *this;
}

Time& Time::set_Hour(const int tmp_Hour)
{
    this->hour = tmp_Hour;
    return *this;
}

const int Time::get_Second() const
{
    return second;
}

const int Time::get_Minute() const
{
    return minute;
}

const int Time::get_Hour() const
```

```

{
    return hour;
}

bool Time::operator>(const Time& tmp_Time)
{
    double hundred{};
    if (get_Second() == 0 || tmp_Time.get_Second() == 0)
    {
        hundred = 100;
    }

    if (get_Hour() * 60 + get_Minute() + 1 / (get_Second() + hundred) >
tmp_Time.get_Hour() * 60 + tmp_Time.get_Minute() + 1 / (tmp_Time.get_Second() +
hundred))
    {
        return true;
    }
    else
    {
        return false;
    }
}

bool Time::operator<(const Time& tmp_Time)
{
    double hundred{};
    if (get_Second() == 0 || tmp_Time.get_Second() == 0)
    {
        hundred = 100;
    }

    if (get_Hour() * 60 + get_Minute() + 1 / (get_Second() + hundred) <
tmp_Time.get_Hour() * 60 + tmp_Time.get_Minute() + 1 / (tmp_Time.get_Second() +
hundred))
    {
        return true;
    }
    else
    {
        return false;
    }
}

bool Time::operator==(const Time& tmp_Time)
{
    double hundred{};
    if (get_Second() == 0 || tmp_Time.get_Second() == 0)
    {
        hundred = 100;
    }

    if (get_Hour() * 60 + get_Minute() + 1 / (get_Second() + hundred) ==
tmp_Time.get_Hour() * 60 + tmp_Time.get_Minute() + 1 / (tmp_Time.get_Second() +
hundred))
    {
        return true;
    }
}

```

```

        else
        {
            return false;
        }
    }

bool Time::operator!=(const Time& tmp_Time)
{
    double hundred{};
    if (get_Second() == 0 || tmp_Time.get_Second() == 0)
    {
        hundred = 100;
    }

    if (get_Hour() * 60 + get_Minute() + 1 / (get_Second() + hundred) !=
tmp_Time.get_Hour() * 60 + tmp_Time.get_Minute() + 1 / (tmp_Time.get_Second() +
hundred))
    {
        return true;
    }
    else
    {
        return false;
    }
}

istream& operator>>(istream& input, Time& tmp_Time)
{
    cout << "\t- Enter the seconds, minutes and hours of arrival (Separate them
by a space) --> ";
    input >> tmp_Time.second >> tmp_Time.minute >> tmp_Time.hour;

    while (input.fail() || tmp_Time.get_Second() < 0 || tmp_Time.get_Second() >
59)
    {
        input.clear();
        input.ignore(256, '\n');
        cout << "\nError, please re-enter a valid second --> ";
        input >> tmp_Time.second;
    }

    while (input.fail() || tmp_Time.get_Minute() < 0 || tmp_Time.get_Minute() >
59)
    {
        input.clear();
        input.ignore(256, '\n');
        cout << "\nError, please re-enter a valid minute --> ";
        input >> tmp_Time.minute;
    }

    while (input.fail() || tmp_Time.get_Hour() < 0 || tmp_Time.get_Hour() > 23)
    {
        input.clear();
        input.ignore(256, '\n');
        cout << "\nError, please re-enter a valid hour --> ";
        input >> tmp_Time.hour;
    }
}

```

```

        return input;
    }

ostream& operator<<(ostream& output, const Time& tmp_Time)
{
    if (tmp_Time.hour < 10)
        output << '0';

    output << tmp_Time.hour << ':';

    if (tmp_Time.minute < 10)
        output << '0';

    output << tmp_Time.minute << ':';

    if (tmp_Time.second < 10)
        output << '0';

    output << tmp_Time.second << 's';
    return output;
}

Time::~Time() { /*cout << "\nFreeing Time memory...";*/ };

```

Output.txt

- Enter the amount of races --> 3

Race #1...

- Enter the event name --> Lola Challenge
- What is the event distance --> 26.2, Marathon
- Enter how many runners for the race --> 2

Runner #1...

- Enter the RUNNER NAME --> Eliud Kipchogue
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 3 2

Runner #2...

- Enter the RUNNER NAME --> Carlos Snow
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 23 2

Race #2...

- Enter the event name --> INEOS CHALLENGE
- What is the event distance --> 26.2
- Enter how many runners for the race --> 3

Runner #1...

- Enter the RUNNER NAME --> Jakob Ingebrigsten
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 4 2

Runner #2...

- Enter the RUNNER NAME --> Kenenisa Bekele
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 45 2

Runner #3...

- Enter the RUNNER NAME --> Paul Chelimo
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 23 10 2

Race #3...

- Enter the event name --> San Blas
- What is the event distance --> 13.1, Half Marathon
- Enter how many runners for the race -->

5

Runner #1...

- Enter the RUNNER NAME --> Alexander Torres
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 4 12 2

Runner #2...

- Enter the RUNNER NAME --> Hector Pagan
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 4 2

Runner #3...

- Enter the RUNNER NAME --> Kevin Cubilette
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 34 2

Runner #4...

- Enter the RUNNER NAME --> Juan V. Santiago
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 2 3

Runner #5...

- Enter the RUNNER NAME --> Samuel Valentin
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 54 45 2

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s

- Came out in place #2

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #1

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> ELiud Kipchogue

Not found, recursion beginning

- Enter the runner name you want to search --> Carlos Snow

Found!

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s
- Came out in place #2

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #1

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s
- Came out in place #2

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Madeline
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 45 5

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> Madeline

Found!

- The RUNNER NAME is --> Madeline
- The TIME for the distance is --> 05:45:02s
- Came out in place #3

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Valeria
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 34 3

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times

6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Valeria
- The TIME for the distance is --> 03:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Madeline
- The TIME for the distance is --> 05:45:02s
- Came out in place #4

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner

- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Carlos Snow
- The TIME for the distance is --> 02:23:02s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #1

Runner #3...

- The RUNNER NAME is --> Madeline
- The TIME for the distance is --> 05:45:02s
- Came out in place #4

Runner #4...

- The RUNNER NAME is --> Valeria
- The TIME for the distance is --> 03:34:02s
- Came out in place #3

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names

5) Print all the runners ordered by their times

6) Exit

Answer --> 2

Sorting runners by their names...

- Enter the runner name you want to search --> Carlos Snow

Found!

Runner deleted...

Select an operation for race #1...

1) Add a runner

2) Delete a runner

3) Search a runner

4) Print all the runners ordered by their names

5) Print all the runners ordered by their times

6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is -->

- The TIME for the distance is --> 00:00:00s

- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Madeline
- The TIME for the distance is --> 05:45:02s
- Came out in place #3

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is -->
- The TIME for the distance is --> 00:00:00s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Madeline

- The TIME for the distance is --> 05:45:02s
- Came out in place #3

Select an operation for race #1...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 6

Finishing menu for the race...

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #3

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Kenenisa Bekele

- The TIME for the distance is --> 02:45:03s
- Came out in place #3

Runner #3...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> Paul Chelimo

Found!

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Alodra Negrn

- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 2 34 2

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #4

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alodra Negrn

- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #2...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #3...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #4

Runner #4...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Roberto
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 4 24

Error, please re-enter a valid hour --> 5

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 7

Error, please select a valid operation --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Roberto
- The TIME for the distance is --> 05:04:03s
- Came out in place #5

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #2...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #3...

- The RUNNER NAME is --> Kenenisa Bekele

- The TIME for the distance is --> 02:45:03s
- Came out in place #4

Runner #4...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Runner #5...

- The RUNNER NAME is --> Roberto
- The TIME for the distance is --> 05:04:03s
- Came out in place #5

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> buenas

Error, please select a valid operation --> 1

- Enter the RUNNER NAME --> Carla
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 4 56 7

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner

- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Roberto

- The TIME for the distance is --> 05:04:03s
- Came out in place #5

Runner #6...

- The RUNNER NAME is --> Carla
- The TIME for the distance is --> 07:56:04s
- Came out in place #6

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #2...

- The RUNNER NAME is --> Carla
- The TIME for the distance is --> 07:56:04s
- Came out in place #6

Runner #3...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #1

Runner #4...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #2

Runner #6...

- The RUNNER NAME is --> Roberto
- The TIME for the distance is --> 05:04:03s
- Came out in place #5

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> Carla

Found!

- The RUNNER NAME is --> Carla
- The TIME for the distance is --> 07:56:04s
- Came out in place #6

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 2

Sorting runners by their names...

- Enter the runner name you want to search --> Carla

Found!

Runner deleted...

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is -->
- The TIME for the distance is --> 00:00:00s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Jakob Ingebrigsten
- The TIME for the distance is --> 02:04:02s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #5

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is -->
- The TIME for the distance is --> 00:00:00s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #4

Runner #3...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #2

Runner #4...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #5

Runner #5...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #3

Select an operation for race #2...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 6

Finishing menu for the race...

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Hector Pagan

- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #5

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #3...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #5

Runner #4...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #5...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #4

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> Samuel Valentin

Found!

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #4

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Ana

- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 4 6

Select an operation for race #3...

- 1) Add a runner

- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #5

Runner #6...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #6

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #6

Runner #3...

- The RUNNER NAME is --> Hector Pagan

- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #4...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #5

Runner #5...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #6...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #4

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> El pepe

Not found, recursion beginning

- Enter the runner name you want to search --> Ana

Found!

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #6

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Genesis
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 43 2

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names

- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Francheska
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 2 4

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Lean
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 3 2 23

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Fernanfloo
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 54 4 3

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Kenneth
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 4 23 3

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #5

Runner #6...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #6

Runner #7...

- The RUNNER NAME is --> Fernanfloo
- The TIME for the distance is --> 03:04:54s

- Came out in place #7

Runner #8...

- The RUNNER NAME is --> Kenneth
- The TIME for the distance is --> 03:23:04s
- Came out in place #8

Runner #9...

- The RUNNER NAME is --> Francheska
- The TIME for the distance is --> 04:02:03s
- Came out in place #9

Runner #10...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #10

Runner #11...

- The RUNNER NAME is --> Lean
- The TIME for the distance is --> 23:02:03s
- Came out in place #11

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #10

Runner #3...

- The RUNNER NAME is --> Fernanfloo
- The TIME for the distance is --> 03:04:54s
- Came out in place #7

Runner #4...

- The RUNNER NAME is --> Francheska
- The TIME for the distance is --> 04:02:03s
- Came out in place #9

Runner #5...

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s
- Came out in place #4

Runner #6...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #7...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #6

Runner #8...

- The RUNNER NAME is --> Kenneth
- The TIME for the distance is --> 03:23:04s

- Came out in place #8

Runner #9...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #10...

- The RUNNER NAME is --> Lean
- The TIME for the distance is --> 23:02:03s
- Came out in place #11

Runner #11...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #5

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 3

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their names...

- Enter the runner name you want to search --> Genesis

Found!

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s
- Came out in place #4

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 1

- Enter the RUNNER NAME --> Claudia Talavera
- Enter the seconds, minutes and hours of arrival (Separate them by a space) --> 17 5 4

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #5

Runner #6...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s

- Came out in place #6

Runner #7...

- The RUNNER NAME is --> Fernanfloo
- The TIME for the distance is --> 03:04:54s
- Came out in place #7

Runner #8...

- The RUNNER NAME is --> Kenneth
- The TIME for the distance is --> 03:23:04s
- Came out in place #8

Runner #9...

- The RUNNER NAME is --> Francheska
- The TIME for the distance is --> 04:02:03s
- Came out in place #9

Runner #10...

- The RUNNER NAME is --> Claudia Talavera
- The TIME for the distance is --> 04:05:17s
- Came out in place #10

Runner #11...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #11

Runner #12...

- The RUNNER NAME is --> Lean
- The TIME for the distance is --> 23:02:03s
- Came out in place #12

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner

- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 4

Sorting runners by their names...

Runner #1...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #2...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #11

Runner #3...

- The RUNNER NAME is --> Claudia Talavera
- The TIME for the distance is --> 04:05:17s
- Came out in place #10

Runner #4...

- The RUNNER NAME is --> Fernanfloo
- The TIME for the distance is --> 03:04:54s
- Came out in place #7

Runner #5...

- The RUNNER NAME is --> Francheska
- The TIME for the distance is --> 04:02:03s
- Came out in place #9

Runner #6...

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s

- Came out in place #4

Runner #7...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #8...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #6

Runner #9...

- The RUNNER NAME is --> Kenneth
- The TIME for the distance is --> 03:23:04s
- Came out in place #8

Runner #10...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #11...

- The RUNNER NAME is --> Lean
- The TIME for the distance is --> 23:02:03s
- Came out in place #12

Runner #12...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #5

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner

- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 5

Sorting runners by their times...

Sorting runners by their times...

Sorting runners by their times...

Runner #1...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Samuel Valentin

- The TIME for the distance is --> 02:45:54s
- Came out in place #5

Runner #6...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #6

Runner #7...

- The RUNNER NAME is --> Fernanfloo
- The TIME for the distance is --> 03:04:54s
- Came out in place #7

Runner #8...

- The RUNNER NAME is --> Kenneth
- The TIME for the distance is --> 03:23:04s
- Came out in place #8

Runner #9...

- The RUNNER NAME is --> Francheska
- The TIME for the distance is --> 04:02:03s
- Came out in place #9

Runner #10...

- The RUNNER NAME is --> Claudia Talavera
- The TIME for the distance is --> 04:05:17s
- Came out in place #10

Runner #11...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #11

Runner #12...

- The RUNNER NAME is --> Lean
- The TIME for the distance is --> 23:02:03s
- Came out in place #12

Select an operation for race #3...

- 1) Add a runner
- 2) Delete a runner
- 3) Search a runner
- 4) Print all the runners ordered by their names
- 5) Print all the runners ordered by their times
- 6) Exit

Answer --> 6

Finishing menu for the race...

Printing whole races stadistics...

Race #1...

- The event name is --> Lola Challenge
- The event distance is --> 26.2, Marathon

Race results:

Runner #1...

- The RUNNER NAME is -->
- The TIME for the distance is --> 00:00:00s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Eliud Kipchogue
- The TIME for the distance is --> 02:03:02s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Madeline
- The TIME for the distance is --> 05:45:02s
- Came out in place #3

Race #2...

- The event name is --> INEOS CHALLENGE
- The event distance is --> 26.2

Race results:

Runner #1...

- The RUNNER NAME is -->
- The TIME for the distance is --> 00:00:00s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Jakob Ingebriksten
- The TIME for the distance is --> 02:04:02s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Paul Chelimo
- The TIME for the distance is --> 02:10:23s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Alodra Negrn
- The TIME for the distance is --> 02:34:02s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Kenenisa Bekele
- The TIME for the distance is --> 02:45:03s
- Came out in place #5

Race #3...

- The event name is --> San Blas
- The event distance is --> 13.1, Half Marathon

Race results:

Runner #1...

- The RUNNER NAME is --> Hector Pagan
- The TIME for the distance is --> 02:04:03s
- Came out in place #1

Runner #2...

- The RUNNER NAME is --> Alexander Torres
- The TIME for the distance is --> 02:12:04s
- Came out in place #2

Runner #3...

- The RUNNER NAME is --> Kevin Cubilette
- The TIME for the distance is --> 02:34:02s
- Came out in place #3

Runner #4...

- The RUNNER NAME is --> Genesis
- The TIME for the distance is --> 02:43:03s
- Came out in place #4

Runner #5...

- The RUNNER NAME is --> Samuel Valentin
- The TIME for the distance is --> 02:45:54s
- Came out in place #5

Runner #6...

- The RUNNER NAME is --> Juan V. Santiago
- The TIME for the distance is --> 03:02:03s
- Came out in place #6

Runner #7...

- The RUNNER NAME is --> Fernanfloo
- The TIME for the distance is --> 03:04:54s
- Came out in place #7

Runner #8...

- The RUNNER NAME is --> Kenneth
- The TIME for the distance is --> 03:23:04s

- Came out in place #8

Runner #9...

- The RUNNER NAME is --> Francheska
- The TIME for the distance is --> 04:02:03s
- Came out in place #9

Runner #10...

- The RUNNER NAME is --> Claudia Talavera
- The TIME for the distance is --> 04:05:17s
- Came out in place #10

Runner #11...

- The RUNNER NAME is --> Ana
- The TIME for the distance is --> 06:04:03s
- Came out in place #11

Runner #12...

- The RUNNER NAME is --> Lean
- The TIME for the distance is --> 23:02:03s
- Came out in place #12

D:\OneDrive\Escritorio\Learning\C++\CECS2222-22 (Compe 2)\All asignments from October 7, 2022 - Solution\x64\Debug\Activity 8.2, Composition.exe (process 14992) exited with code 0.

To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.

Press any key to close this window . . .