BCM · MEDICAL CENTRE · ON THE PREMISES

# The front, in place

FOUR BLACK DOORWAYS IN FILM, THE THREE 16 FT BANNERS IN ONE BAND ABOVE THE SHOPFRONT, AND THE SIGN POST AT THE KERB. DRAWN TO SCALE FROM THE PRINT FILES.





DAY · B-1, B-2 AND B-3 IN ONE BAND ABOVE THE SHOPFRONT · SIGN POST AT THE KERB

BCM · MEDICAL CENTRE · ON THE PREMISES

# The front, at night

WITH THE EAVES DOWNLIGHTS ON: THE BANNERS ARE WASHED, THE FILM STAYS LEGIBLE AND THE DOORS READ AS LIT PANELS.




NIGHT · IF THE EAVES DOWNLIGHTS ARE FITTED — CONFIRM WITH THE ELECTRICIAN

# Door 1 — black frame, B-1 above

Eight panes of one-way vision film in a black-painted frame — 900 mm high, 500 mm panes on the outer edges and 400 mm against the meeting stile. B-1 sits on the wall above the door, centred, its underside at 2560 mm.




## ON THIS DOOR

- Frame and leaves: black. Panes: 8 per door, 900 mm high.
- Door head 1980 mm; banner underside 2560 mm; 580 mm of wall between.
- Banner: 4,877 × 1,000 mm, centred on the door.
- D1-P1 HIV CARE · 900 × 500
- D1-P2 PHARMACY · 900 × 400
- D1-P3 MALARIA · 900 × 500
- D1-P4 CBC · 900 × 400
- D1-P5 LABORATORY · 900 × 400
- D1-P6 ANTENATAL · 900 × 500
- D1-P7 OUTPATIENT · 900 × 400
- D1-P8 OUR SERVICES · 900 × 500

## CHECK ON SITE

- Door centres here are a proposal — take them from the existing openings.
- If the wall above a door is shallower than 1,000 mm, the banner drops to the fascia band or moves to the fence.
- Banner fixing: four stand-offs through the face into wall plugs, or a channel frame; nothing drilled through the printed face.

# Door 2 — black frame, B-2 above

Eight panes of one-way vision film in a black-painted frame — 900 mm high, 500 mm panes on the outer edges and 400 mm against the meeting stile. B-2 sits on the wall above the door, centred, its underside at 2560 mm.




## ON THIS DOOR


- Frame and leaves: black. Panes: 8 per door, 900 mm high.
- Door head 1980 mm; banner underside 2560 mm; 580 mm of wall between.
- Banner: 4,877 × 1,000 mm, centred on the door.
- D2-P1 WELCOME · 900 × 500
- D2-P2 MINOR SURGERY · 900 × 400
- D2-P3 OBS & GYN · 900 × 500
- D2-P4 GENERAL OUTPATIENT · 900 × 400
- D2-P5 PHARMACY · 900 × 400
- D2-P6 IMMUNISATION · 900 × 500
- D2-P7 HIV CARE · 900 × 400
- D2-P8 OUR SERVICES · 900 × 500

## CHECK ON SITE

- Door centres here are a proposal — take them from the existing openings.
- If the wall above a door is shallower than 1,000 mm, the banner drops to the fascia band or moves to the fence.
- Banner fixing: four stand-offs through the face into wall plugs, or a channel frame; nothing drilled through the printed face.

# Door 3 — black frame, B-2 above

Eight panes of opaque film in a black-painted frame — 900 mm high, 500 mm panes on the outer edges and 400 mm against the meeting stile. B-2 sits on the wall above the door, centred, its underside at 2560 mm.




## ON THIS DOOR

- Frame and leaves: black. Panes: 8 per door, 900 mm high.
- Door head 1980 mm; banner underside 2560 mm; 580 mm of wall between.
- Banner: 4,877 × 1,000 mm, centred on the door.
- D3-P1 ANTENATAL & POSTNATAL · 900 × 500
- D3-P2 EYE SERVICES · 900 × 400
- D3-P3 PAEDIATRICS · 900 × 500
- D3-P4 MINOR SURGERY · 900 × 400
- D3-P5 ULTRASOUND · 900 × 400
- D3-P6 ENT · 900 × 500
- D3-P7 INPATIENT CARE · 900 × 400
- D3-P8 OUR SERVICES · 900 × 500

## CHECK ON SITE

- Door centres here are a proposal — take them from the existing openings.
- If the wall above a door is shallower than 1,000 mm, the banner drops to the fascia band or moves to the fence.
- Banner fixing: four stand-offs through the face into wall plugs, or a channel frame; nothing drilled through the printed face.

# Door 4 — black frame, B-3 above

Eight panes of one-way vision film in a black-painted frame — 900 mm high, 500 mm panes on the outer edges and 400 mm against the meeting stile. B-3 sits on the wall above the door, centred, its underside at 2560 mm.




## ON THIS DOOR


- Frame and leaves: black. Panes: 8 per door, 900 mm high.
- Door head 1980 mm; banner underside 2560 mm; 580 mm of wall between.
- Banner: 4,877 × 1,000 mm, centred on the door.
- D4-P1 PHARMACY · 900 × 500
- D4-P2 LABORATORY · 900 × 400
- D4-P3 CBC · 900 × 500
- D4-P4 ULTRASOUND · 900 × 400
- D4-P5 LABORATORY · 900 × 500
- D4-P6 CBC · 900 × 400
- D4-P7 OPEN 24 HOURS · 900 × 400
- D4-P8 OUR SERVICES · 900 × 500

## CHECK ON SITE

- Door centres here are a proposal — take them from the existing openings.
- If the wall above a door is shallower than 1,000 mm, the banner drops to the fascia band or moves to the fence.
- Banner fixing: four stand-offs through the face into wall plugs, or a channel frame; nothing drilled through the printed face.

## How the doors sit together

One elevation, all dimensions in millimetres. The banners are wider than the doors, so doors 1 to 3 are spaced to suit: 4.2 m, 3.4 m and 3.4 m between centres, which leaves 600 mm and 500 mm of wall between the banner ends. Door 4 carries no banner, so it sits a clear 1.18 m pier from door 3.




**SET OUT — DOORS, BANNERS AND SIGN POST, ALL DIMENSIONS IN MM**

DOOR CENTRES ARE THE PROPOSAL HERE; ON SITE TAKE THEM FROM THE EXISTING OPENINGS.