

2100 MM

1000 MM

TRIM · SAFE ZONE 25 MM · KICK ZONE 120 MM · HANDLE POSITION

PANEL

RECEPTION

WELCOME & PATIENT SERVICES · PORTRAIT SINGLE SWING DOOR

TRIM SIZE	1000 × 2100 MM (100 × 210 CM)
ASPECT RATIO	1 : 2.10
BLEED	10 MM ALL ROUND — PLOT 1020 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	78 MM
PHOTOGRAPH	A-01 — CEDRIC FAUNTLEROY
PHOTO COVERAGE	40% OF PANEL AREA
HARDWARE	RIGHT LEVER/PULL, 150 MM FROM THE MEETING EDGE
RESOLUTION	PASS (ACCEPTABLE)

OBSTRUCTIONS TO RESPECT

- Left-hand hinge set: 3 no. butt hinges
- Right-hand lever/pull handle, 950–1120 mm
- Overhead door closer, top 240 mm
- Floor clearance 8 mm

PRODUCTION NOTE

Photograph must knock out to navy at the bottom edge, not float.

Mop and trolley zone — no live content in the bottom 140 mm.



2100 MM

450 MM

TRIM · SAFE ZONE 25 MM · KICK ZONE 120 MM · HANDLE POSITION

PANEL

RECEPTION

SIDELIGHT · PORTRAIT FIXED SIDELIGHT

TRIM SIZE	450 × 2100 MM (45 × 210 CM)
ASPECT RATIO	1 : 4.67
BLEED	10 MM ALL ROUND — PLOT 470 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	52 MM
PHOTOGRAPH	NONE (GRAPHIC PANEL)
PHOTO COVERAGE	0%
HARDWARE	NONE — FIXED GLAZING
RESOLUTION	VECTOR

OBSTRUCTIONS TO RESPECT

- Fixed glazing; no hardware
- Frame rebate 18 mm all round
- Silicone joint at floor

PRODUCTION NOTE

No joins through the vertical wordmark; single-piece plot required.

Silicone joint at the floor; no print within 30 mm of the frame rebate.



2100 MM

900 MM

TRIM · SAFE ZONE 25 MM · KICK ZONE 120 MM · HANDLE POSITION

PANEL

CONSULTATION

ROOM 01 · PORTRAIT SINGLE SWING DOOR


TRIM SIZE	900 × 2100 MM (90 × 210 CM)
ASPECT RATIO	1 : 2.33
BLEED	10 MM ALL ROUND — PLOT 920 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	70 MM
PHOTOGRAPH	A-02 — COTTONBRO STUDIO
PHOTO COVERAGE	40% OF PANEL AREA
HARDWARE	LEFT LEVER/PULL, 120 MM FROM THE MEETING EDGE
RESOLUTION	PASS (ACCEPTABLE)

OBSTRUCTIONS TO RESPECT

- Right-hand hinge set
- Left-hand lever handle, 980–1150 mm
- Overhead closer

PRODUCTION NOTE

Doctor's face sits in the upper third; keep clear of the closer shadow.



2100 MM

900 MM

TRIM · SAFE ZONE 25 MM · KICK ZONE 120 MM · HANDLE POSITION

PANEL

CONSULTATION

ROOM 02 · PORTRAIT SINGLE SWING DOOR


TRIM SIZE	900 × 2100 MM (90 × 210 CM)
ASPECT RATIO	1 : 2.33
BLEED	10 MM ALL ROUND — PLOT 920 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	70 MM
PHOTOGRAPH	A-03 — THIRDMAN
PHOTO COVERAGE	40% OF PANEL AREA
HARDWARE	RIGHT LEVER/PULL, 120 MM FROM THE MEETING EDGE
RESOLUTION	PASS (ACCEPTABLE)

OBSTRUCTIONS TO RESPECT

- Left-hand hinge set
- Right-hand lever handle, 980–1150 mm
- Overhead closer

PRODUCTION NOTE

Landscape source: crop keeps both figures inside the safe zone.



2100 MM

900 MM

TRIM · SAFE ZONE 25 MM · KICK ZONE 120 MM · HANDLE POSITION

PANEL

LABORATORY

DIAGNOSTIC TESTING · PORTRAIT SINGLE SWING DOOR


TRIM SIZE	900 × 2100 MM (90 × 210 CM)
ASPECT RATIO	1 : 2.33
BLEED	10 MM ALL ROUND — PLOT 920 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	70 MM
PHOTOGRAPH	A-04 — PAVEL DANILYUK
PHOTO COVERAGE	40% OF PANEL AREA
HARDWARE	LEFT LEVER/PULL, 120 MM FROM THE MEETING EDGE
RESOLUTION	FAIL — TIGHTEN CROP

OBSTRUCTIONS TO RESPECT

- Right-hand hinge set
- Left-hand lever handle, 980–1150 mm
- Overhead closer

PRODUCTION NOTE

Lab-coat highlights must be held below 240 so they do not bloom under perforation.



PANEL

PHARMACY

DISPENSARY · PORTRAIT SINGLE SWING DOOR

TRIM SIZE	1000 × 2100 MM (100 × 210 CM)
ASPECT RATIO	1 : 2.10
BLEED	10 MM ALL ROUND — PLOT 1020 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	78 MM
PHOTOGRAPH	A-05 — COTTONBRO STUDIO
PHOTO COVERAGE	40% OF PANEL AREA
HARDWARE	RIGHT LEVER/PULL, 150 MM FROM THE MEETING EDGE
RESOLUTION	PASS (ACCEPTABLE)

OBSTRUCTIONS TO RESPECT

- Left-hand hinge set
- Right-hand pull handle, 950–1120 mm
- Push plate to 1200 mm

PRODUCTION NOTE

Shelf repetition reads as texture through the perforation — crop keeps it soft.



PANEL

IMAGING

SCAN SUITE · PORTRAIT DOUBLE DOOR, 2 × 600 LEAVES

TRIM SIZE	1200 × 2100 MM (120 × 210 CM)
ASPECT RATIO	1 : 1.75
BLEED	10 MM ALL ROUND — PLOT 1220 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	78 MM
PHOTOGRAPH	A-06 — MART PRODUCTION
PHOTO COVERAGE	40% OF PANEL AREA
HARDWARE	RIGHT LEVER/PULL, 300 MM FROM THE MEETING EDGE
RESOLUTION	PASS (ACCEPTABLE)

OBSTRUCTIONS TO RESPECT

- Meeting stile at centre (600 mm)
- Vertical pull handles both leaves, 900–1500 mm
- Overhead closers both leaves
- Seam allowance ±3 mm per leaf

PRODUCTION NOTE

One artwork plotted, split at centreline. No text across the meeting stile.



2100 MM

450 MM

TRIM · SAFE ZONE 25 MM · KICK ZONE 120 MM · HANDLE POSITION

PANEL

IMAGING

SIDELIGHT · PORTRAIT FIXED SIDELIGHT

TRIM SIZE	450 × 2100 MM (45 × 210 CM)
ASPECT RATIO	1 : 4.67
BLEED	10 MM ALL ROUND — PLOT 470 × 2120 MM
SAFE ZONE	25 MM INSIDE TRIM
HEADLINE CAP HEIGHT	52 MM
PHOTOGRAPH	NONE (GRAPHIC PANEL)
PHOTO COVERAGE	0%
HARDWARE	NONE — FIXED GLAZING
RESOLUTION	VECTOR

OBSTRUCTIONS TO RESPECT

- Fixed glazing; no hardware
- Frame rebate 18 mm all round

PRODUCTION NOTE

Pairs with P-07 and deliberately carries no photograph — the scanner image must not repeat across two adjacent panels.