# EDDWALIRO

BCM

## MEDICAL CENTRE

WE LISTEN. WE TREAT. WE CARE.

| | | | |
|---|---|---|---|
| 01 – 03 | Door film | THREE GLAZED DOORWAYS, 8 PANES EACH | 32 PANES |
| 04 | Sign post | NAME-ONLY PANEL, DOUBLE SIDED | 3 FT 10 IN × 1 FT 10 IN |
| 05 | Banners | ROADSIDE FENCE, THREE LENGTHS | 3.8 / 3.4 M · 16 FT |




DOOR 1




SIGN POST




BANNER B-1

32 PANES · 1 PANEL · 3 BANNERS · 29 PHOTOGRAPHS

PRINT-READY ARTWORK, PROOFS, ELEVATIONS, SCHEDULES AND SPECIFICATIONS.

MEASURED TO THE CLINIC'S OWN PREMISES.

# What is in the set

Five groups. Inside each: print files at 1 : 1, a multi-page proof, elevations, a README, a licence record and a web preview. The folder names below are the folder names in the zip.

| | FOLDER | WHAT IT IS | TYPE |
|---|---|---|---|
| 01 | DOOR-1/ | DOOR 1 — TESTING AND TREATMENT | ONE-WAY VISION FILM · 8 PANES |
| 02 | DOOR-2/ | DOOR 2 — THE WELCOME DOOR | ONE-WAY VISION FILM · 8 PANES |
| 03 | DOOR-3/ | DOOR 3 — FAMILY, EYE, ENT AND WARD | OPAQUE FILM · 8 PANES |
| 04 | DOOR-4/ | DOOR 4 — DISPENSARY AND DIAGNOSTICS | ONE-WAY VISION FILM · 8 PANES |
| 05 | SIGN/ | SIGN POST PANEL | DOUBLE-SIDED PANEL · 1168 × 559 MM |
| 06 | BANNERS/ | ROADSIDE BANNERS | PVC BANNERS · 3.8 M · 3.4 M · 16 FT × 49 IN |

## AND AT THE TOP OF THE ZIP

- BCM-Complete-Set.pdf — this document: contents, pane schedules, the sign post, the banners, the full licence table and the handover checklist.
- README.md — the same story in text, with the rebuild commands.
- MANIFEST.csv — every file in the set with its type and size, for checking the handover.
- index.html — the set as a web page; open it in a browser and everything links.
- print/ — one print PDF per piece: 32 panes, 3 sign faces, 3 banners, numbered 01–38, with PRINT-INDEX.pdf and a manifest. This is the folder the printer wants; the multi-page proofs are for approval only.
- complete/ — the master proof, manifest, README and index on their own, if you only want the paperwork.

## NOT DUPLICATED

- The per-group zips (BCM-Door-1-package.zip and so on) are left out of the set: they hold the same files you already have here. They stay on each group's own page for handing a single job to a single supplier.

# Door 1 — testing and treatment

Testing and treatment. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.




ELEVATION — DAY, TO SCALE

| PANE | SERVICE | GLASS H × W | PHOTOGRAPH |
|---|---|---|---|
| D1-P1 | HIV CARE | 900 × 500 | PH-09 GLOVED HAND HOLDING TWO BLOOD SAMPLE TUBES FOR |
| D1-P2 | PHARMACY | 900 × 400 | PH-28 HANDS HOLDING A STRIP OF TABLETS |
| D1-P3 | MALARIA | 900 × 500 | PH-11 MACRO PHOTOGRAPH OF A MOSQUITO ON SKIN, TAKEN |
| D1-P4 | CBC | 900 × 400 | PH-10 GLOVED HANDS HANDLING A PURPLE-TOP BLOOD TUBE |
| D1-P5 | LABORATORY | 900 × 400 | PH-05 LABORATORY TECHNICIAN AT A TRINOCULAR MICROSCO |
| D1-P6 | ANTENATAL | 900 × 500 | PH-24 ULTRASOUND EXAMINATION OF A PREGNANT PATIENT |
| D1-P7 | OUTPATIENT | 900 × 400 | PH-08 DOCTOR CONSULTING A PATIENT ACROSS A DESK |
| D1-P8 | OUR SERVICES | 900 × 500 | — TYPE ONLY |

## ON THIS DOOR

- Print files: door-1/artwork/D1-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-1/BCM-Door-1-Panels.pdf.
- Schedule and specification in door-1/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

# Door 2 — the welcome door

General medicine and dispensing. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.




ELEVATION — DAY, TO SCALE

| PANE | SERVICE | GLASS H × W | PHOTOGRAPH |
|---|---|---|---|
| D2-P1 | WELCOME | 900 × 500 | PH-01 RECEPTIONIST ASSISTING A PATIENT AT A MODERN R |
| D2-P2 | MINOR SURGERY | 900 × 400 | PH-14 SURGICAL INSTRUMENTS LAID OUT ON A STERILE TAB |
| D2-P3 | OBS & GYN | 900 × 500 | PH-19 DOCTOR CONSULTING A PREGNANT PATIENT |
| D2-P4 | GENERAL OUTPATIENT | 900 × 400 | PH-12 NURSE TAKING A BLOOD PRESSURE READING WITH A D |
| D2-P5 | PHARMACY | 900 × 400 | PH-27 PHARMACIST HANDING DISPENSED MEDICINE ACROSS T |
| D2-P6 | IMMUNISATION | 900 × 500 | PH-32 A CHILD RECEIVING A VACCINATION SHOT, HELD BY |
| D2-P7 | HIV CARE | 900 × 400 | PH-18 HANDS PREPARING A RAPID TEST KIT ON A WHITE TA |
| D2-P8 | OUR SERVICES | 900 × 500 | — TYPE ONLY |

## ON THIS DOOR

- Print files: door-2/artwork/D2-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-2/BCM-Door-2-Panels.pdf.
- Schedule and specification in door-2/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

# Door 3 — family, eye, ENT and ward

Family, eye, ent and ward care. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. Opaque film: this door is not see-through.




ELEVATION — DAY, TO SCALE

| PANE | SERVICE | GLASS H × W | PHOTOGRAPH |
|---|---|---|---|
| D3-P1 | ANTENATAL & POSTNATAL | 900 × 500 | PH-26 OB-GYN BESIDE THE ULTRASOUND MACHINE, SCAN ON |
| D3-P2 | EYE SERVICES | 900 × 400 | PH-29 EYE EXAMINATION ON A VISION TESTING INSTRUMENT |
| D3-P3 | PAEDIATRICS | 900 × 500 | PH-03 PAEDIATRICIAN EXAMINING A CHILD WITH A STETHOS |
| D3-P4 | MINOR SURGERY | 900 × 400 | PH-22 SURGICAL TOOLS ARRANGED ON A STERILE SURFACE |
| D3-P5 | ULTRASOUND | 900 × 400 | PH-25 CLINICIAN OPERATING AN ULTRASOUND SCANNER IN A |
| D3-P6 | ENT | 900 × 500 | PH-30 OTOSCOPE EXAMINATION OF AN EAR |
| D3-P7 | INPATIENT CARE | 900 × 400 | PH-31 INPATIENT BEDS IN A HOSPITAL ROOM |
| D3-P8 | OUR SERVICES | 900 × 500 | — TYPE ONLY |

## ON THIS DOOR

- Print files: door-3/artwork/D3-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-3/BCM-Door-3-Panels.pdf.
- Schedule and specification in door-3/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

# Door 4 — dispensary and diagnostics

Dispensary, laboratory and scanning. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.




ELEVATION — DAY, TO SCALE

| PANE | SERVICE | GLASS H × W | PHOTOGRAPH |
|---|---|---|---|
| D4-P1 | PHARMACY | 900 × 500 | PH-17 PHARMACIST HANDING MEDICINE ACROSS A DISPENSAR |
| D4-P2 | LABORATORY | 900 × 400 | PH-21 SCIENTIST EXAMINING SAMPLES AT A MICROSCOPE |
| D4-P3 | CBC | 900 × 500 | PH-15 BLOOD SAMPLE TUBES IN A RACK BESIDE A CENTRIFU |
| D4-P4 | ULTRASOUND | 900 × 400 | PH-07 ULTRASOUND SCANNER AND EXAMINATION COUCH IN A |
| D4-P5 | LABORATORY | 900 × 500 | PH-16 SCIENTIST WORKING AT A MICROSCOPE |
| D4-P6 | CBC | 900 × 400 | PH-23 BLOOD SAMPLES IN A RACK WITH A CENTRIFUGE |
| D4-P7 | OPEN 24 HOURS | 900 × 400 | — TYPE ONLY |
| D4-P8 | OUR SERVICES | 900 × 500 | — TYPE ONLY |

## ON THIS DOOR

- Print files: door-4/artwork/D4-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-4/BCM-Door-4-Panels.pdf.
- Schedule and specification in door-4/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

# The sign post panel

Name only — no service list, no photograph, no motto. Trim 1168.4 × 558.8 mm, the client's 3 ft 10 in × 1 ft 10 in, double-sided, for a lighting board. The face is built to the sign already standing on the road: BCM on a white band, MEDICAL CENTRE in white on navy, EDDWALIRO knocked out of a full-width red block, OPEN 24 HRS between two arrows, then a navy foot strip with 0788 323 815 · 0754 132 715 and BUSSABALA. Red carries the colour; the bands are thin and sit with white between them, so the box still lights evenly.




ON THE POST — PANEL CENTRE 1500 MM ABOVE GROUND

## WHAT IS SUPPLIED

- print/ — the signwriter's pack: the exact-size file (page = 46 × 22 in), the bleed version, each face alone, the cyan-field spare and READ-ME-FIRST.txt.
- artwork/BCM-Sign-Name-Only-Red.pdf — the red-on-white lit face, 1 : 1 mm.
- artwork/BCM-Sign-Name-Only-Spare-Cyan.pdf — the cyan field, same size, spare.
- BCM-Sign-Panel.pdf — four pages: the panel to scale, the three faces, on the post, specification.
- lookbook/ — day and night elevations and the dimensioned drawing.

## FIXING — CONFIRM ON SITE

- Backlit-grade face: translucent diffusing acrylic or backlit film, not vinyl on opaque composite. The red bleeds into white when lit from behind, so hold it as a spot colour and check a lit sample. Industry-typical, not a quotation.
- Proposal: two 76 mm galvanised posts at 520 mm centres; panel centre 1500 mm above finished ground level.
- Check 3 ft 10 in × 1 ft 10 in against the panel the signwriter is actually making before plotting.

# The roadside banners

Three lengths on the fence, three different layouts, one identity. Each carries EDDWALIRO at the head, the badge and BCM, MEDICAL CENTRE as the widest line, the motto, a service list from the clinic's own board, the two premises numbers and Open 24 hours.




## B-1 — The road banner

3,800 × 1,000 MM · 3.8 M × 1.0 M · 3.80 M²

READ AT SPEED, FROM THE ROAD. PHOTOGRAPH ON THE LEFT, THE NAME ON THE RIGHT.

SERVICES: GENERAL OUTPATIENT, LABORATORY, PHARMACY, ULTRASOUND, MINOR SURGERY, HIV CARE





## B-2 — The services banner

3,400 × 1,000 MM · 3.4 M × 1.0 M · 3.40 M²

READ STANDING STILL, AT THE GATE. THE LIST DOES THE WORK, TWO PHOTOGRAPHS CARRY IT.

SERVICES: PAEDIATRICS, IMMUNISATION, ANTENATAL & POSTNATAL, OBS & GYN, FAMILY PLANNING, EYE SERVICES




## B-3 — The long banner

4,877 × 1,245 MM · 4.9 M × 1.0 M · 6.07 M²

THE LONG RUN ALONG THE FENCE: THE NAME SET AS LARGE AS IT WILL GO, ONE PHOTOGRAPH AT THE RIGHT HAND END, ONE LINE OF SERVICES.

SERVICES: INPATIENT CARE, ENT, ORTHOPAEDICS, TRAVEL MEDICAL EXAM

## PRODUCTION — CONFIRM WITH THE PRINTER

- 510 g/m² PVC, matte, 40 mm welded hem, eyelets at 500 mm centres; the artwork keeps 60 mm clear of the trim. Fix every eyelet — a 3.8 m banner sails.
- One print file per banner in banners/artwork/, 1 : 1 mm with 10 mm bleed.

# 38 pieces, 38 print files

Every piece is supplied on its own in print/, numbered in the order a job should be run: one file per pane, one per sign face, one per banner — all 1 : 1 in millimetres with bleed, crop marks and a slug strip.

## DOOR FILM — 24 PANES

ONE FILE PER PANE, PANE PLUS 10 MM BLEED, CUT TO THE SIZE IN THE NAME.

| | | | |
|---|---|---|---|
| 01-D1-P1-HIV-CARE-900x500.pdf | 02-D1-P2-PHARMACY-900x400.pdf | 03-D1-P3-MALARIA-900x500.pdf | 04-D1-P4-CBC-900x400.pdf |
| 05-D1-P5-LABORATORY-900x400.pdf | 06-D1-P6-ANTENATAL-900x500.pdf | 07-D1-P7-OUTPATIENT-900x400.pdf | 08-D1-P8-OUR-SERVICES-900x500.pdf |
| 09-D2-P1-WELCOME-900x500.pdf | 10-D2-P2-MINOR-SURGERY-900x400.pdf | 11-D2-P3-OBS-AND-GYN-900x500.pdf | 12-D2-P4-GENERAL-OUTPATIENT-900x400.pdf |
| 13-D2-P5-PHARMACY-900x400.pdf | 14-D2-P6-IMMUNISATION-900x500.pdf | 15-D2-P7-HIV-CARE-900x400.pdf | 16-D2-P8-OUR-SERVICES-900x500.pdf |
| 17-D3-P1-ANTENATAL-AND-POSTNATAL-900x500.pdf | 18-D3-P2-EYE-SERVICES-900x400.pdf | 19-D3-P3-PAEDIATRICS-900x500.pdf | 20-D3-P4-MINOR-SURGERY-900x400.pdf |
| 21-D3-P5-ULTRASOUND-900x400.pdf | 22-D3-P6-ENT-900x500.pdf | 23-D3-P7-INPATIENT-CARE-900x400.pdf | 24-D3-P8-OUR-SERVICES-900x500.pdf |
| 25-D4-P1-PHARMACY-900x500.pdf | 26-D4-P2-LABORATORY-900x400.pdf | 27-D4-P3-CBC-900x500.pdf | 28-D4-P4-ULTRASOUND-900x400.pdf |
| 29-D4-P5-LABORATORY-900x500.pdf | 30-D4-P6-CBC-900x400.pdf | 31-D4-P7-OPEN-24-HOURS-900x400.pdf | 32-D4-P8-OUR-SERVICES-900x500.pdf |

## SIGN POST — 3 FACES

THE LIT RED FACE, ONCE PER SIDE OF THE BOARD, PLUS THE CYAN-FIELD SPARE.

| | | |
|---|---|---|
| 33-SIGN-A-FACE-A-1168x559.pdf | 34-SIGN-A-FACE-B-1168x559.pdf | 35-SIGN-SPARE-CYAN-FIELD-1168x559.pdf |

## BANNERS — 3

ONE FILE PER BANNER, 60 MM CLEAR OF THE TRIM FOR THE HEM AND THE EYELETS.

| | | |
|---|---|---|
| 36-B1-ROAD-3800x1000.pdf | 37-B2-SERVICES-3400x1000.pdf | 38-B3-LONG-4877x1245.pdf |

## ALSO IN PRINT/

- PRINT-INDEX.pdf and print-manifest.csv — every job with piece, type, finished size and file name, as a document and as a job sheet.
- REPORT.md — the folder explained, grouped by the three suppliers.
- BCM-Print-Files.zip — the print files and the index on their own.

# Every photograph, and its licence

All photography is licensed from Pexels under its free licence: commercial use, modification, no attribution required. Frames marked R were colour-retouched with AI assistance so the people read Black African, as asked. The people are models — no pane, sign or banner names them as BCM staff or patients. Working files are web resolution; repeat the retouch on the full-resolution originals before any of this is printed large.

| ASSET | PHOTOGRAPH | CREATOR | PEXELS | | USED IN |
|---|---|---|---|---|---|
| PH-01 | RECEPTIONIST ASSISTING A PATIENT AT A MODERN RECEPTI | CEDRIC FAUNTLEROY | 4269206 | — | D2-P1, B-3 |
| PH-03 | PAEDIATRICIAN EXAMINING A CHILD WITH A STETHOSCOPE | PAVEL DANILYUK | 5998457 | — | D3-P3 |
| PH-05 | LABORATORY TECHNICIAN AT A TRINOCULAR MICROSCOPE | PAVEL DANILYUK | 8442574 | — | D1-P5, B-2 |
| PH-06 | PHARMACISTS EXAMINING MEDICINE ON DISPENSARY SHELVIN | COTTONBRO STUDIO | 8657370 | — | B-1 |
| PH-07 | ULTRASOUND SCANNER AND EXAMINATION COUCH IN A CLINIC | MART PRODUCTION | 7089304 | — | D4-P4 |
| PH-08 | DOCTOR CONSULTING A PATIENT ACROSS A DESK | COTTONBRO STUDIO | 7580254 | — | D1-P7 |
| PH-09 | GLOVED HAND HOLDING TWO BLOOD SAMPLE TUBES FOR TESTI | ALENA SHEKHOVTCOVA | 6074931 | — | D1-P1 |
| PH-10 | GLOVED HANDS HANDLING A PURPLE-TOP BLOOD TUBE OVER A | LOS MUERTOS CREW | 8460340 | — | D1-P4 |
| PH-11 | MACRO PHOTOGRAPH OF A MOSQUITO ON SKIN, TAKEN IN KAD | SAEED SAEED | 32946369 | — | D1-P3 |
| PH-12 | NURSE TAKING A BLOOD PRESSURE READING WITH A DIGITAL | COTTONBRO STUDIO | 5721672 | — | D2-P4 |
| PH-14 | SURGICAL INSTRUMENTS LAID OUT ON A STERILE TABLE | ANNA SHVETS | 6291179 | — | D2-P2 |
| PH-15 | BLOOD SAMPLE TUBES IN A RACK BESIDE A CENTRIFUGE | KAROLA G | 6627696 | — | D4-P3 |
| PH-16 | SCIENTIST WORKING AT A MICROSCOPE | RON LACH | 9768447 | — | D4-P5 |
| PH-17 | PHARMACIST HANDING MEDICINE ACROSS A DISPENSARY COUN | COTTONBRO STUDIO | 8657358 | — | D4-P1 |
| PH-18 | HANDS PREPARING A RAPID TEST KIT ON A WHITE TABLE | COTTONBRO STUDIO | 5712679 | — | D2-P7 |
| PH-19 | DOCTOR CONSULTING A PREGNANT PATIENT | MART PRODUCTION | 7089401 | — | D2-P3 |
| PH-20 | PHARMACIST ARRANGING BOTTLES IN A DISPENSARY CABINET | COTTONBRO STUDIO | 8657295 | — | B-2 |
| PH-21 | SCIENTIST EXAMINING SAMPLES AT A MICROSCOPE | MIKHAIL NILOV | 8851548 | — | D4-P2 |
| PH-22 | SURGICAL TOOLS ARRANGED ON A STERILE SURFACE | PAVEL DANILYUK | 7108125 | — | D3-P4 |
| PH-23 | BLOOD SAMPLES IN A RACK WITH A CENTRIFUGE | KAROLA G | 6627697 | — | D4-P6 |
| PH-24 | ULTRASOUND EXAMINATION OF A PREGNANT PATIENT | MART PRODUCTION | 7088826 | — | D1-P6 |
| PH-25 | CLINICIAN OPERATING AN ULTRASOUND SCANNER IN A CLINI | MART PRODUCTION | 7089041 | — | D3-P5 |
| PH-26 | OB-GYN BESIDE THE ULTRASOUND MACHINE, SCAN ON THE MO | MART PRODUCTION | 7089394 | — | D3-P1 |
| PH-27 | PHARMACIST HANDING DISPENSED MEDICINE ACROSS THE COU | COTTONBRO STUDIO | 8657359 | — | D2-P5 |
| PH-28 | HANDS HOLDING A STRIP OF TABLETS | COTTONBRO STUDIO | 3923159 | — | D1-P2 |
| PH-29 | EYE EXAMINATION ON A VISION TESTING INSTRUMENT | ANTONI SHKRABA | 6749698 | — | D3-P2 |
| PH-30 | OTOSCOPE EXAMINATION OF AN EAR | KAROLA G | 5206951 | — | D3-P6 |
| PH-31 | INPATIENT BEDS IN A HOSPITAL ROOM | MAXX SAS | 39128512 | — | D3-P7 |
| PH-32 | A CHILD RECEIVING A VACCINATION SHOT, HELD BY A PARE | CP KHANAL | 20471645 | — | D2-P6 |

PEXELS FREE LICENCE — COMMERCIAL USE, MODIFICATION AND NO ATTRIBUTION REQUIRED, NOT FOR RESALE UNALTERED, NOT FOR IMPLYING ENDORSEMENT. CHECKED 29 OCTOBER 2026. THE B MONOGRAM IS A RECREATION, NOT BCM'S OFFICIAL LOGO.

# Who gets what

Three suppliers, three different jobs. Send each the folder named, nothing else — the film printer has no use for the banner files, and the signwriter should not be scaling anything.

| SUPPLIER | SEND | FILES | WHAT TO SAY |
|---|---|---|---|
| ONE-WAY VISION PRINTER | DOOR-1/ DOOR-2/ DOOR-3/ | 24 PANE PDFS + 3 PANEL PROOFS | PERFORATED FILM, 2.3 MM PITCH; D2 MUST STAY SEE-THROUGH, D3 IS OPAQUE |
| SIGNWRITER | SIGN/ | SIGN PANEL A (OR B) + 4-PAGE PROOF | ACM 3 MM, TWO POSTS, PANEL CENTRE 1500 MM |
| BANNER PRINTER | BANNERS/ | 3 BANNER PDFS + 6-PAGE PROOF | PVC 510 G, WELDED HEM, EYELETS AT 500 MM |

## OPEN ITEMS — ANSWER THESE BEFORE ANYTHING IS PLOTTED

- The official BCM logo vector. The B monogram here is a recreation in the client's colours; swapping it is one line in source/bcm_brand.py.
- Spelling of EDDWALIRO — set as supplied, worth confirming before plate-making.
- Whether the sign post and the door fascia carry the motto and the telephone; both are present and can be dropped or added in minutes.
- Sign post size, checked against the panel the signwriter is actually making.
- Photographs: the working files are 843–1264 px. Approve the look, then either repeat the retouch on the Pexels originals or photograph the clinic's own team.
- Measurement check on each doorway before the film is cut: 900 mm high panes, 500 mm outer, 400 mm against the meeting stile.

## REBUILD EVERYTHING

cd source · python3 bcm_doors.py · python3 bcm_sign.py · python3 bcm_banners.py · python3 bcm_master.py